

diesel



dustrial



transfer unitsfighting equipmentwater carts1800 816 277The Safest Tanks in Motion

fire

# Welcome to the 2020 Catalogue

## Dear Customer.

Welcome to the 2020 edition of TTi's comprehensive product catalogue. Whether you're a long-standing customer of TTi or perhaps considering your first purchase, we would like to warmly invite you to browse through this informative new guide.

At TTi we believe in more than just our products. We believe in partnering with our Local Active Dealers (LAD's) to enhance their reputation in their community. This is done through the products we supply, the knowledge we seek to impart, the merchandising we provide and the marketing we offer, all contributing towards a winning combination!

Over the past 12 months we have channelled significant resource into getting out into the field with our end users and understanding exactly how our products are being used, and where they can be refined and improved. The feedback has been invaluable, and we trust you can see the results continuing to be reflected in the presentation and functionality of our range.

Thank you again, we sincerely look forward to working with you.



**Our Value Proposition** 

# LADs

Partnering with Local Active Dealers to enhance their reputation and financial performance through the following enablers:

> Products Knowledge Merchandising Marketing

# **Our Distinctive Capability**

# KDMB

An enormous wealth of industry experience

**Design Skills** Unique design flair and a passion for presentation

Merchandising Unique, attractive merchandising displays

Brand Mastery A vibrant, attractive and carefully protected brand

# Our Values

Kind Regards,

Ross Büchner | General Manager

# CRISP

Care In everything we do, we care about the end result

We respect one another, always

Interest We show genuine interest in the needs of our customer

We say what we mean, and mean what we say

Passion We are passionate and determined



AUSTRALIAN MADE AND OWNED

# PRODUCT CATEGORIES







# The Safest Tanks in Motion! **MANUFACTURING PROCESSES**









# Few of the eam 2020 There's more of us! Andre Büchner

Director



Ross Büchner



Emiel Warmerdam



**Kevin Büchner** Product Specialist



Rolf Büchner



Jens Büchner



Jarrod Hatton

Product Specialist

Elmer Selby

Dale James

Customer Service



Pierre Büchner



Richard Southall

Paul Kiesskalt



Andrew Trappel State Manager NSW/QLD





Craig Hook Logistics Manage

eople are human! At TTi we believe that anyone can copy the products we manufacture, the marketing we produce, the facilities we have, but nobody can copy the people that make the company what it is. Our people and their families mean everything to us and always will.

TTi invests heavily in the personal and professional development of its staff through engaging the services of expert trainers across many fields. We always believe we can learn more!

# our peope

# what's new



Tipper Tanks Sizes: 8000, 10000, 12000 Litres

See page 15

- » 20-Year tank warranty
- » UV stabilised to withstand the elements
- » Heavy Duty 'Tuff-Flex Molecular Technology'



**OnDeck<sup>™</sup> 150L** The Ultimate Sprayer for UTVs

## See page **41**

- » Suited to mid range UTV's
- » Includes 3 litre fresh water tank
- » Pump Protection cover



BackUp<sup>™</sup> 16L Fire Fighting Knapsack

# See page **90**

- » Double action chromed brass pump
- » Adjustable nozzle for effective performance
- » Ergonomic tank design for user comfort



LiquidLocker™ Safety Baffle System

## See page 10

- » Reduces fluid movement
- » Suitable for use with all tanks
- » Food-grade quiality material



OnDeck<sup>™</sup> 300L (Compact) The Ultimate Sprayer for UTVs

## e page **41**

- » Fits in all larger UTV trays
- » Includes 10 litre fresh water tank
- » Fully drainable with forkable steel frame



SuperReel50<sup>™</sup> Your Spraying Partner

## See page **50**

- » NEW! Fully enclosed frame design minimizes pinch points
- » Manual override button and isolation switch
- » Tough powder-coated finish



# **Differences between** AquaMove and **Aqua Trans**<sup>®</sup>

There is nothing much in the way of a rotationally moulded polyethylene water cartage tank that compares with the TTi AquaTrans tank range. A really heavy-duty tank with a 20year warranty is just part of

the deal. The Aquatrans is a premium product and is in a league of its own. This is the bees' knees!

Without any compromise, the AquaMove range has been introduced to be a player in the price sensitive end of the market. With a slightly lighter design than the AquaTrans and a 15year warranty, this is the everyday range.

# **Enquire Now!** 1800816277

# What makes **TTi's Tanks Unique?**

More than 20 years specialising in the manufacture of quality water cartage tanks. We do not dilute our focus by producing storage tanks and other roto-moulded products.

Our tanks incorporate detailed engineering design in the blending of specific radii to produce a better finish

The DNA of every TTi tank is recorded. This combined with rigorous quality checks including ultrasound thickness testing and laboratory impact testing ensures that our clients are getting the very best available tanks on the Australian market, to give you peace of mind





ORDER

NQUID LOCKER

to reduce surge

& INCREASE

STABILITY

# Water & Foam TANKS

Impact resistant

- Space **saving** profile
- UV stabilised for years of use
- **Moulded** inserts for mounting
- Tanks can be **drilled and tapped** to accept fittings
- **Extra thick structure** for handling pressure up to 4 psi

10 LITRE WATER TANK CODE: PTZV00010SG 220mm(ø) x 460mm(H)

\$**156**'

\$**20**9

\$414\*

°564'

25 litre WATER TANK CODE: PTZV00025SG 150mm(ø) x 400mm(H)

50 LITRE WATER TANK \$308 CODE: PTZV00050SG 450mm(ø) x 600mm(H)

00 litre WATER tank \$476 CODE: PTZV00100SG 450mm(ø) x 950mm(H)



50 litre FOAM tank CODE: PTZB00050SG 450mm(ø) x 600mm(H)

00 litre FOAM tank CODF: PT7B00100SG 450mm(ø) x 950mm(H)





LWH: 590 x 320 x 280mm

# AquaTrans<sup>™</sup> 20L

20-Year Warranty CODE: PTC00020SG <sup>\$</sup>197\*

- ø100 Lid & Seal
- » ¾" Poly Drain Buna & Seal

# 220L

LWH: 925 x 710 x 510mm

## AquaTrans<sup>™</sup> 220L 20-Year Warranty CODE: PTC00220SG **\$560**\*

Steel Skid Frame CODE: ASFD00220 \$504\*

**Top Mount Steel Pump Plate** CODE: SSF001 \$**275**\*

220L Example Tank Application





LWH: 800 x 430 x 390mm

AquaTrans<sup>™</sup> 50L 20-Year Warranty CODE: PTC00050SG \$324\*

ø255 Lid Assembly

» ¾" Poly Drain Bung & Seal

» ø150 Lid & Seal » ¾" Poly Drain Buna & Seal





LWH: 900 x 450 x 475mm

AquaTrans<sup>™</sup> 100L 20-Year Warranty CODE: PTC00100SG \$**489**\*

ø150 Lid & Seal <sup>3</sup>/<sub>4</sub>" Polv Drain Buna & Seal

**400**L

LWH: 1620 x 710 x 510mm

## AquaTrans<sup>™</sup> 400L 20-Year Warranty CODE: PTC00400ASG <sup>\$</sup>995\*

**Steel Skid Frame** CODE: ASFD00400A \$596\*

Ø255 Lid Assembly

<sup>3</sup>/4" Poly Drain Bung & Seal

**Top Mount Steel Pump Plate** CODE: SSF001 <sup>\$</sup>275\*



**200**L

LWH: 1000 x 650 x 600mm

# AquaTrans<sup>™</sup> 200L

20-Year Warranty CODE: PTC00200SG <sup>\$548\*</sup>

- ø150 Lid & Seal
- <sup>3</sup>/<sub>4</sub>" Polv Drain Buna & Seal



# NEW!

# LiquidLocker<sup>™</sup>

Eliminate Surge In Your Tank



LiquidLocker<sup>™</sup> Ø380mm Anti-Surge Baffling Safety System Ball per 33 Litres (1:33) CODE: LLB380 \$8.50\*

**Complies with load restraint** guide performance standards Reduces fluid movement for improved load stability during transit Suitable for use with all tanks - poly, steel, fibreglass, aluminium, etc. **Food grade quality material** - suitable for potable water Liquid lockers can be used with water, diesel and other liquids **Simple to install** - Balls are supplied in two halves and require a 'Push n Click' and inserting through lid into tank



SAFETY with our LIQUID LOCKER

Designed to REDUCE LIQUID SURGE



500L LWH: 1250 x 1070 x 580mm

AquaTrans<sup>™</sup> 500L Poly Tank with 20-Year Warranty CODE: PTC00500SG <sup>\$</sup>1,095\*

LiquidLockers<sup>™</sup> \$260 (supplied 71 pcs) LiquidLockers<sup>™</sup> \$338 (fitted 71 pcs)

8-

Ó.

Mounting Pins Provided

ø255 Lid, Rim, & Seal Assy

» 1½" MBSP Fitting-Poly (fitted)

େନ



600L LWH: 1250 x 1070 x 740mm

AquaTrans<sup>™</sup> 600L 20-Year Warranty CODE: PTC00600SG s1,149\*

LiquidLockers<sup>™</sup> \$170 (supplied 20 pcs) LiquidLockers<sup>™</sup> \$190 (fitted 20 pcs)







800L LWH: 1430 x 1220 x 670mm

20-Year Warranty CODE: PTC00800SG <sup>\$</sup>1,395\*

LiquidLockers<sup>™</sup> <sup>§</sup>213 (supplied 25 pcs) LiquidLockers<sup>™</sup> \$238 (fitted 25 pcs)





» Mounting Pins Provided ø455 Lid, Rim, & Seal Assy » 11/2" MBSP Fitting-Poly (fitted)

\*Prices include GST | See **page 110** for freight costs

» Mounting Pins Provided

ø455 Lid, Rim, & Seal Assy

» 1½" MBSP Fitting-Poly (fitted)

AquaTrans<sup>™</sup> 800L




1000L

LWH: 1430 x 1220 x 835mm

AquaTrans<sup>™</sup> 1000L 20-Year Warranty Code: PTC01000SG <sup>\$</sup>1,595\*

AquaMove<sup>™</sup> 1000L 15-Year Warrantv CODE: STC01000SG <sup>\$</sup>1,464\*

LiquidLockers<sup>™</sup> \$258 (supplied 30 pcs) LiquidLockers<sup>™</sup> <sup>§</sup>288 (fitted 30 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



1200L LWH: 1720 x 1230 x 840mm

AquaTrans<sup>™</sup> 1200L 20-Year Warranty CODE: PTC01200SG \$1**.760**\*

್ಯಹಾ

Mounting Pins Provided

ø455 Lid, Rim, & Seal Assy

» 1½" MBSP Fitting-Poly (fitted)

LiquidLockers<sup>™</sup> <sup>s</sup>298 (supplied 35 pcs) LiquidLockers<sup>™</sup> \$333 (fitted 35 pcs)



# 1500L


LWH: 1720 x 1230 x 1000mm

AquaTrans<sup>™</sup> 1500L 20-Year Warranty CODE: PTC01500SG \$2,050\*

AquaMove<sup>™</sup>1500L 15-Year Warranty

CODE: STC01500SG <sup>\$</sup>1.895\*

LiquidLockers<sup>™</sup> \$386 (supplied 45 pcs) LiquidLockers<sup>™</sup> <sup>§</sup>432 (fitted 45 pcs)



- Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



# Standard



# Translucent



Natural



Trans Blue

# Opague

Safety Green

(opaque)




White



**Birch Grev** 



Black





Yellow



Orange



Dark Blue





# 2000L


LWH: 2150 x 1410 x 870mm

AquaTrans<sup>™</sup> 2000L Poly Tank with 20-Year Warranty CODE: PTC02000SG <sup>\$</sup>2,849<sup>\*</sup>

## AquaMove<sup>™</sup> 2000L Poly Tank with 15-Year Warranty CODE: STC02000SG

<sup>\$</sup>2,660\*

LiquidLockers<sup>™</sup> \$425 (supplied 60 pcs) LiquidLockers<sup>™</sup> \$475 (fitted 60 pcs)



- Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

## **Steel Mounting Frame**

with Pump Plate Forklift Pockets CODE: ASFC02000 \$1,980\*






LWH: 2150 x 1410 x 1140mm

# AquaTrans<sup>™</sup> 2400L

20-Year Warranty CODE: PTC02400SG <sup>\$</sup>3,241\*

LiquidLockers<sup>™</sup> \$638 (supplied 75 pcs) LiquidLockers<sup>™</sup> \$713 (fitted 75 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)


## **Steel Mounting Frame**

with Pump Plate Forklift Pockets CODE: ASFC02000 \$**1.980**\*



\$4.244\*

\$3,656\*





**Steel Mounting Frame** with Pump Plate forklift pookets CODE: ASFC03000 \$2,993\*

# 3000L

LWH: 2430 x 1540 x 1200mm

# AquaTrans<sup>™</sup> 3000L

20-Year Warranty CODE: PTC03000SG

# AquaMove<sup>™</sup>3000L

15-Year Warranty CODE: STC03000SG

LiquidLockers<sup>™</sup> \$765 (supplied 90 pcs) LiquidLockers<sup>™</sup> \$855 (fitted 90 pcs)

» Mounting Pins Provided » ø455 Lid, Rim, & Seal Assy » 2" MBSP Fitting-Poly (fitted)



# 4000L


LWH: 2430 x 1540 x 1450mm

# AquaTrans<sup>™</sup> 4000L

20-Year Warranty CODE: PTC04000SG \$4,967\*

## AquaMove<sup>™</sup>4000L 15-Year Warranty CODE: STC04000SG <sup>\$</sup>4,654\*

LiquidLockers<sup>™</sup> \$1,020 (supplied 120 pcs) LiquidLockers<sup>™</sup> \$1,140 (fitted 120 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

# **Steel Mounting Frame**

with Pump Plate forklift pookets CODE: ASFC03000 \$**2,993**\*



# 5000L

LWH: 2760 x 2000 x 1400mm


# AquaTrans<sup>™</sup> 5000L

20-Year Warranty CODE: PTC05000SG <sup>\$</sup>5,954\*

# AquaMove<sup>™</sup>5000L

15-Year Warranty CODE: STC05000SG <sup>\$5,288\*</sup>

## LiquidLockers<sup>™</sup> \$1,275 (supplied 150 pcs) LiquidLockers<sup>™</sup> \$1,425 (fitted 150 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

## Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC05000 \$3,942\*




# 6000L

LWH: 2760 x 2000 x 1540mm

# AquaTrans<sup>™</sup> 6000L

20-Year Warranty CODE: PTC06000SG <sup>\$</sup>6,980\*

LiquidLockers<sup>™</sup> \$1,530 (supplied 180 pcs) LiquidLockers<sup>™</sup> \$1,710 (fitted 180 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

## **Steel Mounting Frame**

with Pump Plate forklift pookets CODE: ASFC05000 \$3,942\*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au




# 7000L

LWH: 3390 x 2250 x 1390mm

## AquaTrans<sup>™</sup> 7000L Poly Tank with 20-Year Warranty CODE: PTC07000SG

<sup>\$</sup>7,929\*

LiquidLockers<sup>™</sup> \$1,785 (supplied 210 pcs) LiquidLockers<sup>™</sup> \$1,995 (fitted 210 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass
- » Supplied with pins and wedges for easy mounting!

## Steel Mounting Frame

with Pump Plate Forklift Pockets CODE: ASFC07000 \$4,998\*



# 8000L

LWH: 3300 x 1900 x 1850mm


# AquaTrans<sup>™</sup> 8000L

20-Year Warranty CODE: PTC08000SG \$9,763\*

# AquaMove<sup>™</sup> 8000L

15-Year Warranty CODE: STC08000SG \$8,345\*





- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

# **Steel Mounting Frame**

with Pump Plate forklift pookets CODE: ASFC08000 \$4,998\*



# 10000L

LWH: 3480 x 2250 x 1940mm


# AquaTrans<sup>™</sup> 10000L

20-Year Warranty CODE: PTC10000SG <sup>\$</sup>11,588\*

# AquaMove<sup>™</sup> 10000L

15-Year Warrantv CODE: STC10000SG <sup>\$</sup>9.972\*





- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

# Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC07000 \$4,998\*






# 13000L

LWH: 3480 x 2250 x 2310mm

# AquaTrans<sup>™</sup> 13000L

20-Year Warranty CODE: PTC13000SG \$13,924\*

LiquidLockers<sup>™</sup> \$3,358 (supplied 395 pcs) LiquidLockers<sup>™</sup> \$3,753 (fitted 395 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass


## **Steel Mounting Frame**

with Pump Plate forklift pookets CODE: ASFC07000 \$4.998\*




# 8000

LiquidLockers<sup>™</sup> \$2,040 (supplied 240 pcs) LiquidLockers<sup>™</sup> \$2,280 (fitted 240 pcs)



**Steel Mounting Frame** With Pump Plate forklift pookets CODE: ASFCA08000 \$4,998\*



# **New Tipper Tanks!**



LWH: 3600 x 2100 x 1540mm

# AquaTrans<sup>™</sup> 8000L

20-Year Warranty CODE: PTC08000ASG <sup>\$</sup>9,763\*

Mounting Pins Provided ø455 Lid, Rim, & Seal Assy » 3" MBSP Fitting-Brass





LWH: 3600 x 2100 x 1880mm

# AquaTrans<sup>™</sup> 10000L

20-Year Warranty CODE: PTC10000ASG \$11,588\*

LiquidLockers<sup>™</sup> \$2,550 (supplied 300 pcs) LiquidLockers<sup>™</sup> \$2,850 (fitted 300 pcs)




## 12000L NEW!

LWH: 3600 x 2100 x 2240mm

# AquaTrans<sup>™</sup> 12000L

20-Year Warranty CODE: PTC12000SG <sup>\$</sup>13,145\*


LiquidLockers<sup>™</sup> \$3,103 (supplied 365 pcs) LiauidLockers<sup>™</sup> \$3.468 (fitted 365 pcs)



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

# Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFCA08000 °4,998\*



- » Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

# **Steel Mounting Frame**

with Pump Plate forklift pookets CODE: ASFCA08000 \$4.998\*

# TANKS



Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

# Supplied with Pins & Mounting



# Features:

Impact resistant Low profile for safety UV stabilised for years of use Extra thick wall structure Tanks can be drilled and tapped to accept fittings




# 13000L

LWH: 4310 x 2350 x 1795mm

# AquaTrans<sup>™</sup> 13000L

20-Year Warranty CODE: PTC13000ASG \$13,924\*

LiquidLockers<sup>™</sup> \$3,358 (supplied 395 pcs) LiquidLockers<sup>™</sup> \$3,753 (fitted 395 pcs)



- Mounting Pins Provided
- ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

## Steel Mounting Frame With Pump Plate forklift pockets CODE: ASFC 13000

\$**5,444**\*



# 15000L

LWH: 4310 x 2350 x 2040mm

# AquaTrans<sup>™</sup> 15000L 20-Year Warranty

» Mounting Pins Provided

» 3" MBSP Fittina-Brass

Steel Mounting Frame

CODE: ASFC13000

\$5,444\*

ø455 Lid, Rim, & Seal Assy

With Pump Plate forklift pockets

CODE: PIC15000SG \$16,570\*

LiquidLockers<sup>™</sup> \$3,864 (supplied 455 pcs) LiquidLockers<sup>™</sup> \$4,318 (fitted 455 pcs)




# 17000L

LWH: 4310 x 2350 x 2395mm

# AquaTrans™ 17000L

20-Year Warranty CODE: PTC17000SG \$18,753\*

LiquidLockers<sup>™</sup> \$4,379 (supplied 515 pcs) LiquidLockers<sup>™</sup> \$4,894 (fitted 515 pcs)



- » Mounting Pins Provided
  - » ø455 Lid, Rim, & Seal Assy
  - » 3" MBSP Fitting-Brass

Steel Mounting Frame With Pump Plate forklift pockets CODE: ASFC13000 \$5,444\*

# **AquaDelivery**<sup>T</sup>

# Water Cartage Tank with Transfer Pump and Motor

# Included:

# » Tank with Frame

- » Honda GX200 (Electric Start) Motor with QP303 1000L/min Transfer Pump
- » Lockable Toolbox with 2 x 10m Lengths of Certified Potable Food Grade Hose
- » Hydrant Filler Lid with Spring non-return valve

## AquaDelivery™ 10000L

with Honda GX200 & 3" Water Delivery Pump CODE: PWD10000L \$21,950\*

Code	AquaDelivery™ with Honda GX200 and 3" Water Delivery Pump	RRP*(\$)
PWD05000L	AquaDelivery™ 5,000 Litres	\$ <b>16,070</b>
PWD06000L	AquaDelivery™ 6,000 Litres	<sup>\$</sup> 16,980
PWD07000L	AquaDelivery™ 7,000 Litres	<sup>\$</sup> 19,350
PWD08000AL	AquaDelivery™ 8,000 Litres	\$ <b>20,280</b>
PWD10000L	AquaDelivery™ 10,000 Litres	\$ <b>21,950</b>
PWD12000L	AquaDelivery™ 12,000 Litres	<sup>\$</sup> 23,400
PWD13000L	AquaDelivery™ 13,000 Litres	\$ <b>25,320</b>
PWD13000AL	AquaDelivery™ 13,000 Litres	\$ <b>25,320</b>
PWD15000L	AquaDelivery™ 15,000 Litres	\$ <b>27,415</b>
PWD17000L	AquaDelivery™ 17,000 Litres	\$ <b>29,280</b>

# **Upgrade Options**





Liquid Locker **System** 

Washdown Hose Reel Diesel Engine



# Mounting Frames and HOT-DIP **Pins**



Specially Designed Mounting Pins Provide the Correct Strength for Securing of Your Tank




# To suit tanks from 500L to 1000L

Simple to mount SureFit pin system

Thicker wall steel coupled with unique hot-dip galvanising process provides real toughness and corrosion resistant

Frames standard with forklift pockets from all four sides



Code	Description	Kg	L x W (mm)	RRP* (\$)
ASFCA00500	Steel Frame for 500L & 600L SumpTrans, includes forklift tine pockets on all sides	37	1630 x 1010	\$1,951
ASFCA00800	Steel Frame for 800L & 1000L SumpTrans, includes forklift tine pockets on all sides	53	1780 x 1110	\$2,106
ASFCA01200	Steel Frame for 1200L & 1500L SumpTrans, includes forklift tine pockets on all sides	72	1780 x 1344	\$2,206

Code	Description	ККР"(ֆ)
ARP001	Set of 4 tank mounting pins <b>18 x 200mm</b> to suit 500 & 600 Free Standing Tanks & 500, 600, 800 & 1000 Litre Low Profile Tanks	\$ <b>6</b> 4
ARP002	Set of 4 tank mounting pins <b>18 x 230mm</b> to suit 800 &1000 Litre Free Standing Tanks	\$ <b>80</b>
ARP003	Set of 4 tank mounting pins 18 x 260mm to suit 1200 & 1500 litre Low Profile Tanks	\$ <b>80</b>
ARP004	Set of 4 tank mounting pins <b>24 x 260mm</b> to suit 1200, 1500, 7000 & 9000 Litre Free Standing Tanks & 2000, 2400, 3000 & 4000 Low Profile Tanks	\$ <b>92</b>
ARP005	Set of 4 tank mounting pins <b>24 x 330mm</b> to suit 2000, 2400, 3000 & 4000 Litre Free Standing Tanks and 5000 & 6000 Low Profile tanks	\$ <b>92</b>
ARP006	Set of 6 tank mounting pins 24 x 480mm to suit 8000 litre Free Standing Tank	<sup>\$</sup> 153
ARP008	Set of 4 tank mounting pins <b>24 x 480mm</b> to suit 5000,6000, 10000 & 13,000 Litre Free Standing Tanks and 10000 & 13000 Litre Low Profile tanks	\$ <b>120</b>
ARP009	Mounting kit complete to suit tanks which require ARP008 - includes right angle brackets	\$ <b>292</b>
ARP012	Set of <b>8 tank mounting pins</b> to suit 13000, 15000 & 17000 Litre Low Profile Free Standing Tanks	<sup>\$</sup> 320
		*

# To suit tanks from 2000L to 17000L

Forkliftable for easy lift on, lift off convenience

Simple to mount SureFit pin system

Thicker wall steel coupled with unique hot-dip galvanising process provides real toughness and corrosion resistant

Choose from tank only frame or frame with pump plate



Code	Description	Kg	L x W (mm)	RRP* (\$)
ASFC02000	Steel Frame for 2000L & 2400L AquaTrans™	190	2910 x 1410	\$ <b>1,980</b>
ASFC03000	Steel Frame for 3000L & 4000L AquaTrans™	218	3020 x 1355	\$ <b>2,993</b>
ASFC05000	Steel Frame for 5000L & 6000L AquaTrans <sup>™</sup>	302	3500 x 1820	\$3,942
ASFC07000	Steel Frame for 7000L, 10000L & 13000L AquaTrans <sup>™</sup>	410	4100 x 2200	\$4,998
ASFC08000	Steel Frame for 8000L AquaTrans™	428	4100 x 1844	\$4,998
ASFCA08000	Steel Frame for 8000L, 10,000L & 12,000L Tipper AquaTrans	428	4210 x 2000	\$4,998
ASFC13000	Steel Frame for 13000L, 15000L & 17000L AquaTrans™	480	5300 x 2200	\$5,444

\*Disclaimer: Check compatibility with your forklift width between types



Free standing design allows for mounting to flat deck truck/trailer. Unique 2 x 6" connections between modules for even filling/draining. Fully baffled every 3000 Litres to minimise surge (optional liquid lockers). Low profile design for improved safety



Exclusive use of polyethylene eliminates rust problems and significantly reduces weight resulting in increased payload and durability

# **TansLoc**<sup>™</sup>

Heavy-Duty Free Standing Fully Drainable Modular Tank System

# With Steel Frame & **6" Connections**

**Expandable** Capacity

**Drain** Independently

Low profile design

2 x 6" connections

improved **safety** 

# **InterLoc**<sup>™</sup>

Fully Drainable Modular Tank System

# **Fully Baffled** (Every 2500 litres)

# **The Answer to Your Chemical Transport Needs**

Needing to cart different chemicals in one load? Read on... Modules can be plumbed to drain independently or

No Rust 🗸

**Expandable** Tank Capacity  $\checkmark$ Large Range of Sizes 🗸 Proven Mount System 🗸

and a second second second

# Drainable Tanks

Have the most **extraordinary impact-resistant** gualities and are impervious to the toughest conditions

Incorporates in-built **Tuff-Flex technology** to allow real flex to easily handle any work environment



# **SumpTrans**<sup>™</sup> **Fully-Drainable Chemical Tanks**



**TTi's SumpTrans<sup>™</sup> Tank** use specially blended poly-ethylene to handle the broadest range of liquids possible from plain water to the harshest chemicals – ask for a copy of our compatibility chart!







# What to look for

age and simplify cleaning

Are impervious to most chemicals

**Australian made** for Australian conditions **20-year warranty** - buy with confidence

regardless of terrain

# When Selecting a Spray Tank



## **Get the Tank in Your Corporate COLOUR** see page**12**

**Smooth-walled interior** design incorporating a fully integrated sump that ensures complete evacuation and decontamination of the tank to maximise liquid us-

Are manufactured to dual Australian Standards (AS2070:1999 and AS4766:2006)

Include a **positive draining tank base with sump** providing a flooded suction

Heavy-duty tanks with load rating up to 1.3 Specific Gravity (SG)

making TTi's of the highest quality, toughest & most durable tank on the market

full drain sump



End view shows sump clearance



view of Pin



Call one of our friendly team today! 1800 816 277

Note: Tanks not mounted in accordance with our specifications may void warranty



# **Tank Frames**

All spray tanks require a steel mounting frame to give sumps clearance for access.

Thicker wall steel coupled with our hotdip galvanised process provides real toughness for a long useful life.




# SumpTrans<sup>™</sup> 100L

Bare Tank with 20-Year Warranty 815 x 450 x 595 (LWH) CODE: PTSS00100SG <sup>\$</sup>465\*

# SumpTrans<sup>™</sup> 100L with Frame

Tank Fitted in Frame 815 x 450 x 600 (LWH) CODE: PTSS00100KSG <sup>\$</sup>794\*



- » Skid Frame
- ø150 Lid Assembly Complete
- Pair of mounting straps
- » 1" MBSP Fitting-Poly
- » 100 Litre Strap Tank Only



# **200**L

SumpTrans<sup>™</sup> 200L (Low Profile) Bare Tank with 20-Year Warranty

960 x 690 x 550 (LWH) CODE: PTSP00200SG \$690**\*** 

## SumpTrans<sup>™</sup> 200L with Frame

Tank Fitted in Frame 815 x 450 x 600 (LWH) CODE: PTSP00200KSG \$882\*

Skid Frame

» ø255 Filter Basket 🖑

» Stainless Steel Screws

» ¾" MBSP Fitting-Poly

200 Litre Pin Tank Only

ø255 Lid Assembly Complete

» Pump Compartment Cover



# SumpTrans<sup>™</sup> 200L

Skid Frame

ø255 Filter Basket

» Straps Only (pair)

» Stainless Steel Screws

» 1½" MBSP Fitting-Poly

» 200 Litre Strap Tank Only

ø255 Lid Assembly Complete

Bare Tank with 20-Year Warranty 940 x 600 x 750 (LWH) CODE: PTSS00200SG <sup>\$</sup>679\*

# SumpTrans<sup>™</sup> 200L with Frame

Tank Fitted in Frame 940 x 600 x 760 (LWH) CODE: PTSS00200KSG <sup>\$</sup>942\*



# 300L

## SumpTrans<sup>™</sup> 300L Bare Tank with 20-Year Warranty 1270 x 615 x 730 (LWH) CODE: PTSS00300SG \$**840**\*

# SumpTrans<sup>™</sup> 300L with Frame

Tank Fitted in Frame 1270 x 6015 x 750 (LWH) CODE: PTSS00300KSG \$1,145\* િયે. 9000 Skid Frame ø255 Filter Basket » ø255 Lid Assembly Complete Stainless Steel Screws

- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)
- » 300 Litre Strap Tank Only \*Prices include GST | See **page 110** for freight costs

# 300L

\$**840**\*

# <sup>\$</sup>1.145\*

- Skid Frame
- Straps Only (pair) » ø255 Lid Assembly Complete

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

22






# SumpTrans<sup>™</sup> 300L

Bare Tank with 20-Year Warranty 940 x 600 x 950 (LWH) CODE: PTSS00300ASG

# SumpTrans<sup>™</sup> 300L with Frame

Tank Fitted in Frame 940 x 615 x 965 (LWH) CODE: PTSS00300AKSG



- ø255 Filter Basket
- Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » 300 Litre Strap Tank Only




# **400**L

# SumpTrans<sup>™</sup> 400L (Low Profile)

Bare Tank with 20-Year Warranty 1145 x 850 x 680 (LWH) CODE: PTSP00400SG <sup>\$</sup>967\*

# SumpTrans<sup>™</sup> 400L with Frame

Tank Fitted in Frame 1230 x 850 x 710 (LWH) CODE: PTSP00400KSG <sup>\$</sup>1.580\*



- Skid Frame
- 255 Filter Basket
- Stainless Steel Screws
- ø255 Lid Assembly Complete
- » Pump compartment cover
- » ¾" MBSP Fitting-Poly
- » 400 litre Pin tank only
- » 4 x 8x100mm BSW HED HD Bolt
- » 8 x 8mm washers, 4 x 8mm
- » nyloc nuts



# SumpTrans<sup>™</sup> 400L

Bare Tank with 20-Year Warranty 890 x 820 x 960 (LWH) CODE: PTSS00400SG <sup>\$</sup>973\*

# SumpTrans<sup>™</sup> 400L with Frame

Tank Fitted in Frame 890 x 820 x 975 (LWH) CODE: PTSS00400KSG <sup>\$1.598\*</sup> -@ **WW**.

- Skid Frame
- ø255 Lid Assembly Complete
- ø255 Filter Basket
- Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- Straps Only (pair)
- 400 Litre Strap Tank Only



# SumpTrans<sup>™</sup> 500L

Bare Tank with 20-Year Warranty 1250 x 1070 x 590 (LWH) CODE: PTSP00500SG <sup>\$</sup>1,092\*

# SumpTrans<sup>™</sup> 500L with Frame

Tank Fitted in Frame 1250 x 1070 x 590 (LWH) CODE: PTSP00500KSG \$**1.740**\*

- Skid Frame
- ø255 Lid Assembly Complete
- ø255 Filter Basket
- » Stainless Steel Screws
- » 1<sup>1</sup>/<sub>2</sub>" MBSP Fitting-Poly
- » 4 Pins 18 x 200
- 500 Litre LP Tank Bare



# SumpTrans<sup>™</sup> 600L

Bare Tank with 20-Year Warranty 1200 x 840 x 970 (LWH) CODE: PTSS00600SG \$**1,100**\*

# SumpTrans<sup>™</sup> 600L with Frame




- ø255 Lid Assembly Complete
- ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)
- Skid Frame
- 600 Litre Strap Tank Only



# 600L

## SumpTrans<sup>™</sup> 600L Bare Tank with 20-Year Warranty 1250 x 1070 x 750 (LWH) CODE: PTSP00600SG <sup>\$</sup>1,189\*

## SumpTrans<sup>™</sup> 600L with Frame



- ø455 Lid Assembly Complete
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 11/2" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 600 Litre Tank Bare



# **800**L

# SumpTrans<sup>™</sup> 800L

Bare Tank with 20-Year Warranty 1430 x 1220 x 770 (LWH) CODE: PTSP00800SG <sup>\$</sup>1,403\*

# SumpTrans<sup>™</sup> 800L with Frame

Tank Fitted in Frame 1430 x 1220 x 800 (LWH) <sup>\$</sup>2,317\*

ø455 Lid, Rim, & Seal Assy

ø455 Filter Basket

Skid Frame

» 4 Pins 18 x 200

» Stainless Steel Screws

» 1½" MBSP Fitting-Poly

800 Litre Tank - Bare




# 1000L

## SumpTrans<sup>™</sup> 1000L

Bare Tank with 20-Year Warranty 1430 x 1220 x 940 (LWH) CODE: PTSP01000SG \$**1,545**\*

# SumpTrans<sup>™</sup> 1000L with Frame

Tank Fitted in Frame 1430 x 1220 x 980 (LWH) CODE: PTSP01000KSG \$**2,471**\*



- » ø455 Lid, Rim, & Seal Assy
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 11/2" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 1000 Litre Tank Bare

\$1,771\*

# <sup>\$</sup>2,841\*

- Skid Frame

\*Prices include GST | See **page 110** for freight costs

24







# 1200L

# SumpTrans<sup>™</sup> 1200L

Bare Tank with 20-Year Warranty 1700 x 1200 x 950 (LWH) CODE: PTSP01200SG

# SumpTrans<sup>™</sup> 1200L with Frame



- ø455 Filter Basket
- » Stainless Steel Screws
- » 11/2" MBSP Fitting-Poly
- » 4 Pins 18 x 260
- » 1200 Litre Tank Bare




# 1500L

# SumpTrans<sup>™</sup> 1500L

Bare Tank with 20-Year Warranty 1700 x 1200 x 1150 (LWH) CODE: PTSP01500SG <sup>\$</sup>2,186\*

# SumpTrans<sup>™</sup> 1500L with Frame

Tank Fitted in Frame 1700 x 1200 x 1190 (LWH) CODE: PTSP01500KSG \$3,276\*



- ø455 Lid, Rim, & Seal Assy
- ø455 Filter Basket
- » Stainless Steel Screws
- » 11/2" MBSP Fitting-Poly
- Skid Frame
- » 4 Pins 18 x 260
- » 1500 Litre Tank Bare




2000L

# SumpTrans<sup>™</sup> 2000L

Bare Tank with 20-Year Warranty 2150 x 1410 x 1150 (LWH) CODE: PTSP02000SG \$**2,787**\*

# SumpTrans<sup>™</sup> 2000L with Frame

Tank Fitted in Frame 2150 x 1410 x 1180 (LWH) CODE: PTSP02000KSG <sup>\$</sup>4,326\*



- ø455 Lid, Rim, & Seal Assy
- ø455 Filter Basket
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » Skid Frame
- » 4 pins 24 x 260
- 2000 Litre Tank Bare





# SumpTrans<sup>™</sup> 2400L

Bare Tank with 20-Year Warranty 2150 x 1410 x 1310 (LWH) CODE: PTSP02400SG \$3,271\*



- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 260
- » 2400 Litre Tank Bare



# 3000L

## SumpTrans<sup>™</sup> 3000L Bare Tank with 20-Year Warranty 2430 x 1540 x 1280 (LWH) CODE: PTSP03000SG <sup>\$</sup>4,342\*

# SumpTrans<sup>™</sup> 3000L with Frame SumpTrans<sup>™</sup> 4000L with Frame



# 2430 x 1540 x 1530 (LWH) CODE: PTSP04000SG \$**4,904**\* Tank Fitted in Frame 2430 x 1540 x 1550 (LWH)

100.00

ø455 Lid, Rim, & Seal Assv

Skid Frame

ø455 Filter Basket

ø455 Lid Seal Onlv

Stainless Steel Screws

4000 Litre Tank - Bare

» 2" MBSP Fitting-Poly

» 4 pins 24 x 260

CODE: PTSP04000KSG <sup>\$</sup>7,481\*



# SumpTrans<sup>™</sup> 4000L Bare Tank with 20-Year Warranty



# 5000L

## SumpTrans<sup>™</sup> 5000L

Bare Tank with 20-Year Warranty 2760 x 2000 x 1520 (LWH) CODE: PTSP05000SG <sup>\$</sup>5,697\*

# SumpTrans<sup>™</sup> 5000L with Frame

Tank Fitted in Frame 2760 x 2000 x 1620 (LWH) CODE: PTSP05000KSG



- \$8,307\* Skid Frame ø455 Filter Basket ø455 Lid, Rim, & Seal Assv ø455 Lid Seal Only » Stainless Steel Screws » 2" MBSP Fitting-Poly » 4 pins 24 x 330
  - 5000 Litre Tank Bare

\*Prices include GST | See **page 110** for freight costs

26



# SumpTrans<sup>™</sup> 6000L

Bare Tank with 20-Year Warranty 2760 x 2000 x 1670 (LWH) CODE: PTSP06000SG

# <sup>\$</sup>7,130\*

# SumpTrans<sup>™</sup> 6000L with Frame ° 🔂 🗠



Skid Frame ø455 Filter Basket ø455 Lid, Rim, & Seal Assv ø455 Lid Seal Onlv Stainless Steel Screws » 2" MBSP Fitting-Poly » 4 Pins 24 x 330

6000 Litre Tank - Bare



# 10000L

# SumpTrans<sup>™</sup> 10000L

Bare Tank with 20-Year Warranty 3480 x 2250 x 2050 (LWH) CODE: PTSP10000SG <sup>\$</sup>12,175\*

# SumpTrans<sup>™</sup> 10000L with Frame

Tank Fitted in Frame æ 3480 x 2250 x 2100 (LWH) CODE: PTSP10000KSG <sup>\$</sup>15,697\*



13000L

# SumpTrans<sup>™</sup> 13000L

Bare Tank with 20-Year Warranty 3480 x 2250 x 2420 (LWH) CODE: PTSP13000SG <sup>\$</sup>14,630\*

# SumpTrans<sup>™</sup> 13000L with Frame

Tank Fitted in Frame  $\odot$ æ 3480 x 2250 x 2470 (LWH) CODE: PTSP13000KSG <sup>\$</sup>18,153\*

Skid Frame

- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assv
- ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 480
- » 10000 Litre Tank Bare

- Skid Frame
- ø455 Filter Basket
- ø455 Lid, Rim, & Seal Assy
- ø455 Lid Seal Only
- Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 480
- » 13000 Litre Tank Bare

# Accessories

Selecting a lid for your tank has never been easier

Simply select the size and choose the style that fits your application.

Add a mesh strainer to provide the first level of filtration protecting your water.

Tank Level Kit

\$**46\*** 

# See your tank liquid level at a glance

# **Hydrant Fill Lid**

Ensure your new water cart complies with local regulations by adding this filling option

**3" Hydrant Fill Lid** with 1-way valve and camlock CODE: ARH080F \$**1,953**\*

# 80mm Hydrant Funnel Kit

Fast, top-fill funnel CODE: ARU450F \$1,867\*

# Brass

# Tank Outlet Fittings

Bras Tank Ou	S tlet Fittings	
code	Description	rrp*(\$)
ARFB025	1" Brass tank outlet	\$ <b>53</b> *
ARFB032	11/4" Brass tank outlet	\$ <b>71*</b>
ARFB038	11/2" Brass tank outlet	\$ <b>84</b> *
ARFB050	2" Brass tank outlet	\$ <b>104</b> *
ARFB080R	3" Brass tank outlet - with Reverse Thread to Prevent Loosening	<sup>\$</sup> 195*
ARFB100R	4" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$ <b>293</b> *

# **Flanged Poly**

Tank Ou	tlet Fittings	
code	Description	rrp*(\$)
ARFP020	34" Tank Outlet - Flanged Poly	\$ <b>16</b> *
ARFP025	1" Tank Outlet - Flanged Poly	\$ <b>16*</b>
ARFP032	11/4" Tank Outlet - Flanged Poly	\$ <b>18*</b>
ARFP038	11/2" Tank Outlet - Flanged Poly	\$ <b>27</b> *
ARFP050	2" Tank Outlet - Flanged Poly	\$ <b>31</b> *
ARFP050R	2" Tank Outlet - Reverse Thread with 2 Seals Supplied M & F Threads	\$ <b>47</b> *



code	Description	rrp*(\$)
ARLP150AV	Female Thread Tank Lid (150mm) - with Spring Breather Valve & Gasket	\$ <b>29*</b>
ARLP250VSR	Male Thread 'Smoothe-Line Lid (255mm) - with Fixed Ring; Labyrinth Double Breather Valve	\$62*
ARLP450VSS	Screw Tank Lid (455mm) - with Rim and Seal; Fixed Labyrinth Double Breather Valve	\$ <b>110*</b>
ARLP450VSR	Hinged Tank Lid (455mm) - with Rim and Seal 180°; with Fixed Ring; Labyrinth Breather Valve	\$ <b>110*</b>
ARLS450VSR	450mm Stainless Steel Hinged Lid	\$ <b>414</b> *
TTI30065	450mm Aluminium Lid	\$ <b>389*</b>
ARK200	Basket Filter ( 250mm ) - To suit 255mm Lid; 18# Screen 210mm ø x 235mm deep	\$ <b>51</b> *
ARK400	Basket Filter ( 450mm ) - To suit 455mm Lid; 18# Screen 410mm ø x 235mm deep	\$66 <b>*</b>
ARB195	BallBaffle™ Ø195mm - 1 ball per 7 Litres	\$ <b>5</b> *
	LiquidLocker™ Ø380mm - 1 ball per 33 Litres	\$ <b>8.5</b> *

\*Prices include GST | See **page 110** for freight costs



# **Tired of Pump Up Hand Sprayers?**

# WeedMasta<sup>™</sup> 16R

Rechargeable Knapsack Sprayer Fully Featured Easy Point-and-Spray

## WeedMasta 16R

16L Rechageable; 2.4L/min, 70psi Pump; Speed Control CODE: SVB0016L0024 \$238\*

WeedMasta 16R Trolley Only CODE: ATK0016L <sup>\$</sup>59\*

nter Mais

- I6 Litre capacity tank, ergonomically designed for maximum carrier comfort
- Padded shoulder straps and backrest reduces user fatigue
- Spray flow rate control for spray accuracy and reduced chemical wastage
- Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery
- » No more frustrating tangles with our kink resistant hose
- **Double filtration system** prevents time wasting blockages
- Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- On-off switch control with fuse protection
- » Supplied with battery charging kit

# Hand Operated **Compression Sprayers**

- » Minimum effort ergonomic handle
- » Large filter with viton seals in lance handle and rustproof spring
- » Pressure release slot safety system
- » Fibreglass lance (5 Litre and 6 Litre only)
- » Connector for accessories
- » Adjustable conical nozzle
- » Easy to use pressurisation/carrying handle
- » Safety valve with automatic release of excess pressure
- » Polypropylene tank, lightweight and very strong

# Less Pumping - More Spraying

1L Inter<sup>™</sup> Elite Sprayer CODE: PG100011 \$**39**\*

5L Inter<sup>™</sup> Elite Sprayer CODE: PG10005L \$**98**\*

nter

1

6L Inter<sup>™</sup> Elite Sprayer CODE: PG10006L

# Inter<sup>™</sup> Evolution Knapsack Sprayers

inter

# www.intersprayers.com.au

# **Pressure Regulator Features**

5 YEAR

**Uniformity** and guality of treatments Reduced water and product consumption **Environmentally** friendly **Reduction** of pumping frequency



unction 1.5 bar: **lerbicide** 

Function 3 bar:

I Inter<sup>™</sup> Evo 12L **Knapsack Sprayer** CODE: PGI0012LE <sup>\$</sup>182\*

Inter

I Inter<sup>™</sup> Evo 16L Knapsack Sprayer CODE: PGI0016LE <sup>\$</sup>198\*

ADVANCED

Inter

Hand Operated

Sprayers

# Industrial Elite<sup>™</sup> Sprayers

Multiple Uses Across Many Industries

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

- » Made of special, high resistance materials for use with various chemicals
- » Viton seals for excellent chemical resistance and durability
- » See liquid level at a glance with tank graduations
- » Pressure safety valve ensures sprayer is protected from over pressurisation

# Ideal for:

**Truck Washing Brick Cleaning Carpet** Cleaning Wallpaper Stripping Animal Husbandry **Amenity** Cleaning Disinfecting Degreasing

Inter<sup>™</sup> 1L Industrial Sprayer CODE: PGK0001L \$**61**\*

Inter<sup>™</sup> 6L Industrial Sprayer CODE: PGK0006L \$189\*

BK 9



BE

Inter<sup>™</sup> 8L Industrial Sprayer CODE: PGK0008L \$198\*



WITH

YEAVY DUTY

TON SEALS

EXCELLENT

CHEMICAL RESISTANCE

FOR

Quick Fit Accessories for **Maximum Spray Options** 





Inter<sup>®</sup> 12L Industrial Sprayer CODE: PGK0012L \$**245**\*

# Inter<sup>™</sup> Elite Accessories

# **Spray Hoods**

Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.

Rectangular Hood CODE: ATA00B \$**44**\*

**Rectangular Hood** CODE: ATA00C \$35\*

FASE

# **Pressure Regulator**

Uniformity and quality of treatments Reduced water and product consumption Environmentally friendly Reduction of pumping frequency

> ction 1.5 bar Ierbicide th deflective fan nozzle)

> > nction 3 bar

nsecticide-fungicide 52\*

CODE: ATA00A

SET

FORGET

# **Herbicide Spray Nozzles** Consistent application rates for

spraving

**Flexible Double Nozzle** 

nozzles (H) and one with fan nozzles (HF)

Tubes can be manually moulded for specialised spraying

· Used for basal bark spraying and ant block treatments

requirements. Two models available, one with adjustable cone

# Elbow for Fan Nozzle CODE: ATA00F

<sup>\$</sup>25\*

L.V. Elbow w/ Low Volume Herbicide Nozzle CODE: ATA00G \$41\*

# **Evolution Lance**

**Evolution Lance** 

CODE: AHL011

\$**60**\*

Complete lance to suit Inter Evo 12/16

**Flexible Pipe** 

250mm long flexible pipe Can be manually moulded for specialised applications.



Gives your sprayer extendible length to reach hard to access areas

with Adjustable Cone CODE: ATA00HC <sup>\$</sup>55\*

I with Fan Nozzle CODE: ATA00HC \$55\*

l Versatile Lance 460mm with 10mm Hose Tail CODE: AHL002 \$**60**\*

**Telescopic Lance** 

**Telescopic Lance** CODE: AHL003

\$**92**\*

# **Spray Booms**

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.



CODE: ATA00D \$**26**\*

CODE: ATAOOK \$43\*

CODE: ATA00L <sup>\$63\*</sup>

Green 12 / 16 CODE: CGKI0012L \$23\*

# Compact & easy to use

- » UV stabilised poly tank for long life » Reliable 3.8L/min 40psi pump ideal for spot spraying
- » Spray lance clips for secure lance storage
- » 4.5 metres of spray hose for extra reach
- » Metal spray lance with adjustable nozzle for range of spraying options
- » 2.4 metre electrical cables with battery clips
- » Drain plug in tank for easy cleaning
- » Cap has anti-loss strap

# WeedControl<sup>™</sup> 55L

12v Spot Sprayer 3.8L/min 40psi; Spray Gun Dim: 865 x 390 x 345 (mm) CODE: SV\$0055L0038 \$335\*

# WeedControl<sup>™</sup> 12v Spot Sprayers

# with 8.3 L/min 70psi pump

- » 55L strong UV Stabilised poly tank
- » 8.3L/min 70psi EverFlow pump
- Professional PowerJet spray gun with adjustable brass nozzle
- » Drain bung for easy rinsing and cleaning
- » Pump capability to run a small boom see page 37
- » Provision for tie down straps
- » Moulded inserts underneath tank for securing to trailer kit
- » 12-month pump warranty
- » 4.5m x 10mm spray hose





# WeedControl<sup>™</sup> 55L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 865 x 390 x 345 (mm) CODE: \$V\$0055L0077 \$499\*

# WeedControl<sup>™</sup> 95L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 865 x 390 x 435 (mm) CODE: \$V\$0095L0077 \$599\*

Wweed ourd

\*Prices include GST | See **page 110** for freight costs



12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 900 x 620 x 500 (mm) CODE: SVS0150L0077 \$786\*

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 900 x 620 x 650 (mm) CODE: \$V\$0225L0077 \$971\*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

# WeedControl<sup>\*\*</sup>

Versatile and Efficient Spot Sprayers



# **Standard Trailers**

Standard drawbar for smooth towing suitable for any mower

- Solid rubber tyres to eliminate punctures
- Mounted on sturdy powder coated trailer for lawn spraying
- Reliable Everflo 8.3 L/min 70psi pump with regulator for spray pressure control
- 4.5 metres of hose & Powerjet spray gun for spot spraying applications
- » 2 metre boom standard. Optional upgrade to 3 or 4 metre boom

WeedControl<sup>™</sup> 55L 12v Spot Spray Trailer with 2m Boom CODE: SVT0055L0077B2 \$**880**\*

WeedControl<sup>™</sup> 95L 12v Spot Spray Trailer with 2m Boom CODE: SVT0095L0077B2 <sup>\$</sup>953\*

# with 2m Boom CODE: SVT0055L0077ZB2 \$880\*

WeedControl<sup>™</sup> 55L 12v Spot Spray Trailer

**Zero-Turn Trailers** 

zero turn mowers

Long drawbar for extra-sharp turn-

ing – up to 90° – most suitable for

# WeedControl<sup>™</sup> 95L 12v Spot Spray Trailer

with 2m Boom CODE: SVT0095L0077ZB2 <sup>\$</sup>953\*

# 150L and 225L



# **All-in-one Spray Units**

For Side-by-Sides with 8.3L/min 70psi; 12v Pump

- » Use for UTE or UTV mounting
- » 2 sizes of sprayers: 150 Litre or 225 Litre » Reliable EverFlo 8.3L/min 70psi pump
- Pressure regulator for accurate spray control
- » Sturdy powder coated steel frame with hose wrap facility
- » Add an optional boom and mounting kit as required for
- spraying larger areas
- 4.5 metres of hose with Poweriet spray gun for spot spraying applications
- Quality Powerjet spray gun with stainless steel & viton components and adjustable brass nozzle
- 2.4 metres of electrical cables with on/off switch & battery clips and in-line fuse

- 36 \*Prices include GST | See page 11

WeedControl<sup>™</sup> 150L er with 3m Boom CODE: SVT0150L0077B3 <sup>\$</sup>2.118\*

**ATV** Trailers

spraying applications

WeedControl<sup>™</sup> 225L 12v Spot Spray ATV Trail-12v Spot Spray ATV Trailer with 3m Boom CODE: SVT0225L0077B3 \$2,315\*

» 16" x 6.5" - 8, 4 ply pneumatic tyres

regulator for spray pressure control

Large pneumatic tyres for rough handling rough terrain - suitable for mowers and ATV's

Reliable Everflo 8.3 L/min 70 psi pump with

4.5 metres of hose & Powerjet spray gun for spot

» Spray boom included. Optional 2, 3 or 4 metre boom



# WeedControl<sup>™</sup> Skid Sprayers

Versatile and Efficient Spot Sprayers



LID

TOPROTECT

2 Metre Boom

2m Spray Width

CODE: ABS02

\$127\*

# **Skid Mount**

WeedControl<sup>™</sup> 150L

with No Boom CODE: SVK0150L0077 \$1,334\*

WeedControl<sup>™</sup> 1 with 4m Boom CODE: SVK0150L0077B4 \$1.694\*

# **Choose Any of These Booms**

To Complete Your Spray Package

- Fitted with deflector type spray nozzles at 1 metre spacings
- 3 metre and 4 metre booms have spring loaded positive action breakaway & vertical fold capacity
- Powder coated steel construction
- Some assembly required

4 Metre Boom 4m Spray Width CODE: ABS04 \$382

**3 Metre Boom** 

3m Spray Width

CODE: ABS03 \$327\*

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

# WeedControl<sup>®</sup> 2251

with No Boom CODE: <u>SVK0225L0077</u> <sup>\$1,524\*</sup>

# WeedControl<sup>™</sup> 225L

with 4m Boom CODE: SVK0225L0077B4 \$1,885\*

# **OnTray**<sup>¬</sup>

# Popular and Versatile UTV Sprayer

- » Fully drainable OnTray slip-on combo spraver unit
- » 6m x 10mm spray hose and adjustable gun
- » 7.5L/min 100psi Delavan protected with pressure regulator and gauge!



**Boom Options** 

Boom Tech Nozzle Kit

with Tail Gate Bracket

10 40

| Option #1

CODE: ABT001 \$**365\*** 

OnTray<sup>™</sup> 200L 7.5 L/min, 100psi pump Dim: 940 x 700 x 782 (mm) CODE: PVT0200LK0083 \$1.765\*

OnTray<sup>™</sup> 300L 7.5 L/min, 100psi pump Dim: 940 x 700 x 982 (mm) CODE: PVT0300LK0083 \$1,993\*

OnTray<sup>™</sup> 400L 7.5 L/min, 100psi pump Dim: 976 x 952 x 1019 (mm) CODE: PVT0400LK0083 \$2.285\*





# 

# **Reel Option**

15 Meter Reel Spring Rewind Re with 10mm Hose CODE: PVTREEL <sup>\$</sup>397\*

EASY FLOW

SYSTEM FORQUICK

CLEANING

- Quick attach suction filter

- Easy flow drainage system with outlet bung for quick cleaning
- » 3.6 m of electrical leads with lighter adaptor, fuses & on/off switch

- Poly hose reel mounted on galvanised frame (optional)

Option #2 Hitchlt Hayman Reece Attachment with Boomless Nozzle CODE: ABK05-F <sup>\$</sup>436\*



Option #3

<sup>\$</sup>698\*

Hitchlt Hayman Reece

Attachment with

Versatile Boom

ODE: ABVL040-GN



# Strike UTV Sprayers

# Without **Hose Reel**

# Strike<sup>™</sup> 200L

200 Litre with 60psi Pump DIM: 1055 X 700 X 580 (MM) CODE: PVQ0200LK0076 1.340\*

# Strike<sup>™</sup> 400L

400 Litre with 60psi Pump DIM: 1200 X 800 X 700 (MM) CODE: PVQ0400LK0076 \$2,099\*

# **ReelStrike<sup>™</sup> Sprayers**

**Guaranteed Performance** Popular 200 & 400 Litre

100PSI

PUMP

7.5L/min 100psi Delavan pump

- Quick attach pressure regulator and gauge
- Pump mounted under cover for protection
- Powerjet spray gun
- 255mm Lid size
- » 30 metres of 10mm spray hose and swivel connectors (optional)



Strike

# With **Hose Reel**

ReelStrike<sup>™</sup> 200L 30m Hose Reel; 100psi Pump DIM: 1055 X 700 X 1100 (mm) CODE: PVQ0200LK0076H3 <sup>\$2.050\*</sup>

ReelStrike<sup>™</sup> 400L

30m Hose Reel; 100psi Pump DIM: 1200 X 800 X 1220 (mm) CODE: PVQ0400LK0076H3 <sup>\$</sup>2.931<sup>\*</sup>

> Add a Boom See page 38

# **Exciting New**

Purpose-built UTV Sprayer

OnDeck<sup>M</sup> 300L

# **COMPACT** Edition

Dim (LWH): **970** x **1100** x **850**mm

Fits UTVs including Kubota, Polaris, Honda, Can-Am, Kawasaki, Yamaha, CFMoto, & More!

OnDeck<sup>™</sup> 300L with Honda GX200 & SuperReel<sup>™</sup> 50m 22L/min Pump; 30m Hose Reel ODF: PUD030010220Q50 CODE: PUDA0300L0220Q50 (COMPACT) <sup>\$</sup>6.955\*

# **OnDeck**<sup>™</sup> Tank Size Options

his nrodu

40

OnDeck<sup>™</sup> 150L

1100 mm

OnDeck<sup>™</sup> 300L "Compact"

OnDeck<sup>™</sup> 300L



# **150** Litres Dim (LWH): 730 x 950 x 500mm



OnDeck<sup>™</sup> 12v Pump with Reel 7.5L/min 100psi 12v Pump; 30m Hose Reel

Scan to see

CODE: PUD0150L076H3 <sup>\$</sup>1.969\*



**Versatile Boom** Hitch-It Hayman Reece Attachment with

> Versatile Boom CODE: ABVL040-G

<sup>\$698</sup>

Main Features:

- 🗹 20-Year tank warranty
- **3L or 10L** (compact) **Fresh Water** bottle for hand-washing
- Vinique low profile design
- **Drain outlet** fitted for easy cleaning

**OnDeck**<sup>m</sup>

**UTV** Sprayers

- Site level tube fitted
- Sturdy hot-dip galvanised steel frame (300L only)
- Australian made UV stabilised poly tank with fully drainable sump for easy cleaning and maximum use of spray mix (300L)

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

OnDeck<sup>™</sup> with 12v Pump 7.5L/min 60psi 12v Pump; 6m Hose CODE: PUD0150L076 §1.339\*

# 300 Litres

Dim (LWH): 1000 x 1250 x 600mm Dim (LWH): 970 x 1100 x 850mm (Compact)



OnDeck<sup>™</sup> with 12v Pump 7.5L/min 100psi 12v pump; 30m Hose Reel CODE: PUD0300L076H3 CODE: PUDA0300L076H3 (COMPACT) \$2,427



OnDeck<sup>™</sup> with Honda GX200

22L/min Pump; 30m Hose Reel CODE: PUD0300L0220H3 CODE: PUDA0300L0220H3 (COMPACT) \$4,615\*



# OnDeck<sup>™</sup> with Honda GX35

12L/min Pump Kit; 30m Hose Reel CODE: PUD0300L0120H CODE: PUDA0300L0120H (COMPACT) \$3.069<sup>3</sup>



## OnDeck<sup>™</sup> with Honda GX50 210L/min Pump; 18m Fire Hose CODE: PED0300175

CODE: PFDA0300LZS (COMPACT) \$3.764\*

\*Prices include GST | See page 110 for freight costs

# **SpotPro**<sup>™</sup> When You Need a Little More...

# **SpotPro**<sup>™</sup> Motorised Sprayers with **12 L/min 360psi** pump; 30m Hose and Reel

- » UV stabilised polyethylene tank for long life
- » Compact space saving design
- » 30m of 8mm hose with reel
- » Reliable genuine GX35 Honda 4 stroke motor
- » Pressure regulator and gauge for accurate spraying
- » 12L/min 360psi pump
- » Easy flow drainage system for quick cleaning

# **SpotPro**<sup>™</sup> "**Deluxe**" Motorised Sprayers

# with 12 L/min 360psi pump; 30m Hose and Reel; Skid

- » Australian made UV stabilised poly tank with fully draining sump for easy cleaning & maximum use of spray mix
- » Genuine Honda GX35 4 stroke motor for proven reliability
- » 30m of 8mm hose with reel for versatility
- » Glycerin filled pressure gauge
- » Spray gun has adjustable turbo atomiser for full range of spray requirements

) seeting

Hot-dip galvanised steel frame





SpotPro<sup>™</sup> 220L 12L/min pump; 30m hose & reel DIM: 925 X 710 X 910 (MM) CODE: SU0220L0120H \$2,419\* SpotPro<sup>™</sup> 400L With Spray Marshal Pump Kit DIM: 1620 X 710 X 910 (MM) CODE: SU0400AL0120H \$2,924\*



SpotPro<sup>™</sup> Deluxe 200L With Spray Marshal Pump Kit DIM: 1100 X 700 X 1110 (MM) CODE: PUF0200L0120H \$2.902\*

# SpotPro<sup>™</sup> Deluxe 400L

With Spray Marshal Pump Kit DIM: 1200 X 800 X 1220 (MM) CODE: PUF0400L0120H \$ **3.476**\*



# efficient effective



# **TopCrop**<sup>™</sup> Field Sprayers

# Still the Best in the Field

» Choice of **Bertolini pumps and regulators** to suit a variety of different applications

» Quality filtration system with check valve for easy cleaning in the field

» Low-profile design keeps centre of gravity as low as possible for added stability in steep terrain

» Centred sump to retain flooded pump suction in all types of situations



# TopCrop

Ultimate Slip-On Field Sprayers this product in action!



TopCrop<sup>™</sup> 300L DIM: 1250 X 600 X 950 (MM) CODE: PUF0300L0220H3 \$4.210\*



TopCrop<sup>™</sup> 400L DIM: 1489 X 970 X 1100 (MM) CODE: PUFS0400L0220H3 \$5,465\*

TopCrop<sup>™</sup> 500L DIM: 1620 X 710 X 910 (MM) CODE: PUF0500L0220H3 \$5,565\*



**TopCrop™ 600L** DIM: 1580 X 1250 X 850 (MM) CODE: PUF0600L0220H3 \$**5,705\***  TopCrop<sup>™</sup> 800L DIM: 1750 X 1430 X 770 (MM) CODE: PUF0800L0220H3 \$6,168\* TopCrop<sup>™</sup> 1000L DIM: 1750 X 1430 X 1000 (MM) CODE: PUF1000L0220H3 \$6.367\*



# Need a galvanised boom as well?

4m Boom Galvanised Steel with Boom Bracket Arms CODE: ABM040-F \$1,579\* 6m Boom Galvanised Steel with Boom Bracket Arms CODE: ABM060-F \$1.790\* 8m Boom Galvanised Steel with Boom Bracket Arms

CODE: ABM080-F \$**2,186\*** 



## **TopCrop<sup>™</sup> Sprayer with Remote Auto-Rewind SuperReel<sup>™</sup>**

Code	Description	L x W x H (mm)	RRP* (\$)
PUFS0400L0340Q1	TopCrop™ 400L Tank (Short), 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	1800 x 970 x 1160	\$10,393
PUF0500L0340Q1	TopCrop™ 500L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2030 x 1070 x 690	\$ <b>10,570</b>
PUFS0600L0340Q1	TopCrop™ 600L Tank (Short), 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	1800 x 1070 x 1160	\$10,697
PUF0600L0340Q1	TopCrop™ 600L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2030 x 1070 x 850	\$10,697
PUF0800L0340Q1	TopCrop™ 800L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2180 x 1220 x 870	\$10,904
PUF1000L0340Q1	TopCrop™ 1000L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2180 x 1220 x 1140	<sup>\$</sup> 11,243

# SuperReel Field Sprayer

Increase Your Spraying Efficiency



Code	Description	L x W x H (mm)	RRP*(\$)
PUFS0400L0540TQ1	<b>400L Tank, 54L/min 40 bar</b> (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	<sup>\$</sup> 17,446
PUF0500L0540TQ1	<b>500L Tank, 54L/min 40 bar</b> (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17,675
PUFS0600L0540TQ1	<b>600L Tank (<i>Short</i>) - 54L/min 40 bar</b> (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	<sup>\$</sup> 17,797
PUF0600L0540TQ1	<b>600L Tank, 54L/min 40 bar</b> (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 870	\$17,79 <b>7</b>
PUF0800L0540TQ1	<b>800L Tank, 54L/min 40 bar</b> (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 870	<sup>\$</sup> 18,052
PUF1000L0540TQ1	1000L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 1140	<sup>\$</sup> 18,343



**SUPER** 

**TWIN** 

# SpotPro<sup>TM</sup> Scan to see this product in action!

# ATV Spray Trailer Series with Petrol Powered Pump

Pressure regulator with gauge

- 30m Hose and reel
- Single axle fitted with 22" high flotation all terrain tyres Optional versatile boom fitted. With 7-way spray adjustment



Rapid Commando<sup>™</sup> 12L/min 360psi pump powered by GX35 4 stroke Honda motor Turbo atomiser spray gun gives an

excellent range of spray options from mist to stream

**SpotPro™ 200L** (Single Axle) 12L/min 360psi, 30m Hose & Reel and Versatile Boom CODE: PRAA0200L0120H-B <sup>₅</sup>4.489\*

> SpotPro<sup>™</sup> 400L (Dual Axle) 2L/min 360psi, 30m Hose & Reel and Versatile Boom CODE: PRAAD0400L0120H-B <sup>\$</sup>6.038\*

# **TrailPro**<sup>®</sup> Spray Trailers

# Spray Trailers with 12v Pump

30m Hose

chassis.

hot-dip galvanised

for durability



Powerjet spray lance with adjustable nozzle for varied spot spraying applications



Chequer plate mudguards for strength

Code

ABVL040 ABM040



accurate & controlled spraying 50mm tow hitch suits most ATV/UT 22" High floatation all terrain tyres TrailPro™ 200L (No Reel

under pump cover for protection

Pressure regulator with gauge for

7.5L/min, 100psi Delavan pump mounted

200L Trailer & Versatile Boom CODE: PRAV0200L0076-B \$3,757\*

TrailPro™ 200L (With Reel 200L Trailer, 100PSI, 30M Hose Reel, With Boom CODE: PRAV0200L0076H3-B \$4,432\*

\*Prices include GST | See page 110 for freight costs



# **Deluxe Motorised ATV Trailers in Action!**



# GlidePath<sup>™</sup> "Deluxe" Spray Trailers with Folding Boom

- » UV stabilised polyethylene tank for long life
- » Galvanised steel frame and mudguard with 15" wheels
- » 30m hose and reel
- » Genuine GX200 Honda 4 stroke motor with 3 year factory warranty
- » Pressure regulator and gauge for accurate spraying
- » Bertolini Italian Made Pump
- » Easy flow drainage system for quick cleaning



# It's a Total Weed Wipe Out with The GlidePath<sup>™</sup> **Perfect Choice** for Smaller Farms






- » UV stabilised polyethylene tank for long life
- » Choice of single or twin auto rewind SuperReels Genuine GX200 Honda 4 stroke motor

# **Spec Up** Your GlidePath<sup>™</sup> Trailer



**CHOOSE** the trailer and pump combination best suited to your needs Includes fresh water tank

Code	Description	RRP*(\$)
PRAX1000L0750Z	1000L OnFarm with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$ <b>12,79</b> 3
PRAQ1000L0750Z	1000L OnRoad with GX200 Honda Motor and 75L/min pump & 3 way regulator	<sup>\$</sup> 14,803
PRAX1200L0750Z	1200L OnFarm with GX200 Honda Motor and 75L/min pump & 3 way regulator	<sup>\$</sup> 13,603
PRAQ1200L0750Z	1200L OnRoad with GX200 Honda Motor 75L/min pump & 3 way regulator	<sup>\$</sup> 15,531




1 IGL 425.1

Code	Description	RRP*(\$)
ABM080	8m Heavy Duty Steel Boom with non-drip nozzles	\$ <b>1,918</b>
ABM080PS	8m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$3,794
ABM100PS	10m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$3,971
ABM120PS	12m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$4,192



ADD one or more of these optional extras

Code	Description	RRP*(\$)
ATHW03B030M10G	30m Poly Hose Reel with Spray Gun	\$660
ATHW05B050M10G	50m Poly Hose Reel with Spray Gun	<sup>\$</sup> 857
ATF0024DF	Double Sided Deluxe Foam Marker Kit Fitted	\$ <b>1,99</b> 0
ATCG0430	TeeJet Matrix 430 Guidance System	\$2,884
ATCG0570	TeeJet Matrix 570G Guidance System	\$4,767





- » Give our helpful customer service team a challenge to build the trailer you need!

# **GlidePath**<sup>™</sup>

# Spray Trailers with SuperReel

- » Heavy-duty galvanised steel chassis steel frame and mudguard with 15" wheels
- Pressure regulator and gauge for accurate spraying
- » Easy flow drainage system for quick cleaning
- » 54L/min Bertolini pump



# We Can Build to Meet Your Requirements!

- » Choose from a huge range of spray equipment
- » We build spray trailers for councils, large contractors. mines & much more!



# **Main Features:**





**TANK LEVEL GAUGE** Clear and easy to read tank gauge calibration

**ROTO-MOULDED TANK** Moulded In-House by TTI backed with a 20 year





warranty

HAND WASH TANK Built in 10L fresh water tank with tap



**PTO SHAFT** PTO shaft with protection covers

50





AIR INDUCTION NO77LES Flat spray tips air induction with excellent resistance to corrosive solutions

# LinkOn 3PL Sprayers

CONTROL GUIDANCE **Arag 3 Section Manua FeeJet Matrix 430** GPS Guidance Sv

Electric In-Cab Main On/Off TeeJet Matrix 570G Electric In-Cab Individual GPS guidance system

(Standard)

On/Off

Double sided Foam Marker kit

EXTRAS Flush tank for easy cleaning

**Dump Valve** Agitation syste

REEL

30m or 50m poly hose reel option - with adius able spray gun

TANKS Size ranges fro 300L to 1000L

UV Stabilised Tank no risk of going brittle in the

BOOMS

4m - 8m Heavy Duty Steel Boon Self level kit & non drip nozzles

Scan to see this product in actio

10m / 12m Pinnacle-Plus Steel boom self level kit & non drip nozzles

12m Agile Steel Boom, Hydraulic Fold, Mechanical Lift







\$**4,720**\*

## Code

PLG0300 PLG030

PLG040

PLG040

Boom C

ABP040 ABM040 ABM060

Other (

ATHW03 ATF0024 ATCG04 ATCG05

# LinkOn<sup>™</sup> 3-Point Linkage Sprayers





| LinkOn™ 300L 22L/min Pump; 4m Boom No Hose Reel CODE: PLG0300L0220-4

\$**5,061** 

LinkOn™ 400L
22L/min Pump; 4m Boom
No Hose Reel
CODE: PLG0400L0220-4

| LinkOn™ 600L 75L/min Pump; 6m Boom Pinnacle Pro No Hose Reel CODE: PLG0600L0750-6 <sup>\$</sup>6,453\*

## | LinkOn<sup>™</sup> 800L 75L/min Pump; 8m Boom Pinnacle Pro No Hose Reel CODE: PLG0800L0750-8

\$7,262\*

	Description	RRP*(\$)
00L0220	<b>300 Litre 3-Point Linkage</b> Complete with <b>22 L/min Pump</b> , 3-way Bertolini Regulator and Gauge and PTO shaft	\$3,564
DOL0750	300 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	\$4,234
DOL0220	400 Litre 3-Point Linkage Complete with 22 L/min Pump, 3-way Bertolini Regulator and Gauge and PTO shaft	<sup>\$</sup> 3,915
DOLO750	400 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	<sup>\$</sup> 4,592
Options		
)	4 metre poly boom complete with non-drip nozzles	<sup>\$</sup> 1,223
10	4 metre Pinnacle Pro Steel Boom - galvanised	\$1,310
0	6 metre Pinnacle Pro Steel Boom - galvanised	\$ <b>1,552</b>
Options		
3X030M10G	30m poly hose reel with adjustable spray gun	\$66 <b>0</b>
4DF	Double sided Arag Foam marker fitted	\$ <b>1,990</b>
430	TeeJet Matrix 430 GPS Guidance System	\$ <b>2,884</b>
570	TeeJet Matrix 570G GPS Guidance System	\$4,767

Code	Description	RRP*(\$)
PLG0600L0750	600 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	\$5,110
PLY0600L0750C0	<b>600 Litre 3-Point Linkage</b> Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO shaft	\$5,479
PLG0800L0750	800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	<sup>\$</sup> 5,581
PLY0800L0750C0	800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO shaft	\$5,926
Boom Options		
ABM060	6 metre Pinnacle Pro Steel Boom - galvanised	<sup>\$</sup> 1,552
ABM080	8 metre Pinnacle Pro Steel Boom - galvanised	\$1,918
ABM100PS	10 metre Pinnacle Plus Steel Boom with self-level kit - galvanised	\$3,971
ABM120PS	12 metre Pinnacle Plus Steel Boom with self-level kit - galvanised	\$4,192
Other Options		
ATHW03X030M10G	30m poly hose reel with adjustable spray gun	\$660
ATF0024DF	Double sided Arag Foam marker fitted	\$1,990
ATCG0430	TeeJet Matrix 430 GPS Guidance System	<sup>\$</sup> 2,884

# **Choose Your Sprayer**

**SELECT** the correct tank and pump combination to suit your requirements

Code	Description	RRP*(\$)
PLG1000L0750	1000L LinkOn™ Plus, 75 L/min Pump, 3 way Manual Arag Regulator	\$6,484
PLY1000L0750C0	1000L LinkOn <sup>™</sup> Plus, 75 L/min Pump, 3 way Manual Arag Regulator with Main Electric On/Off; In-cab Switch Box	\$7,055
PLY1000L0750C1	1000L LinkOn™ Plus, 75 L/min Pump, 4 way (3 Elec; 1 Manual) Arag Regulator with Main Electric On/Off; In-cab Switch Box	\$8,263



ADD one of these great boom options (See page 66 for more details)

Code	Description	RRP*(\$)
ABM080PS	8m Heavy Duty Steel Boom, self level kit & non drip nozzles	\$3,794
ABM100PS	10m Pinnacle-Plus Steel Boom, self level kit & non drip nozzles	\$3,971
ABM120PS	12m Pinnacle-Plus Steel Boom, self level kit & non drip nozzles	\$4,192
ABM120HM	Agile 12m Steel Boom, Hydraulic Fold, Mechanical Lift	\$15,505
ABM120HH	Agile 12m Steel Boom, Hydraulic Lift & Fold	\$16,861



ADD one or more of these optional extras

Code	Description	RRP*(\$)
ATHW03X030M10G	30m Poly Hose Reel with Spray Gun	\$660
ATF0024DF	Double Sided Deluxe Foam Marker Kit Fitted	\$ <b>1,990</b>
ATCG0430	TeeJet Matrix 430 GPS Guidance System	\$ <b>2,884</b>
ATCG0570	TeeJet Matrix 570G GPS Guidance System	\$4,767



**ORDER** your sprayer from vour local distributor

# LinkOn<sup>™</sup> 1000L "Plus" 3PL Linkage Sprayers

- Galvanised hydraulic lift and fold boom
- Engineer approved 3PL frame
- » Up to 6-way hydraulic controls
- 3 Section boom control

Scan to see

this product

Spring loaded breakaway for boom protection

## LinkOn<sup>™</sup> Plus 1000L

75L/min pump, 12m hydraulic boom and foam marker CODE: PLG1000L0750-12 <sup>\$</sup>23,979\*

















- » The Matrix Pro GS system can be used with up to eight RealView cameras
- The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- Field Finder organizes saved jobs according to your current GPS location
- Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more

52

## \*Prices include GST | See **page 110** for freight costs

# Foam Markers - Double Sided

- Double sided deluxe model with solenoid control
- In-cab controller for left/right selection
- 24 Litre high strength poly tank with safety valve
- Maximum foam production 330 L/hr
- Working pressure 0.75 bar at 12 volt DC
- Water/Foam agent solution consumption 10.6 L/hr
- Foam spreader made of flexible EPDM rubber to withstand accidental impacts and more.

I Foam Marker Foam Marker Complete Kit CODE: ATF0024D <sup>\$</sup>1,581\*

# **GPS Guidance - Matrix 430**

- » GPS/GLONASS engine with ClearPath technology Easy to install and easy to operate
- **Compact** install in front of steering wheel for easy viewing during field operation
- Calculates field area, counts applied acres and produces Google Earth™ coverage maps
- Provides warning sound when entering into previously applied areas
- Cross-track error with user
- selectable displays for
- worked area, worked time
- and more.

# **GPS Guidance - Matrix 570G**

\$4.767\*



Comes with Wireless Remote Control

Tough UV Stabilised tank

- 7.5L/min 60psi Delavan 12v pump NEW! Remote on/off switch
- Ideal for mounting to a baler
- Covers 1 metre with 2 non-dip nozzles green nozzles
- Boom recommended to be used with regulator fitted for pressure adjustment

**100L Silage Applicator** with 2 Nozzle Boom CODE: PJA0100L \$1.402\*

**200L Silage Applicator** with 2 Nozzle Boom CODE: PJA0200L **\$1.510**\*

Distant

ode	Description	RRP*(\$)
ABAS005	Silage applicator boom single nozzle complete	\$190
ABAS010	Silage applicator boom double nozzle complete	\$ <b>2</b> 55





**TeeJet Matrix 430** GPS Guidance System CODE: ATCG0430 <sup>\$</sup>2.884\*







# **Spray Accessories** Pumps, Guns, Booms, Reels & Nozzles





Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au \*Prices include GST | See **page 110** for freight costs



# | 7.5L/min 100psi

Model 7800 Series CODE: APD0076Q10E \$276\*

PSI	LPM	Amps
10	7.6	2.8
20	6.4	3.7
30	6.0	4.2
40	5.8	4.7
50	4.7	4.2
60	4.0	5.7
100	3.8	7.5

# Model 7800 Series

» Viton valves, Santroprene diaphragm » 10mm Suction and discharge tails » Diaphragm pump, capable of being run dry » Self priming up to 4 metres

- » Suits 10mm hose
- » Supplied with quick attach fittings » ½ inch quick attach ports



## 3.8L/min 40psi Model 7800 Series CODE: APD0038 <sup>\$154\*</sup>

PSI	LPM	Amps
0-3	3.7	1.5
10	3.2	1.9
20	2.7	2.1
30	2.3	2.4
40	1.5	2.6
	0-3 10 20 30	0-3         3.7           10         3.2           20         2.7           30         2.3



## | 7.5L/min 60psi Model 7800 Series CODE: APD0077Q10E

\$926\*

LPM	Amps
7.6	2.8
6.4	3.7
6.0	4.2
5.9	4.7
4.7	5.2
4.0	5.7
	LPM 7.6 6.4 6.0 5.9 4.7





CODE: APD0077T10E \$236\*

PSI	LPM	Amps
10	7.6	2.8
20	6.4	3.7
30	6.0	4.2
40	5.9	4.7
50	4.7	5.2
60	4.0	5.7

**Model 5900 Series** 

- » Pressures available up to 100psi
- » Viton valves, santoprene
- diaphragm
- » ¾" quick attach ports
- » Suits 12mm hose
- » Self priming up to 4 metres
- » 5 chamber positive displacement pump capable of being run dry
- » Supplied with 2 pin electrical connector
- » Supplied with quick attach fittings



| 11.4L/min 60psi Model 5900 Series CODE: APD0114Q10E \$338\*

Amps	LPM	PSI
3.5	12.1	10
5.8	10.6	20
7.2	10.0	30
8.3	9.3	40
9.1	8.3	50
9.9	7.6	60



| 15.2L/min 60psi MODEL 5900 SERIES CODE: APD0152Q12E \$348\*

PSI	LPM	Amps
10	15.2	4.8
20	14.0	6.1
30	11.7	7.7
40	10.2	9.6
50	9.5	10.8
60	9.1	11.3



| 19L/min 60psi Model 5900 Series CODE: APD0190Q12E \$427\*

Amps	LPM	PSI
6.0	19.0	10
9.0	17.1	20
11.0	15.5	30
13.0	14.4	40
14.6	13.5	50
16.3	12.1	60



| 26.5L/min 100psi Model 7900 Series CODE: APD0265Q12E \$696\*

Amps	LPM	PSI
11	26.6	10
12	25.7	20
13	22.5	30
17	18.8	40
21	14.9	50
25	9.6	60

## For Maximum **Heat Dispersion** Ideal for our hot climate!

Fin Cooler CODE: CDPHS01 \$25\*

All Delavan pumps are complete with heavy duty steel cased motor & sealed ball bearings on both ends of motor shaft. Delavan PowerFlo diaphragm pumps deliver maximum torque and operating efficiency, higher operating pressure, and/or lower amperage for maximum pump performance.



	code	Description	RRP*(\$)
ſ	CDP3DFE38X2	Quick Attach 10mm Elbow x 2 for 7800	\$ <b>17</b>
J	CDP3DFA38X2	Quick Attach 10mm Straight x 2 for 7800	\$ <b>17</b>
	CDP5DFA38X2	Quick Attach 10mm Straight x 2 for 5900	<sup>\$</sup> 21
ι	CDP5DFE38X2	Quick Attach 10mm Elbow x 2 for 5900	\$ <b>21</b>
	CDP3DFE12X2	Quick Attach 12mm Elbow x 2 for 7800	\$ <b>17</b>
	CDP3DFA12X2	Quick Attach 12mm Straight x 2 for 7800	\$ <b>17</b>
	CDP5DFA12X2	Quick Attach 12mm Straight x 2 for 5900	\$ <b>21</b>
	CDP5DFE12X2	Quick Attach 12mm Elbow x 2 for 5900	\$ <b>21</b>

# **DELAVAN PUMP**









s on	
aft	
	SANTOPREN
	diaphragm



# **Fin Cooler for 12v pumps**

Heat sink for efficient heat dispersion **Pump runs cooler** for greater durability



# **Delavan Pumps** SPARE PARTS KITS

CDPLHA78607E77	Lower <b>housing assy</b> - for <b>7801</b> pumps; Diaphragm	
CDPLHA78637F77	Lower <b>housing assy</b> - for <b>7800</b> pumps; Diaphragm	
CDP53LHA002	Lower <b>housing assy</b> - for <b>7800</b> pumps; Geolast Diaphragm	
CDPVHA78637F77	Valve housing assy for 7800 pumps	
CDPUHA78637F77	Upper housing assy for 7800 pumps	
CDPUHA78637F77T	Upper housing assy for 7812 pumps	
CDP2200PSW	Pressure switch for 2200 pumps	
CDP7800PSW60	Pressure switch to suit 7800 series pumps	
CDP7800PSW100	Pressure switch to suit 5900 series pumps	

# **Quick Attach Filters**

- Available in 2 sizes to suit 7800 & 5900 series pumps
- Stainless steel mesh filter
- Simple push in & lock fitting - no tools required

		RRP*( <b>\$</b> )
ATPFS050Q10	Quick attach filter for 7800 pump	\$50
ATPFS050Q12	Quick attach filter for 5900 pumps	\$50



- Fitted standard to our professional spot sprayers
- Simple push in & lock fitting no tools reauired
- Set & forget pressure control
- » Excess fluid returns to tank & provides **agitation**

CODE		RRP*( <b>\$</b> )
ATRM020LQ10G	Quick attach <b>regulator &amp; gauge</b> for <b>7800</b> pump	\$ <b>135</b>
ATRM020LQ12G	Quick attach <b>regulator &amp; gauge</b> for <b>5900</b> pump	<sup>\$</sup> 135

# Wire Harness Kit

- 3.6 metre wire harness kit with on/off switch
- Power control switch & fuse protection <sup>\$</sup>125 included
- \$68 Easy quick connect 2-pin plugs
- » Kit includes both lighter adapter and alligator clips
- \$20 Max 10 Amp draw

\$79

\$**27** 

\$38

## ATCWL03612VSAC Wire harness kit complete - 10 Amp \$50





Bertolini **Spare Parts Kits** 

CBK9498

CBK9498

CBK9498

CBK0398

CBK0398

CBK0398

CBK0398 CBK0398

CBK6398

CBK6398

CBK6398

CBK6398

CBK2398

CBK2398

CBK2398

CODE	DESCRIPTION	RRP*(\$)
BK949879973	O-ring kit for Poly 2020	\$ <b>124</b>
BK949888973	SS valves kit for Poly 2020	\$131
BK949871973	Diaphragm Kit - 20VF/RT4Poly2020 (Buna)	\$ <b>113</b>
BK039830973	Pump Seals Kit - PA330	\$ <b>128</b>
BK039850973	Valve Kit for PA330 (up to Nov 2004)	\$ <b>159</b>
BK039875973	Valve Kit for PA330.1 (from Dec 2004)	\$234
BK039851973	Diaphragm Kit - PA330 (Buna)	\$113
BK039873973	Diaphragm Kit - PA330 (Desmopan)	\$ <b>207</b>

# Bertolini Pump Spare parts

CODE	DESCRIPTION	RRP*(\$)
K639880973	Pump Seals Kit - Poly 73/2073	\$ <b>113</b>
K639870973	Valve Kit - Poly 73/2073	\$374
K639871973	Diaphragm Kit - Poly 73/2073 (Buna)	<sup>\$</sup> 147
K639873973	<b>Diaphragm Kit</b> - Poly 73/2073 (Desmopan)	\$ <b>28</b> 1
K639826973	Diaphragm Kit - Poly 73/2073 (Viton)	\$1, <b>022</b>
K239880973	Pump Seals Kit - PA530	\$ <b>268</b>
K239829973	Valve Kit - PA530	\$ <b>458</b>
K239828973	Diaphragm Kit - PA530 (Buna)	\$ <b>150</b>



Honda applied it's superior engine technology to create the world's first 360° inclinable 4-Stroke engines. The ultralightweight GX35 Mini 4-Stroke efficiently delivers the kind of efficient cleaner powerful, quiet performance that you'd expect from a larger engine - but in a very compact package.

Need it coupled to a Honda GX200? just add \$1,250



GX35 "Commando" 12L/min Pump 30m Reel and Gun Code: APP0120GH030G

\$1.639\*





ODE: APL0220S 1.059\*

22L/min Pump

Bare Pump & Shaft Pump & Gear Box CODE: APL0220KG \$1,397\*



# 34L/min Pump

3 Diaphrams; 1 3/8" Shaft; 580psi/40bar Max Pressure: Weiaht

Bare Dump & Shaft CODE: APL0340S 1.242\*

**Pump & Gear Box** CODE: APL0340KG <sup>\$1.722\*</sup>



| 54L/min Pump 3 Diaphrams; 1 3/8" Shaft; 580psi/40bar Max Pressure; Weight

BarePump & Shaft Pump & Gear Box CODE: APL0540S CODE: APL0540KG \$2.186\* .708\*



75L/min Pump

3 Diaphrams; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 11kg

Bare Pump & Shaft Pump & Gear Box CODE: APL0750S 1.364\*

CODE: APL0750KG <sup>\$</sup>1.967\*



# **126L/min Pump**

5 Diaphrams; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 12kg

**Bare Pump & Shaft** CODE: APL1260S \$1,852\*



# 210L/min Pump

3 Diaphrams; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 26kg

Bare Pump & Shaft CODE: APL2100S \$**3,856**\*

57

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au





# **Bertolini Regulators**

- 90 L/min flow rate
- Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- 3 outlets with 10mm hose tails and ball valves
- Complete with pressure gauge and mounting bracket
- Accurate and progressive pressure selection
- Reliable pressure control
- 3-way fluid control



Sting 3-Way Regulator 90L/min, 15 bar (218psi) Code: ATRB15B09013M3K \$448\*



**Sting** 3-Way Regulator 90L/min, 40 bar (580psi) Code: ATRB40B09013M3K \$469\*

# **Arag Regulators**

- » Polypropylene high capacity modular system with viton seals
- » Main control lever shuts off flow completely good for boom sprays
- Manual section valves can be replaced by ca463011S electric valves to give in cab control of boom sections.
- » When ordering electric controllers select switch box to suit application

# Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- » Models with 1, 2 and 4 output sections
- » Available main valve control and pressure settings adjustment
- » Available with M or P operation mode

- your pump
- filter

# **Boom Spray Control**

Make Your Spraying Jobs Easier & Professional

3 Manual Section Valves-:Manual On/Off CODE: ATRA20B14013M3 \$602\*

**Arag Regulator** 

**Pressure Gauge** 0-24 bar (340 psi) CODE: CBP830010002

\$88\*



Arag Regulator & Gaug

3 Manual Section Valves

CODE: ATRA10B080X3M3

\$387\*

Arag Regulator & Gauge 3 Manual Section Valves: Elec On/Off CODE: ATRA20B14023M3 \$849\*



**Arag Regulator & Gauge** 2 Electric: 1 Manual Section Valves: Electric On/Off CODE: ATRA20B14023E2M1 <sup>\$</sup>1.365\*



On/Off Switch Box

1-Way

**\$136\*** 

CODE: ATCC1W

**3-Way & Main** On/Off Switch Box with Pressure Control CODE: ATCC3WVP



\*Prices include GST | See page 110 for freight costs



2-Way

<sup>\$</sup>182\*

CODE: ATCC2W

On/Off Switch Box

# 1000 15-Way & Main

On/Off Switch Box with Pressure Control CODE: ATCC5WVP \$684'

# **Filters**

» keep vour sprav clear & clean! » reduce nozzle blockage & protect

Quick attach suction filter designed to fit directly onto the female port of Delavan pumps, 80 mesh screen



Suction Filter For 7800 Series Pumps CODE: ATPFS050Q10 For 5900 Series Pumps CODE: ATPFS050Q12 \$50<sup>1</sup>



I <sup>1</sup>/<sub>2</sub>" Suction Filter (Threaded) to Suit Shurflo Pumps CODE: ATPFS080T12 \$**50**\*



I 1¼" Suction Filter 25mm Hosetails CODE: ATPFSV032T32T \$141\*



1 1<sup>1</sup>/<sub>2</sub>" Suction Filter 32mm Hosetails CODE: ATPFSV032T38T <sup>\$</sup>165\*

Heavy duty brass ½" BSP, 12VDC solenoid valves Suitable for most chemicals » Viton diaphragm » Rated to 140PSI

Choose From 1-way or **3-way Solenoid Kits** 



| 1-Way Solenoid Valve Kit 10 bar (140psi) 3.6m Electrical Leads 1/2" BSP Port Solenoid CODE: ATVS10B036 \$252\*



**3-Way Solenoid Valve Kit** 10 bar (140psi) With 3 way switch box and cables  $\frac{1}{2}$ " BSP port solenoid CODE: ATV\$10BX3W \$668\*

# **Highly Flexible Spray Hose**

**Great Value Kink Resistant Hose** • High quality TTi agricultural spray hose High flexibility, kink resistant Working pressure 40 bar (580 psi) Burst Pressure 150 bar (2200 psi)

Suction hose available also - call for details

Black ribbed outer cover with a specially formulated yellow chemical resistant tube

» 10mm & 12mm hose available in 100m rolls – Call for your price

rÖ ÜSE

AO BAI

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

# **Pressure Spray Hose**

	Code	Description	RRP*( <b>\$</b> )
	CUY58010MM	10mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$8
	CUY58010MMX10	10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ <b>74</b>
	CUY58012MM	12mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ <b>10</b>
	CUY58012MMX10	12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ <b>100</b>
	CUY58019MM	19mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ <b>25</b>
è	CUY58025MM	25mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ <b>42</b>

# **Suction Hose**

	Code	Pressure Rating ( <b>300 psi</b> )	RRP*( <b>\$</b> )
6	CUUC19MM	<b>19mm Clear Suction Hose</b> (not for pressure lines) / metre	<sup>\$</sup> 15
6	STAHSB25	25mm Suction Hose (not for pressure lines) / metre	<sup>\$</sup> 19
	STAHSB32	<b>32mm Suction Hose</b> (not for pressure lines) / metre	\$ <b>21</b>
6	STAHSB38	38mm Suction Hose (not for pressure lines) / metre	\$ <b>25</b>
6			

# **Exciting New**

# **SuperReel**<sup>\*</sup>

# **Remote Controlled Rewind Hose Reel**

**NEW! Fully enclosed frame design** minimises pinch points Powerful 12v electric motor with auto overload cut-off Vinique "Transport mode" braking technology Manual override button and isolation switch Tough powder-coated finish

Single channel wireless remote transmits up to 200m in uneven terrain!



Scan to see this Distribution

- 20

SuperReel

IONALIW REWIND TOD

1800 816 277

Designed to perform in the toughest terrain, the remote controlled **SuperReel<sup>™</sup>** and **SuperReel<sup>™</sup> 50** spray reels are guaranteed to **make** the job quick, easy and safe for any operator.

SuperReel<sup>™</sup> 50m Auto-Rewind Reel DIM (LWH): 600 x 355 x 450mm CODE: ATHR050M10 <sup>\$</sup>2.950\*

# SuperReel<sup>™</sup> 100m

Auto-Rewind Reel DIM (LWH): 810 x 355 x 675mm CODE: ATHR100M10 <sup>\$</sup>4.232<sup>\*</sup>

SuperReel<sup>™</sup> 1<u>50m</u>

\*Prices include GST | See **page 110** for freight costs

AUSTRALIAN MADE

AND OWNED

Auto-Rewind Reel DIM (LWH): 810 x 355 x 675mm CODE: ATHR150M10 °**4.54**7\*

AGL · 425

- » Lightweight all-purpose lance » Virtually unbreakable shaft » Adjustable sprav nozzle » Overall lenath: 760mm Maximum pressure: 10 bar
- Choose from a large range of compatible accessories
- » 10mm hosetail

- » Lightweight lance with long reach for trees and bushes
- » Maximum pressure: 10 bar (145 psi)
- Inter accessories as shown
- » 10mm hosetail

# Spray Booms

- speed up your ground coverage.
- » Lightweight for ease of use.

60

# **Home Garden Spray Lances**

# Versatile Lance

# **Economy Lance**

- » Lightweight chromed gluminium » Adjustable spray nozzle
- Filter in handle
- » 10mm hose barb connection
- 850mm overall length

# **Telescopic Lance**

- » Very easily adjusted
- » Overall length: from 710 to 1150mm
- Compatible with



with Cone/Fan Spray Nozzles 1.5m CODE: ATA00EC (CONE) / ATA00EF (FUN) **\$98\*** / **\$113\*** 

# Spray Hoods

Add any of these

to your versatile

or telescopic lances

Hit your target every time without collateral damage, with the Inter Elite Sprav Hoods,



# Herbicide Nozzles

Consistent application rates for band spraying

Elbow with Low Volume CODE: ATA00G \$41\*

Elbow for Fan CODE: ATA00 <sup>\$</sup>25\*

# **Flexible Double Nozzle**

Tubes can be manually moulded for specialised spraying requirements Two models available, one with adjustable cone nozzles and one with fan nozzles Used for basal bark spraying and ant block treatments

Flexible Double Nozzle Adjustable Cone/Fan Spray Nozzles CODE: ATA00HC (CONE) / ATA00HF (FUN) **\$55\*/\$66\*** 

CODE: ATAOORF

<sup>\$</sup>72\*



# **Heavy Duty Pistol Grip**

- » All metal construction stainless steel, aluminium & brass
- » High pressure, long range spray gun
- » Teflon seal
- » Overall Length: 180mm
- » Easily adjustable spray pattern
- » Max. pressure: 55 bar (800psi)
- » Max. flow: 15 L/min (580psi) with 3mm nozzle

# Spot 300 Lance

- » Heavy Duty Spot Spray Gun
- » Trigger adjustable spray pattern with lock
- » Max pressure: 40 bar (580psi)
- » Overall length: 300mm

# **Top Gun**

- » High pressure, long range, multipurpose spray gun
- » Front handgrip allows quick spray pattern selection
- » Fitted with trigger lock and ½" swivel inlet
- » Overall length: 700mm
- » Max range: 25m @ 50bar
- Max pressure: 60 bar (870psi)
- Max flow rate: 135 L/min

# **PowerJet Spray Guns**

Simple & effective operating system using stainless steel ball & seat & brass housing

Note: (Standard on Professional Sprayers)

- Durable, dependable spray gun for all spraying applications
- » Adjustable spray nozzle
- » Overall length: 700mm
- » Maximum pressure: 20Bar 300psi





LPIU4INIS I	
LP104N20	
LP104N25	Code: CPLP108N
LP104N30	Code: CPLPTOS
LP104N35	Code: CPLI High quality brass
LP104N40	
	\$21.50*
	\$21.50
K105R	<b>19 10 10 10 10 10 10 10 10 10 10 10 10 10 </b>

# PLANTS SAFE

# Add a Spray Hood for **Target Spraying**

Rectangular Spray Shield Kit to suit Powerjet Spray Gun Protect surrounding vegetation Shield (pictured) fitted to lances







62



## **RapidJet Spray Gun** Ergonomic spray gun with long reach Easily adjustable brass nozzle for a variety of sprav patterns Maximum pressure: 17 bar (250 psi) TURBO SPRAY GUNS » Max. flow rate: 26 L/min comes with 10mm Hose Tail Overall length: 740mm 10mm hose barb Repair kit available | RapidJet Spray Gun Trigger lock CODE: AHG112T \$102<sup>\*</sup> 10mm hose barb **Turbo Spray Gun** KITS REPAIR KIT Great value multipurpose spray gun CODE: CPLK102R 2.3MM CERAMIC NOZZLE One hand operation for easy pattern CODE: CPLP102N23 adjustment + on/off trigger 3.5MM CERAMIC NOZZLE CODE: CPLP102N35 Adjustable turbo atomiser Supplied with 10mm hose tail Max pressure 360psi » Overall length 445mm **Turbo Spray Gun** CODE: AHG101T <sup>\$</sup>113\* Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

# **Turbo 400 Spray Gun**

- Professional multipurpose spray gun with Viton seals
- One hand operation for easy pattern adjustment and on/off trigger
- Adjustable turbo atomiser
- Comes with swivel & 10mm hose tail
- » Max pressure: 50 bar (725psi)
- » Overall length: 400mm



Turbo 400 Sprav Gun CODE: AHG102ST \$189<sup>\*</sup>

KITS

REPAIR KIT

CODE: CPLK102R

2.3MM CERAMIC NOZZLI

CODE: CPLP102N23

CODE: CPLP102N35

3.5MM CERAMIC NOZZLI

# **Multi-Purpose Spray Gun**

- Professional multipurpose high pressure spray gun with Viton seals
- Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- Metal handle & trigger gua favoured by many operators
- Swivel & 10mm hose tail supplied
- Max pressure: 50 bar (725psi)
- » Overall length: **400mm**

REPAIR KIT CODE: CPLK102R

KITS

**Multi-Purpose Spray Gun** CODE: AHG103ST \$202\*

# For Firebreaks, Rough Country Spraying & Locust Control

# **Brass Boomless Nozzle Kits**

Spread Your Spray Further

# **Features**

- » 4 sizes to choose from
- » Use with ATV, 3PL or ute sprayers
- » Can be used as 180° swath or 90° swath by swapping nozzle plates
- Ideal for rough country spraying & locust control
- » Optimum mounting height between 0.5m & 1.0m above ground

# Includes

- » Steel mounting bracket
- **On/Off tap** with ½" Male BSP fitting
- » Can be easily changed from **one side to two** side spravina


Max Spray Width

**7m Spray Width** (37 L/hec) Minimum pump capacity 7L/min CODE: ABK02 \$**175**\*

15m Spray Width (74 L/hec) Minimum pump capacity 11L/min CODE: ABK05 **\$185**\*

## **16m Spray Width** (147 L/hec) Minimum pump capacity 20 L/min CODE: ABK10 **\$227**\*

**17m Spray Width** (190 L/hec) Minimum pump capacity 30 L/min CODE: ABK20 **\$247**\*





**BoomTech<sup>™</sup> Nozzle Tail Gate Nozzle Kit** 

Universal Stainless Steel Tailgate Mounting Bracket Ideal for fence lines, orchard, blanket and end row spraying

- » Excellent Drift Control
- » Min Pump Capacity Required: 7.5L/min
- » Recommended spray pressure range: 20-60 PSI (1.5-4 bar)

BoomTech Nozzle Kit 74 L/hec CODE: ABTOO



\$365

SPRAYS RIGHT - 4 METRES -



64

# **Versatile Boom**

» 1.2 metre compact boom » Sprays 4 metre swath width » Compatible with any spot sprayer with pump - 6.5 L/min or more » Taps for 7-way nozzle control » Versatility of spraying options

> Versatile Boom Sprays up to 4 metres CODE: ABVL040 \$499\*

JETS LEFT & CENTER









2 Metre Boom

2m Sprav width

ODE: ABS020

127\*

JETS LEFT, RIGHT & CENTER

















































































JETS CENTER ONLY

**3 Metre Boom** 

3m Spray width

ODE: ABS030

<sup>8</sup>327\*



Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

Hitchlt<sup>®</sup> Attachments

your UTE or UTV perfectly

» Hot dipped galvanised steel

versatile boom

**Pin Holes** suites both UTEs and UTVs

» Fits any 50mm Haymen Reese tow hitch

Compatible with **boomless nozzle** and

Fits any 50mm Haymen Reese tow

4 Metre Boom

4m Spray width

CODE: ABS040

\$382\*

hitch; Compatible with boomless nozzle

Hayman Reece boom attachment that suits

**Goose Neck** (Only)

CODE: BOM005-GN

Hayman Reece Steel attachment

with Versatile Boom

CODE: ABVL040-GN

\$698\*

**\$108**\*

\*Prices include GST | See **page 110** for freight costs

**ECONOMY** 

BOOMS































JETS RIGHT & CENTER



















# Pinnacle<sup>™</sup> "Pro"

- » Very easy to fold/unfold for spraying and travelling positions
- » Proven design tested over many years
- Breakaway boom with nozzle protection
- Non drip nozzle bodies with Teejet AIXR Air Induction spray tips
- » Easy to mount onto existing sprayer

4m Galvanised Boom with Nozzle Protection CODE: ABM040 <sup>\$</sup>1.310<sup>\*</sup>

## | 6m Galvanised Boom with Nozzle Protection CODE: ABM060

<sup>\$</sup>1.552<sup>\*</sup>

I 8m Galvanised Boom with Nozzle Protection CODE: ABM080 <sup>\$</sup>1.918\*

# **Poly Boom "Break-Away"**

- Heavy duty UV stabilised poly construction for rust free durability
- » Strong hot-dip galvanised centre section
- » Spring loaded positive action breakaways
- » Adjustable mounting brackets
- Increased spraying accuracy
- Non-drip nozzle bodies fitted with Low Drift nozzles

**4m Poly Boom** CODE: ABP040 \$1,223\*

# Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au \*Prices include GST | See **page 110** for freight costs



# **Pinnacle<sup>™</sup> "Elite"**

- » Built-in self levelling system » Full nozzle protection with stainless steel pipework
- Centre/Left/Right plumbing
- Easily mount to an existing sprayer
- Engineer design minimises weight without compromising strength





R	(m)	0	DROP	CAPACITY	Y Liha Socm												
		bar	SIZE	MOZZLE IN L'min	4 km/h	5 km/h	6 km/h	7 km/h	8 km/h	10 km/h	12 km/h	16 km/h	18 km/h	20 km/h	25 km/h	30 km/h	35 km/h
		1.0 2.0	XC	0.34 0.48	102 144	81.6 115	68.0 96.0	58.3 82.3	51.0 72.0	40.8 57.6	34.0 48.0	25.5 36.0	22.7 32.0	20.4 28.8	16.3 23.0	13.6 19.2	11.7 16.5
	AIXR110015 [100]	3.0 4.0	ĉ	0.59	177 204	142 163	118 136	101 117	88.5 102	70.8	59.0 68.0	44.3	39.3 45.3	35.4 40.8	28.3 32.6	23.6	20.2
		5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
S		6.0 1.0	M XC	0.83 0.46	249 138	199 110	166 92.0	142 78.9	125 69.0	99.6 55.2	83.0 46.0	62.3 34.5	55.3 30.7	49.8 27.6	39.8 22.1	33.2 18.4	28.5 15.8
th	AIXR11002	2.0 3.0	WC C	0.65	195 237	156 190	130 158	111 135	97.5 119	78.0 94.8	65.0 79.0	48.8	43.3 52.7	39.0 47.4	31.2 37.9	26.0 31.6	22.3
ft	(50)	4.0	è	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
nt		5.0 6.0	C M	1.02	306 336	245 269	204 224	175 192	153 168	122 134	102 112	76.5 84.0	68.0 74.7	61.2	49.0 53.8	40.8 44.8	35.0 38.4
ər		1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5
ΡĒ	AIXR110025	2.0	XC	0.81	243 297	194 238	162 198	139 170	122 149	97.2 119	81.0 99.0	60.8 74.3	54.0 66.0	48.6 59.4	38.9 47.5	32.4 39.6	27.8 33.9
ng fe	(50)	4.0	ç	1.14	342	274	228	195	171	137	114	85.5	76.0	68,4	54.7	45.6	39.1
		5.0 6.0	ĉ	1.28 1.40	384 420	307 336	256 280	219 240	192 210	154 168	128 140	96.0 105	85.3 93.3	76.8 84.0	61.4 67.2	51.2 56.0	43.9 48.0
r- or		1.0	XC XC	0.68	204 288	163 230	136 192	117 165	102	81.6 115	68.0 96.0	51.0 72.0	45.3	40.8	32.6 46.1	27.2 38.4	23.3 32.9
	ADXR11003	3.0	VC	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5
le r)	(50)	4.0	c c	1.36 1.52	408	326 365	272 304	233 261	204 228	163 182	136 152	102 114	90.7	81.6 91.2	65.3 73.0	54.4 60.8	46.6
.,		6.0	c	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
		1.0 2.0	XC XC	0.91	273 387	218 310	182 258	156 221	137 194	109 155	91.0 129	68.3 96.8	60.7 86.0	54.6 77.4	43.7 61.9	36.4 51.6	31.2 44.2
	ADXR11004 (50)	3.0 4.0	VC VC	1.58 1.82	474 546	379 437	316 364	271 312	237 273	190 218	158 182	119 137	105 121	94.8 109	75.8 87.4	63.2 72.8	54.2 62.4
	[30]	5.0	c	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9
		6.0 1.0	XC	2.23	669 342	535 274	446 228	382 195	335 171	268 137	223	167 85.5	149 76.0	134 68.4	107 54.7	89.2 45.6	76.5
	ANNALANZ	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2
	AIXR11005 (50)	3.0 4.0	XC	1.97 2.27	591 681	473 545	394 454	338 389	296 341	236 272	197 227	148 170	131 151	118 136	94.6 109	78.8 90.8	67.5 77.8
	1.000	5.0 6.0	ç	2.54 2.79	762 837	610 670	508 558	435 478	381 419	305 335	254 279	191 209	169 186	152 167	122	102	87.1 95.7
		1.0	XC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0
	AIXR11006	2.0	XC XC	1.94 2.37	582 711	466 569	388 474	333 406	291 356	233 284	194 237	146 178	129 158	116 142	93.1 114	77.6 94.8	66.5 81.3
	(50)	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9
		5.0 6.0	c c	3.06 3.35	918 1005	734 804	612 670	525 574	459 503	367 402	306 335	230 251	204 223	184 201	147 161	122 134	105 115
-	2 2 4 mar 1 4																

# Air Induction

# **Flat Spray Tips**

110° wide, tapered flat spray angle with air induction technology offers better drift management

Made of a two piece UHMWPE polyme construction with VisiFlo® colour-coding. UHMPE Tip Body provides excellent chemical resistance, including acids, exceptional wear life

> Depending on the chemical, produces large air filled drops through a Venturi air aspirato

Available in seven tip capacities with a wide operating pressure range: 15-90 PSI (1-6 bar

CODE	DESCRIPTION	COLOUR	RRP*
CNSAIXR110015X10			<sup>\$</sup> 148*
CNSAIXR110020X10			\$ <b>148</b> *
CNSAIXR110025X10	Air induction XR		\$ <b>148</b> *
CNSAIXR110030X10	Flat Spray Tips (PACK of 10)		\$ <b>148</b> *
CNSAIXR110040X10			\$148*
CNSAIXR110050X10			\$ <b>148</b> *
CNSAIXR110060X10			\$ <b>148</b> *

R

Note: Always double check your application rates. Tabulations are based on spraying water at 70°F (21°C). Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, rounded internal passage to minimize clogging

CODE

CNSTT1
CNSTT1
CNSTT1
CNSTTI
CNSTTI
CNSTT1
CNSTTI
CNSTT1

Medium Coarse Very Extremely

Very

AIXR TECHNOLOGIES

Pre-Orifice

O-Ring -

Air Inlet

Exit Orfice -

AIXR110\_-VP Spray Tip

(Cross Section View)





# **Angle Flat Spray Tips**

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

# **Applications**

Herbicides, fungicides and insecticides



<b>3</b> (1)	O1	DROP SIZE	CAPACITY ONE NOZILE BI Unio
14	1.0	6	0.23
	2.0	м	0.32
TT11001	3.0		0.39
(100)	4.0		0.45
1000	5.0		0.50
	6.0	F	0.55
1	1.0	c	0.34
	2.0	м	0.48
TT110015	3.0	м	0.59
(198)	4.0	M	0.68
	5.0	E.	0.76
	6.0	F	0.83
	1.0		0.46
	2.0	c	0.65
TT11002	3.0	м	0.79
(\$0)	4.0	м	0.91
	5.0	м	1.02
	6.0		1.12
2	1.0		0.57
	2.0	_	0.81
TT110025	1.0	M	0.99
(50)	4.0	м	1.14
	5.0	м	1.28
1	6.0	M	1.40
19. Il	1.0		0.68
	2.0		0.96
TT11003	3.0	C	1.18
(50)	4.0	M	1.36
	5.0	M	1.52
	6.0	M	1.67
	1.0	XC	0.91
	2.0		1.29
TT11004	3.0		1.58
(50)	4.0	c	1.82
	5.0	M	2.04
	6.0	M	2.23
	1.0	XC	1.14
TT11005	2.0		1.61
	3.0		1.97
(50)	4.0		2.27
	6.0		2.79
-			1.37
	1.0	XC	1.94
TTUNNE	3.0		2.37
	40		2.74
	5.0		3.06
· · · · · · · · · · · · · · · · · · ·	6.0	M	3.35
	1.0	XC	1.82
	2.0	WC I	2.58
TT11006	3.0		3.16

# **Turbo**<sup>®</sup> 2, 4 - D Compliant

# **Twin Flat Spray Tips**

110° wide angle, air induction, tapered flat spray tip pattern based on the patented outlet orifice design of the original Turbo TeeJet® nozzle

Patented orifice design provides large, round passages to minimize plugging.

Depending on the chemical, produces large air-filled drops through a Venturi air aspirator resulting in less drift

# **Applications**

Herbicides, fungicides and insecticides

Code	Description	Colour	RRP*
TTI110015-VPX10			\$ <b>149</b> *
TTI11002-VPX10	Turbo TeeJet (PACK of 10)		\$ <b>149</b> *
TTI110025-VPX10			\$ <b>149</b> *
TTI11003-VPX10			\$ <b>149</b> *
TTI11004-VPX10			\$ <b>149</b> *

<b>3</b> (1)	S PSI	DROP	CAPACITY ONE NOZZLE IN CPM	CAPACITY ONE HOEZLE IN CZ. MIN.
TTi110015 (100)	523455678885	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	0.11 0.13 0.15 0.17 0.18 0.20 0.21 0.23	12117 1222 12822 128
TT11 1002 (50)	200284888888888888888888888888888888888	XXXXXXXXXXX	0.24 0.12 0.14 0.20 0.22 0.24 0.26 0.26 0.26 0.25	11 15 18 22 36 28 11 33 36 81
TTi110025 (50)	11212222222222	XXXXXXXXXXXX	0.12 0.15 0.22 0.25 0.25 0.31 0.315 0.35 0.35 0.36 0.40	23 28 32 36 40 42 45 49
TTi1 1003 (50)	20 40 90 80 80 80 80 80 80 80 80 80 80 80 80 80	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	0.118 0.21 0.26 0.30 0.54 0.17 0.40 0.42 0.42 0.47 0.24	27 33 44 47 51 54 58
TT111004 (50)	200728450272893	XXXXXXXXXXXX	0.24 0.25 0.45 0.49 0.53 0.57 0.60 0.53	50 31 36 45 51 58 61 68 71 77 81
TT111005 (50)	28888888888888888888888888888888888888	XXXXXXXXXXX	0.31 0.35 0.43 0.50 0.56 0.61 0.71 0.75 0.79 0.79	81 40 45 55 64 72 78 84 91 96
TT111006 (50)	288888888888 <u>8</u>	********	0.37 0.42 0.52 0.60 0.73 0.79 0.85 0.95	101 47 54 67 77 86 93 301 109 115 122

# WeedControl<sup>™</sup> Spare Parts



Poly 1 GHT Nut & Tail w/ 10mm Hosetail · ATPXP2510S \$**Q**\*

Nozzle Body Assy Tee 10mm Barbs (2 way) ODE: ATPNDTT10C \$9\*

Nozzle Body Assy Elbow Pack 2 | (1 way) CODE: ATPNDTE10CX2 \$9\*







**Hose Fittings** 

Lever Ball Valves

25mm Lever Ball Valve

CODE: CFVBB025F025F

32mm Lever Ball Valve

CODE: CFVBB032F032F

40mm Lever Ball Valve

CODE: CFVBB040F040F

50mm Lever Ball Valve

CODE: CFVBB050F050F

80mm Lever Ball Valve

CODE: CFVBB080F080F

100mm Lever Ball Valve

CODE: CFVBB100F100F

Description

Lance Clips ODE: CHCLP12MMX2



pcs of Holding Clips



Hose S

Descrip

1/2" MBSI

fitting w



en ditte

| Filter

₿**⊿**\*

50 Mesh Filter

ODE: 8079-PP-50

Brown Nozzle

Deflector 140°

\$4.50\*

₿8\*

⁄2" x 10mm

CODE: CNSDEF140025

| Regulator Elbow

CODE: CFNE12NF10B

**Poppit Valve** 



## Pump EverFlo Pump 8.3 L/min 70psi QA CODE: EF2200QA <sup>₅</sup>212\*

**RRP**\*(\$)

150mm Lid Complete

with Tether

Regulator

Pressure Regulator

Assembly | QA

CODE: ATRV027LQ12

29\*

<sup>\$</sup>130\*

CODE: ARLP150AT

# Dry Boom Nozzle Bodies

- Polypropylene construction complete with quick couple cap and gasket
- EPDM diaphragm check valve opens at 0.5bar
- Max working pressure 20bar
- 10mm (3/8") hose barbs single, two or three





**Dry Boom Nozzles** 

Tee' Non-drip Dry boom nozzle holder with cap – 3/8' nose barbs. ( Pack of 4 ) ODE: ATPNDVQX10CX4 62\*

# **Dry Boom Nozzles** (Tee or Elbow)

Non-drip Dry boom nozzle holder with cap - 3/8" hose barbs (Pack of 4) CODE: ATPNDVQT10CX4 (TEE) CODE: ATPNDVQE10CX4 (ELBOW) 62'

# Other **Nozzles**

- Designed for clamping around ½" spray tubes 7mm inlet size.
- Polypropylene construction complete with quick couple cap, gasket, seal and screws EPDM diaphragm check valve opens at 0.5bar



# **Hinged Non-Drip**

Hinged non-drip nozzle body seal, screw & cap-suit 2" pipe. (Pack of 4) CODE: ATPNHVQ12CGBX4



# Clamp Type Nozzles

Clamp type nozzle holder with diaphragm check valve, quick couple cap gasket & bolts, to suit  $\frac{1}{2}$ pipe (Pack of 4) CODE: ATPNCVQ12CGBX4 <sup>₅</sup>62\*

Heavy gun CODE 1/2" MBSI Suits Por \$48 <sup>3</sup>/<sub>4</sub>" MBS gasket CODE: \$57 3/4" fem max pre \$90 CODE Catego \$118 CODE Catego CODE Catego \$87 CODE

wivels/Linkage Pi	ins	Desc
tion	RRP*(\$)	<b>1½ in</b> 1½ in
to ½" FBSP swivel th gaskets - Suits to uty Pistol Grip spray	\$33	1½ in 1½ in COD
FSBB12M12F		1½ ir COD
to 3/8" MNPT swivel - ver Jet spray gun	\$37	1½ ir COD
FSBB12M10M to %" FBSP swivel with		1½ ir COD
FSBB20M20F	<sup>\$</sup> 62	2 inc 2 inc
<b>le to ½" male swivel, ssure 360psi</b> CFSPB20F12M	\$ <b>82</b>	2 inc 2 inc 2 inc COD
<b>y 1 pin</b> CHPL1C20	\$ <b>20</b>	2 inc COD
<b>y 2 pin</b> CHPL2C29	\$35	2 inc COD
y 1 & 2 Implement Pin CHPL1C252C	\$ <b>22</b>	2 inc COD

**Camlocks** 

# ch Camlock Kit

h Female Camlock with 38mm Hose Tail \$70 h Camlock Adaptor n Female Camlock Dust Cap ATPXP040K ch Female Camlock with 38mm Hose Tail \$30 CFFCP040C ch Camlock Adaptor \$10 CFFCP040A h Female Camlock Dust Cap \$31 CFFCP040H camlock kit Female Camlock with 50mm Hose Tail \$93 Camlock Adaptor Female Camlock Dust Cap ATPXP050K Female Camlock with 50mm Hose Tail \$42 CFFCP050C Camlock Adaptor \$17 CFFCP050A Female Camlock Dust Cap \$37 CFFCP050H



70 \*Prices include GST | See page 110 for freight costs



# Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au \*Prices include GST | See page 110 for freight costs **Hose Reels**

**Fire Fighting Hose Reels** 

# Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- Reel constructed from rust-free UV stabilised poly
- Improved fluid path for greater flow rates
- All brass components no rusty water
- Optimised full flow ball bearing swivel easier rewinding under pressure
- New positive reel locking device works in four positions to prevent hose unwinding in transit



**30m Reel and Hose** Base Mount - 10mm Hose & Free Spray Gun CODE: ATHW03B030M10G



**30m Reel and Hose** Side Mount - 30m Hose Reel with 10mm Hose & Free Spray Gun CODE: ATHW03X030M10G



36m KoReel™ Manual Rewind Reel CODE: ATHW036MANR <sup>\$</sup>1.019\*



20m KoReel™ Spring Rewind Reel CODE: ATHW020SR <sup>\$</sup>1.369\*



36m Fire Hose & Reel 36m x 19mm Hose with Adjustable Fire Fighting Nozzle CODE: AFHW10B036M19 \$711\*

# NEW!

# See page 60



SuperReel<sup>™</sup> 50m Auto-Rewind Reel



SuperReel<sup>™</sup> 150m Auto-Rewind Reel





50m Reel and Hose Base Mount - 10mm Hose & Free Sprav Gun CODE: ATHW05B050M10G ₿857\*



**100m Hose and Reel** Base Mount - for 10mm Hose and Spray Gun CODE: ATHW10B100M10G <sup>\$1.243\*</sup>



36m Fire Hose Reel (bare Bare Fire Reel for 36m FF Hose CODE: AFHW10B19 <sup>\$</sup>514\*

Free Call **1800 816 277** | **sales**@tti.com.au | www.tti.com.au \*Prices include GST | See **page 110** for freight costs

### The Multi-Purpose TRALER You've Been Looking For!

### **HandiKart**<sup>™</sup>

**Multi-Purpose Trailer** 

### Lightweight, Functional and Versatile!

Fully galvanised with rear tailgate





### HandiKart<sup>™</sup> Multi-Purpose Trailer

### **Applications**:

Shed Cleanouts Fencing Maintenance Carting Hay Moving Your Calves Firewood Garden Maintenance





### DieselCaptain<sup>™</sup>

Move your Unit Around Easily with Ergonomic Lifting Handles



ALCONTRACT.

Contraction of the second s

TATION OF STREET, BARLINESS GALLES ROOT THAT

3/4" or 1" shut off nozzle; Choice of Piusi Italian or DieselFlo Chinese Pump Kits



4m battery cables with large alligator clips



Choice 6m Piusi or 4m DieselFlo Delivery Hose



Drain Bung

### DANGEROUS GOODS PACKAGING APPROVED INTERNATIONALLY CERTIFIED

WORKSAFE APPROVAL – PACKAGING GROUP 3

Note: 400 Litre Standard Only

All TransDiesel tanks comply with AS1940-2004 and AS2809.2-2008

All TransDiesel tanks are manufactured from specifically formulated diesel grade polyethylene that meets International Regulation ECE R34.01 requirements



### **Did You Know?**

All DieselCaptain tanks are moulded with our unique aluminium ring for incredible strength!

This **unique multi seal system** keeps the rain out and your diesel in

### with a **lockable** pump cover





A CAUTION A

#### Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au \*Prices include GST | See page 110 for freight costs



<sup>\$</sup>2,024\* DieselCaptain<sup>™</sup> 600l with 45L/min Pump CODE: DUL0600LF045V1

<sup>\$</sup>1,935\* DieselCaptain<sup>™</sup> 440L with 45L/min Pump CODE: DUL0440LF045V1



Need **bigger capacity?** see over page...



with 45L/min Pump CODE: DUL0300ALF045V1



with 40L/min Pump CODE: DUL0100LD040V1



DieselCaptain<sup>™</sup> 200L with 45L/min Pump CODE: DUL0200LF045V1

Capacity (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
<b>100</b> L	STANDARD	40 L/Min	DUL0100LD040V1	\$ <b>9</b> 99
100 L	800 x 680 x 465 mm (L W H)	45 L/Min	DUL0100LF045V1	<sup>\$</sup> 1,259
	SPACE SAVER	40 L/Min	DUL0200ALD040V1	\$ <b>1,118</b>
200	800 x 680 x 710 mm (L W H)	45 L/Min	DUL0200ALF045V1	<sup>\$</sup> 1,387
200 L	<b>LOW PROFILE</b> 1150 x 820 x 565 mm (L W H)	40 L/Min	DUL0200LD040V1	\$1 <b>,118</b>
		45 L/Min	DUL0200LF045V1	<sup>\$</sup> 1,387
<b>300</b> L	SLIM DESIGN	40 L/Min	DUL0300ALD040V1	<sup>\$</sup> 1,400
300 ∟	1270 x 600 x 790 mm (L W H)	45 L/Min	DUL0300ALF045V1	\$ <b>1,644</b>
<b>400</b> L	SLIM DESIGN	40 L/Min	DUL0400ALD040V1	\$ <b>1,5</b> 37
400 L	1270 x 600 x 990 mm (L W H)	45 L/Min	DUL0400ALF045V1	<sup>\$</sup> 1,799

### **DieselCaptain**<sup>™</sup>

Large Capacity Tanks

### Your Refueling Partner!

These **contractor quality units** have been designed to withstand the most demanding conditions in Australia and around the world. The extra strong tank wall provides protection against rough treatment.

- Fitted with Liauid Locker Safety System to eliminate surge and improve safety
- Large pump compartment protects pump and hose from theft and the weather
- Choice of 45L/min and 60L/min pumps
- » 6m of delivery hose for extra long reach
- Unique breather design prevents diesel from splashing out of the tank.





<b>Capacity</b> (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
	STANDARD	60 L/Min	DUL0800LFB060V1	\$ <b>2,714</b>
800 Litres	with LiquidLocker™ baffle system 1700 x 1000 x 860 mm (LWH)	80 L/Min	DUL0800LTB080V1	\$ <b>2,917</b>
	SPACE SAVER	60 L/Min	DUL1000LFB060V1	\$ <b>2,89</b> 1
1000 Litres	with LiquidLocker™ baffle system 1700 x 1000 x 1025 mm (LWH)	80 L/Min	DUL1000LTB080V1	<sup>\$</sup> 3,094
	SLIM DESIGN	60 L/Min	DUL1200LFB060V1	\$3,083
1200 Litres	with LiquidLocker™ baffle system 1700 x 1000 x 1190 mm (LWH)	80 L/Min	DUL1200LTB080V1	\$3,287

#### DieselCaptain<sup>™</sup> 800L

with 45L/min Pump and Liquid lockers DUL0800LFB045V1 <sup>\$</sup>2,456\*

### DieselCaptain<sup>™</sup> 1000L

with 45L/min Pump and Liquid lockers DUL1000LFB045V1 <sup>\$</sup>2,634\*

#### DieselCaptain<sup>™</sup> 1200L with 45L/min Pump and Liquid lockers DUL1200LFB045V1 <sup>\$</sup>2.826\*

### **Steel Frame** Options

Capacity (Litres)	Model & Dimensions	Code	RRP*(\$)
<b>100</b> ∟	STANDARD	ASFD00100	\$ <b>460</b>
<b>200</b> ∟	SPACE SAVER	ASFD00100	\$ <b>460</b>
<b>200</b> L	LOW PROFILE	ASFD00200	\$ <b>460</b>
<b>220</b> ∟	SQUAT TANK	ASFD00220	\$ <b>504</b>
<b>300</b> L	SLIM DESIGN	ASFD00400	\$ <b>596</b>
<b>400</b> L	SLIM DESIGN	ASFD00400	\$ <b>596</b>
<b>400</b> L	STANDARD	ASFD00200	\$ <b>460</b>
<b>400</b> ∟	SQUAT TANK	ASFD00400A	\$ <b>596</b>
<b>440</b> ∟	LOW PROFILE	ASFD00440	\$ <b>596</b>
600 L	STANDARD	ASFD00440	\$ <b>596</b>
800 L	STANDARD	ASFD00440	\$ <b>5</b> 96
<b>1,000</b> ∟	STANDARD	ASFD00440	\$ <b>5</b> 96
<b>1,200</b> ∟	STANDARD	ASFD00440	<sup>\$</sup> 596

### **5-Digit Flow Meter** Fits to all Diesel units

**Measure the Flow** of Your DieselCaptain<sup>™</sup>

meter face  $an be otated 90^{\circ}$ 

**5-Digit Flow Meter** CODE: ADFPE25D5 \$**299**\*

#### \*Prices include GST | See page 110 for freight costs

- » 4 metres of battery cables
- » Splash resistant breather
- » Reliable 40 L/min Dieselflo® pump with integrated bypass
- » Auto shut-off nozzle prevents overfilling and fuel wastage

### DieselSergeant<sup>™</sup> **Refueling Units**

- » Flexible suction hose with foot strainer
- » Lockable filler cap for security
- » 4 metres of delivery hose

WHY

CARRY

JERRY

CANS?

- » Diesel grade tank
- » Earth strap to prevent static build up when filling tank



Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

### | DieselSergeant™ 50L with 40L/min Pump

CODE: DSU0050LD040V1 \$761\*

#### DieselSergeant<sup>™</sup> 220L

with 40L/min Pump CODE: DSU0220LD040V1 \$**1,100\*** 

### DieselSergeant™ 400L

with 40L/min Pump CODE: DSU0400ALD040V1 <sup>\$</sup>1,282\*

### DieselMajor™

with Petrol or 12v Powered Pump

- » Sleek ergonomic design available in three useful sizes, 600, 800 and 1000 Fuele
- » Designed to fit across the width of a standard Ute tray
- » Provision for tie down straps to securely fasten tank onto your vehicle
- » Super Strong spring loaded retractable hose reel with 10m x 25mm hose
- » Genuine Honda GX50 motor coupled with 210L/min or Fluid 60L/min 12v pump for high performance diesel transfer



with 12v Pump Kit           600 L         60L/min Pump; 10m Reel         DUCD0600LFB060V1         \$4,033           800 L         60L/min Pump; 10m Reel         DUCD0800LFB060V1         \$4,246           1,000 L         60L/min Pump; 10m Reel         DUCD1000LFB060V1         \$4,458           with Petrol Pump Kit           600 L         210L/min Pump; 10m Reel         DUCD0600LHB210         \$4,579           800 L         210L/min Pump; 10m Reel         DUCD0800LHB210         \$4,798           1,000 L         210L/min Pump; 10m Reel         DUCD1000LHB210         \$4,967	(Litres)	Description	Code	RRP*(\$)	
800 L         60L/min Pump; 10m Reel         DUCD0800LFB060V1         \$4,246           1,000 L         60L/min Pump; 10m Reel         DUCD1000LFB060V1         \$4,458           with Petrol Pump Kit           600 L         210L/min Pump; 10m Reel         DUCD0600LHB210         \$4,579           800 L         210L/min Pump; 10m Reel         DUCD0800LHB210         \$4,798		with 12v Pump Kit			
1,000 L       60L/min Pump; 10m Reel       DUCD1000LFB060V1       \$4,458         with Petrol Pump Kit         600 L       210L/min Pump; 10m Reel       DUCD0600LHB210       \$4,579         800 L       210L/min Pump; 10m Reel       DUCD0800LHB210       \$4,798	600 L	60L/min Pump; 10m Reel	DUCD0600LFB060V1	\$4,033	
With Petrol Pump Kit           600 L         210L/min Pump; 10m Reel         DUCD0600LHB210         \$4,579           800 L         210L/min Pump; 10m Reel         DUCD0800LHB210         \$4,798	<b>800</b> L	60L/min Pump; 10m Reel	DUCD0800LFB060V1	<sup>\$</sup> 4,246	
600 L         210L/min Pump; 10m Reel         DUCD0600LHB210         \$4,579           800 L         210L/min Pump; 10m Reel         DUCD0800LHB210         \$4,798	<b>1,000</b> ∟	60L/min Pump; 10m Reel	DUCD1000LFB060V1	<sup>\$</sup> 4,458	
800 L 210L/min Pump; 10m Reel DUCD0800LHB210 \$4,798		with Petrol Pump Kit			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<b>600</b> L	210L/min Pump; 10m Reel	DUCD0600LHB210	\$ <b>4,5</b> 79	
1,000 L 210L/min Pump; 10m Reel DUCD1000LHB210 \$4,967	<b>800</b> L	210L/min Pump; 10m Reel	DUCD0800LHB210	\$ <b>4,79</b> 8	
	<b>1,000</b> ∟	210L/min Pump; 10m Reel	DUCD1000LHB210	\$ <b>4,967</b>	

Note: Steel Frame as optional upgrade

LIQUID

LOCKER

### **DieselCadet**<sup>™</sup> **Transfer Tanks**

### Without Pump







Cap

Breather System

Pad-lockable Strainer



Sizes from 50 to 10,000 litres

### Need More? **Diesel Accessories**



### **DieselCadet**<sup><sup>m</sup></sup> Transfer Tanks



RRP\*(\$) **Baffle System** RRP\*(\$) Code Capacity **Dimensions (mm)** Frame Code (Litres) (LWH) (Upgrade\* \$) (Frame) \$345 DTC00050L 50 L 800 x 430 x 390 N / A N / A N/A 100 L <sup>\$</sup>518 N / A N/A N/A DTC00100L 900 x 450 x 475 DTC00220L 220 L 925 x 710 x 510 \$**581** ASFD00220 \$**504** N / A DTC00400AL 400 L 1620 x 710 x 510 \$975 N / A ASFD00400A \$596 DTC00500L 500 L 1250 x 1070 x 580 \$1.109 \$338 ASFCA00500 \$1.951 600 L \$**1.311** <sup>\$</sup>1,951 DTC00600L 1250 x 1070 x 740 \$**190** ASFCA00500 \$**2,106** 800 L \$1.616 \$**238** ASFCA00800 DTC00800L 1430 x 1220 x 670 \$**2.106** 1.000 L \$1.777 DTC01000L 1430 x 1220 x 835 \$**288** ASFCA00800 1.200 L 1720 x 1230 x 840 \$1.880 \$333 ASFCA01200 \$2,206 DTC01200L \$2,206 DTC01500L 1.500 L 1720 x 1230 x 1000 \$2.343 \$**432** ASFCA01200 2.000 L \$3.083 \$1,980 \$**4**75 ASFC02000 DTC02000L 2150 x 1410 x 870 2.400 L \$3.509 ASFC02000 \$1**.**980 DTC02400L 2150 x 1410 x 1140 \$713 DTC03000L 3.000 L 2430 x 1540 x 1200 \$4.813 \$855 ASFC03000 \$**2.993** DTC04000L 4.000 L \$5.538 \$**1.140** ASFC03000 \$2,993 2430 x 1540 x1450 \$3,942 5,000 L \$6.527 \$1,425 ASFC05000 DTC05000L 2760 x 2000 x 1400 6,000 L \$8.321 ASFC05000 \$3,942 DTC06000L 2760 x 2000 x 1540 \$1,710 DTC07000L 7.000 L 3390 x 2250 x 1390 \$8.843 \$1.995 ASFC07000 \$4**.**998 8,000 L \$10.884 \$2,280 \$4,998 DTC08000L 3300 x 1900 x 1850 ASFC08000 <sup>\$</sup>4,998 DTC10000L 10,000 L 3480 x 2250 x 1940 \$12,921 \$2,850 ASFC07000



nnovative splash resistant breather system specifically designed for diesel transport

Earth strap to prevent static build-up Pad-lockable filler cap No-spill fill system Filler cap with strainer Safety chain to prevent loss **Pad-lockable cap** 

Removable plate allows access to tank 2" suction tube access







Code: ADEMM25D \$293\* Code: ADHR010M25 \$1.624

Code: AXMT00 \$285<sup>3</sup>

Free Call **1800 816 277 | sales@tti**.com.au

**2.400** 

**3,000** L

4.000L

5.000 L

**6,000** L

60 L/min

60 L/min

60 L/min

60 L/min

60 L/min

DUC2400LF060V

DUC3000LF060V

DUC4000LF060V

DUC5000LF060V

DUC6000LF060V

\$4,379

\$5,349

\$6,537

\$7,546

\$9,377

## **Diesel Patrol 14<sup>Th</sup> Trailers** Bring the Fuel to your Equipment

ROL608

Now fitted with LiquidLockers™ **Baffle System!** 



**Flow Meter** 



Earth strap fitted to release static charge when filling

Heavy duty UV stabilised poly tank -15 year warranty


#### I DieselPatrol14<sup>™</sup> 1000L

(On-Farm Trailer) \$7,321\*

#### I DieselPatrol14<sup>™</sup> 1000L

(On-Road Trailer) \$9,034\*





(1) DieselPatrol

THE R. W.L.

the last and the second and the second designed the

C) Desettant

łł

Large **455mm lid opening** with breather and filler cap. Easy access for cleaning if required

> Chequer plate pump enclosure Huge range of electric and petrol driven pump options

### **DieselPatrol15<sup>™</sup> Single Axle Trailers**

### with 60L/min 12v Pump Kit



### **On-Farm** Trailers (*with lights - no brakes*)

Code	Description	RRP*(\$)
DRX0800LF060V1	DieselPatrol™ 800L Trailer with 60L/min 12v Pump	<sup>\$</sup> 8,120
DRX1000LF060V1	DieselPatrol <sup>™</sup> 1000L Trailer with 60L/min 12v Pump	<sup>\$</sup> 8,205
DRX1200LF060V1	DieselPatrol <sup>™</sup> 1200L Trailer with 60L/min 12v Pump	\$8,603
DRX1500LF060V1	DieselPatrol <sup>™</sup> 1500L Trailer with 60L/min 12v Pump	<sup>\$</sup> 9,061

### **On-Road** Trailers (*with lights and brakes*)

Code	Description	RRP*(\$)
DRQ0800LF060V1	DieselPatrol <sup>™</sup> 800L Trailer with 60L/min 12v Pump	\$ <b>10,786</b>
DRQ1000LF060V1	DieselPatrol <sup>™</sup> 1000L Trailer with 60L/min 12v Pump	<sup>\$</sup> 10,907
DRQ1200LF060V1	DieselPatrol™ 1200L Trailer with 60L/min 12v Pump	<sup>\$</sup> 11,739
DRQ1500LF060V1	DieselPatrol <sup>™</sup> 1500L Trailer with 60L/min 12v Pump	<sup>\$</sup> 12,188

See page 82 for Dual Axle Trailers



DieselPatrol







### **DieselPatrol15<sup>™</sup> Dual Axle Trailers**

(1) DieseiRattol

### Huge Range of Fit-Out options



10

### DieselPatrol<sup>™</sup> 2000L

On-Farm Trailer with 60L/min Pump: 4-Digit Flow meter & Filter CODE: DRXD2000L060V1 <sup>\$</sup>13,158\*

1

#### **On-Farm** Trailers (*with lights - no brakes*)

RRP*(\$)	Description	Code
<sup>\$</sup> 10,459	Farm Sprung Dual Axle Trailer with 1200L tank	DRXD1200L
\$ <b>10,908</b>	Farm Sprung Dual Axle Trailer with 1500L tank	DRXD1500L
<sup>\$</sup> 11,787	Farm Sprung Dual Axle Trailer with 2000L tank	DRXD2000L
\$ <b>12,304</b>	Farm Sprung Dual Axle Trailer with 2400L tank	DRXD2400L
<sup>\$</sup> 14,515	Farm Sprung Dual Axle Trailer with 3000L tank	DRXD3000L

#### **On-Road** Trailers (with lights - with brakes)

Code	Description	RRP*(\$)
DRQD1200L	On-Road Dual Axle Trailer with 1200L tank	<sup>\$</sup> 14,611
DRQD1500L	On-Road Dual Axle Trailer with 1500L tank	<sup>\$</sup> 15,066
DRQD2000L	On-Road Dual Axle Trailer with 2000L tank	\$ <b>16,119</b>
DRQD2400L	On-Road Dual Axle Trailer with 2400L tank	<sup>\$</sup> 16,650
DRQD3000L	On-Road Dual Axle Trailer with 3000L tank	<sup>\$</sup> 18,555
*Prices include G	AST   See page 111 for freight costs	



Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

<sup>\$</sup>130

ADC30M25F Diesel Catridge Filter

### Assembly Lid & Filter

- » Pad-lockable, non vented diesel filler lid with strainer & anti-loss chain
- » Used in all TransDiesel units
- » #50 mesh filter at fill point helps prevent contamination of your fuel

#### Diesel Lid Cap with Chain CODE: ADLC001CCT

\$**30**\*

Lid & Filter Assembly CODE: ADLC001CCF <sup>\$147\*</sup>

### **Fuel Level Gauge**

### Never guess your fuel level again!

- » Fits neatly beside filler cap
- » Easy to read fuel level gauge for **DieselCaptain units**



### **Auto Shut-Off Diesel Nozzles**

### Reliable Auto Shut-Off Nozzles in 2 Sizes

**34" Manual Fuel Dispensing Nozzle** BSP Connection: Aluminium Construction

CODE: ADGM20

\$91\*

#### <sup>3</sup>⁄<sub>4</sub>" Auto Shut-off **Fuel Dispensing Nozzle**

Supplied Standard with all 45L/min Pump Kits CODE: ADGA20 \$145\*

#### 1" Auto Shut-off **Fuel Dispensing Nozz** Supplied Standard with all

60L/min Pump Kits CODE: ADGA25 \$233\*

- » Spring loaded retractable reel » Heavy duty steel construction
- Hose feed guide with stopper » Secure 4 point mounting

- » 1" BSP swivel & inlet for increased flow Made in Italv

### \$1.624\*

### **Diesel Hose**

- » Choose from 6 & 10 metre hose lengths
- Choose from <sup>3</sup>/<sub>4</sub>" and 1" hose diameter
- High quality diesel grade hose with crimped fittings
- » Hose kinking prevented by anti-kink spring



Code	Description	RRP*(\$)
ADZF6M20	Diesel hose 6 metres 20mm with crimped ends	<sup>\$</sup> 132
ADZF10M20	Diesel hose 10 metres 20mm with crimped ends	<sup>\$</sup> 166
ADZF6M25	Diesel hose 6 metres 25mm with crimped ends	<sup>\$</sup> 213
ADZF10M25	Diesel hose 10 metres 25mm with crimped ends	<sup>\$</sup> 257

**Diesel Filters** 

**Hose Swivels** 

with These Swivels

Avoid Tangled Hoses

Keep Your Fuel Clean! Easy to Fit to Your Fuel Line

- 30 micron filtration controls sediment. Special water absorption technology to capture water traces in fuel.
- Aluminium filter holder supplied with water & sediment filter cartridge.

Diesel Cartridge Filter CODE: ADC30M25C

\*Prices include GST | See page 111 for freight costs

	SEDIMENT PARTICLE
4	SEDIMIETUE PARTICLE & WATER CONTROL

Diesel Cartridge Kit CODE: ADC30M25F

1" Brass Hose Swive

1" MBSP to 1" FBSP

CODE: SW25M25F

75\*

\$130<sup>\*</sup>

\$**97**\*

## 

HESEL FILTH

MESEL FILTH

71

**\$62**\*

3/4" MBSP to 3/4" FBSP

CODE: CFSBB20M20F

3/4" Brass Hose Swivel



### **Heavy Duty Hose Reel**

**Dual Pedestal** Strong Steel Construction **Retractable Reels** 

» BSP fittings on hose

» 2 sizes to choose from 10m of 25mm or 20mm hose

#### Diesel Hose Reel

10m of 25mm Hose CODE: ADHR010M25



### **Digital Flow Meter**

Measure the flow of your fuel with these handy flow meters digital simple to use & easy to fit helps you keep track of your fuel usage

- » Turbine measuring system measures in litres, gallons, pints and quarts
- » Easy to install at either end of the delivery hose. Can be calibrated
- » 5-digit easy to read LCD display powered by lithium battery (CR2)
- Fluid Type: For diesel, kerosene & Diesel Exhaust Fluid eg; Ad Blue<sup>™</sup>, NoNox<sup>®</sup>, Air1<sup>®</sup>

can be (

rotated

111111

- » Flow Rate: 10-100 LPM / 3-26 GPM
- » Max. Operating Pressure: 72psi / 5bar
- » Inlet/Outlet: 1"

### **5-Digit Flow Meter** (Digital)

CODE: ADFPE25D5



### **Mechanical Flow Meter**

### Large, Easy to Read Display

- » Large, Easy to Read Display
- » 4 digit subtotal + 8 digit total
- » 20-120 L/min flow rate
- » Max flow measurement 999.9 Litres
- » Max operating pressure 3.5bar/50psi
- +/-1% accuracy
- » 1" ports

#### **4-Digit Flow Meter** (Mechanical) CODE: ADFMM25D4 <sup>\$293\*</sup>



### Honda GX50 Diesel Pump 210L/min Petrol-Powered Pump Kit

- » 210 L/min pump kit with viton seals
- Complete with auto shut-off nozzle
- 6m of 25mm delivery hose
- 2m of 38mm suction hose
- GX50 Honda motor, pressure relief with 1m hose



Diesel Pump 210L/min GX50 Pump Kit Code: ADPX210MPK 1.741\*

### **Diesel Pumps** (pump only)

0

### 12v Transfer40 Pump

- » 12 volt 40 L/min open flow rate
- » Improved heavy duty switch
- » Supplied with suction filter
- » <sup>3</sup>/<sub>4</sub>" BSP ports
- Self primina
- Reliable & compact
- » Redesigned integrated bypass valve
- 4 metres of electrical cable with battery clips

#### Transfer40 40L/min Pum 12v with Battery Cables CODE: ADPX040V1P \$309\*

### 12v 45L/min Fluid Pump

- » 12 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 4 metres of electrical cable with battery clips
- » 1' Female threaded ports
- Self primina
- Reliable & compact
- » Made in Italy

### 12 v 60L/min Fluid Pump

- » 12 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- 4 metres of electrical cable with battery clips
- » 1" BSP ports
- Self priming
- **Reliable & compact**
- Made in Italy

Fluid 45L/min Pump 12v with Battery Cables CODE: ADPF045V1P \$499\*



Fluid 60L/min Pump 12v with Battery Cables CODE: ADPF060V1P <sup>695\*</sup>



### \$453\*

### 24 v 60L/min Fluid Pump

- » 24 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 1" BSP ports
- » Self primina
- Reliable & compact
- » Made in Italv
- » 4 metres of electrical cable with battery clips

l Fluid 60L/min Pum 24v with Battery Cables CODE: ADPF060V2P \$731\*



### 240 v 60L/min Fluid Pump

- 60 L/min 240 volt diesel pump kit
- » 2 metres of 25mm suction hose
- » Made in Italy

\$807\*

» 1" Female BSB Threaded Ports

### Fluid 60L/min Pump 240 with Battery Cables CODE: ADPF060V3P



### 12v L/min EquipCo Pump

- 12v 80L/min EquipCo Pump
- Easy clean suction strainer
- On/off switch on pump
- 1¼" threaded ports



12v with Power Cord CODE: ADPT080V1P \$885\*

- 6 metres of 25mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle » Made in Italv



#### \*Prices include GST | See page 110 for freight costs

### **Diesel Pumps** (kit)

### 12 v 40L/min Transfer40 Kit

- » Improved heavy duty switch
- » Supplied with suction filter
- » <sup>3</sup>/<sub>4</sub>" BSP ports
- Self priming
- Reliable & compact
- 4 metres delivery hose
- 2 metres of 25mm suction hose
- 4 metres of electrical cable with battery clips

### DieselFlo 40L/min

12v with Battery Cables CODE: ADPX040V1K



### 12v 45L/min Piusi Kit

- Automatic nozzle with swivel to prevent hose tanales
- Easy clean suction strainer
- » 1" Suction: 3/4" Discharae Tails
- Bypass valve integrated on pump body
- » 4 metres of power cable + battery clips
- 2 metres of 25mm suction hose
- » 6 metre deliverv hose
- » Made in Italv

#### Piusi 45L/min Kit 12v with Battery Cable CODE: ADPF045V1K \$729\*



### 12 v 60L/min Fluid Kit

- Automatic nozzle with swivel to prevent hose tanales
- » Easy clean suction strainer
- » 1" BSP threaded connectors
- Bypass valve integrated on pump body
- » 4 metres of power cable + battery clips
- » 2 metres of 25mm suction hose
- » 6 metre delivery hose
- » Made in Italy

| Fluid 60L/min K 12v with Battery Cables CODE: ADPF060V1K <sup>\$</sup>948\*



### 24 v 60L/min Fluid Kit

- 60L/min 24 volt diesel pump kit
- 4 metres of power cable + battery clips
- 2 metres of 25mm suction hose

### l Fluid 60L/min Kit 24v with Battery Cab CODE: ADPF060V2K

### 240 volt 60L/min Fluid Kit

- 60L/min 240 volt diesel pump kit
- » 2 metres of 25mm suction hose
- » Made in Italv
- » 6 metres of 25mm anti-static delivery hose with anti-kink spring and auto shut-off nozzle

### 12 v 80L/min EquipCo Pump Kit

- Automatic nozzle with swivel to prevent hose tangles
- » Easy clean suction strainer
- » On/off switch on pump
- » 1¼" threaded ports



EquipCo 80L/m 12v with Power Cord CODE: ADPT080V1K <sup>\$</sup>1,551\*



### **BlueMission**<sup>™</sup>

Diesel Exhaust Fluid (DEF) Dispenser with 35L/min flow rate

Fully enclosed **lockable pump compartment** for security and protection

- » 35L/min flow rate
- » Stainless steel lid and auto shut-off nozzle for controlled dispensing
- » Stainless steel pump with internal bypass for durability and ease of use
- » Stainless steel breather mounted behind lid
- » 4m of electrical cable with battery clips
- » EPDM gaskets and seals
- » Tank manufactured from urea grade polyethylene Diesel Exhaust Fluid (DEF) compatibility
- » Filler cap Diesel Exhaust Fluid (DEF) compatible
- » 4 metres of 19mm flexible delivery hose

### Affordable Bulk **AdBlue** Transportable Tanks

**Enjoy the poly** advantage of **No Rust!** Tanks are **designed to carry the extra weight** of AdBlue

Extra **UV stabilisation** - protects the tank from ever deteriorating in direct sunlight

**20**-year tank warranty

### **Call us Today to Discuss**

Your Specific Requirements

#### BlueMission<sup>™</sup> 100L

100 Litre with 35L/min Pump and Auto Nozzle DIM: 800 X 680 X 465 (MM) CODE: DAL0100LT035AV1 \$**1,818**\*

### BlueMission<sup>™</sup> 200L

200 Litre with 35L/min Pump and Auto Nozzle DIM: 800 X 680 X 710 (MM) CODE: DAL0200ALT035AV1 \$2,010\* Available Tank Sizes







2020 Product Catalogue



### StandBy10"

Hand Held Fire Fighting Unit

### **Tractor Mount Fire Fighters Home Protection unit**

- » Double-action chromed brass pump
- » Spring Steel Mounting Brackets
- » UV resistant poly tank

#### StandBv10

10 Litre Tractor Mount Fire Fighter with Spring Steel Mounting Brackets



### BackUp16<sup>™</sup> Knapsack Fire Fighter

Fast & Consistent Flow from Double Action Hand Pun Ideal for Spark/Ember Suppression, Managing Spot Fires & Burning Off, Comfortable to Wear, Easy to Carry, and Easy to Use

- » Double action chromed brass pump for ease of operation and durability
- » Adjustable nozzle for effective performance in varying conditions
- » 2 x one-way valves prevent leakage and siphoning when not in use
- Robust tank designed to withstand abuse
- » Filter in lid to keep debris out of tank
- » Ergonomic tank design for user comfort



BackUp16" 16 Litre Knapsack Fire Fighter CODE: PFK0016L \$**299**\*

**/ehicle Carry Frame** To Suit <u>Backup16™</u> ODE: ASFF00016

### AquaGuard<sup>™</sup> Home Protection Unit

Essential backup protection when fire threatens

» Designed for rapid deployment in fire emergencies

Reliable Honda motor and fire pump » Easy to load with central lifting lug 6m suction kit with strainer & camlock 36m fire hose with adjustable nozzle Fully galvanised frame



GX160 Honda and 1.5"

FireProtect Skid GX160 Honda and 1.5" Davey Pump + 36m Reel CODE: AFR4900ZH4K

### Fire Fighting Kit with Honda GX160 & Davey Fire Fighting Pump

Poly hose reel with handle for winding up - complete with 36 metres of 19mm hose and **adjustable fire fighting nozzle** 

- » Honda GX160 motor powers 1.5" fire fighting pump for reliable performance. 3-year warranty
- » 1.5" Davey Fire Pump 500L/min max flow
- » Bottom fill kit supplied Storz fittings available
- » Pressure regulator fitted to pump for pressure control & safer operation. Return line to tank with fittings included
- » Anti-vibration mounting
- » Ball valve with fittings
- » Suction Hose

Fire Fighting Kit CODE: AFR4900ZH4 **\$2,841**\*

### **Rewind KoReel**<sup>\*</sup>

**Robust frame -** Comes with spring self-winding type and manual winding type



\_\_\_\_\_

20m Spring Rewind KoReel<sup>™</sup> CODE: ATHW020SR \$1,369\*

**36m Manual Rewind KoReel**<sup>™</sup> CODE: ATHW036MANR \$**1.019**\*

### **Fire Fighting Poly Hose Reel**

- » Redesigned frame for extra strength
- » All new fluid path with brass fittings means no rusty water
- » Secure and **positive reel lock device** prevents hose unwinding while in transit
- » 36m x 19mm hose (AS 1221)
- » Complete with adjustable fire fighting nozzle
- » 1" brass swivel



I Fire Hose Reel (bare) CODE: AFHW10B19 <sup>\$</sup>514\*

136m Fire Hose & Reel CODE: AFHW10B036M19 \$711\*



ACJ-723

FireGuard<sup>™</sup> 220L Honda GX50 with 210L/min Pump DIM: 925 X 710 X 810 (MM) CODE: SF0220LZ <sup>\$</sup>1.966\*

» GX160 Honda motor coupled with 11/2" Davey fire fighting pump » Pressure relief valve and bypass to protect pump » Camlock fittings and quick fill kit for filling from external water source » 18m x 19mm Fire Hose with adjustable aluminium nozzle

FireCombat<sup>™</sup> 400L Honda GX160 with Davey Pump DIM: 1620 X 710 X 810 (MM CODE: SF0400L2

www.tti.com.au

In the heat of the moment,

**TTi's Fire Fighting Equipment!** 

Are You Ready for the Fire Season?

you can always rely on

e Call 1800 816 277 | sales@tti.com.au | www.tti.com.au See page 110 for freight costs ude GST

### FireGuard<sup>™</sup> 220L & 400L Units

Highly Efficient Portable Fire Fighters

» Handy size Fire Fighter for rapid response to fire emergencies » GX50 Honda motor, 210L/min FF pump for fast & reliable flow » 18 metres of Fire Hose with twist action adjustable FF nozzle

#### FireGuard<sup>™</sup> 400L

Honda GX50 with 210L/min Pump DIM: 1620 X 710 X 810 (MM) CODE: SF0400LZS <sup>\$</sup>2.184\*

11.7.18

### FireCombat<sup>™</sup> 400L Unit **Highly Efficient Portable Fire Fighters**


### Low-Center of Gravity UTV Fire Fighting Unit

- » Designed to suit all larger UTV's
- » Handy size for rapid response Low centre-of-gravity
- » Suitable for fire fighting, tree watering, washdown and more.
- » Genuine reliable Honda GX50 motor
- » 210L/min pump for fast and reliable flow
- » 18m x 19mm fire hose with twist action fire fighting nozzle
- » Manual rewind powdercoated reel
- » Australian made tank with fully draining Sump for easy cleaning
- » Tough, UV stabilised poly tank, with 20-Year Warranty

### OnDeck<sup>™</sup> 300L FireBoss

with GX50; 210L/min Pump DIM: 1000 X 1250 X 600 (MM) CODE: PFD0300LZS

DIM: 970 X 1100 X 850 (MM) CODE: PFDA0300LZS (COMPACT) \$3.764



### **FireDefence<sup>™</sup>** Slip-On Fire Fighter

In a class of its own!

### **Heavy Duty Fire Fighters** That Slide Easily Into Your UTE or trailer

» UV stabilised polyethylene tank for long life, with 20-year we

- » Honda GX160 engine with Davey Pump & 36m Hose Reel
- » Low profile design for safety, stability and ease of operatio
- » Liquid Locker baffling system fitted to eliminate surge
- » 6m quick fill suction kit for filling from channels, dams, rainwater tanks etc
- » Smart easy plumbing allows fast changeover of hoses when



**Davey Pump** Now Fitted with Davey Single Impeller Pump!

### IPGRADE OPTIONS

CODE: ASFD00440 596\*



ADD "T" TO END OF CODE

\$365\*

\*UPGRADE PRICE

FITS

UTE OR TRAILER

FireDefence<sup>™</sup> 800L DIM: 1700 X 1000 X 1155 (MM) CODE: SFD0800LZ \$4,433\*

l FireDefence™ 1000L DIM: 1700 X 1000 X 1320 (MM) CODE: SFD1000LZ \$4,649\*









ADD "S" TO END OF CODE \$350\* \*UPGRADE PRICE

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au \*Prices include GST See page 110 for freight costs

### **FireAttack<sup>™</sup> Deluxe** Skid-Mounted Units

Slip-On Fire Fighting Units

### **Heavy Duty Fire Fighters** That Slide Easily Into Your UTE or trailer

» GX200 Honda engine coupled with 400L/min Davey Twin Impeller Fire Pump

» Heavy duty hose reel with 36m x 19mm hose, safety locking catch and adjustable twis type aluminum nozzle.

» UV stabilised; Heavy-Duty; Fully drainable tank with 20-year warranty; Light-weight and durable with Liquid locker Safety System

» Pressure relief bypass fitted to tank ensures pump remains cool when in operation. Excess pressure returns to tank.

» 4 x lifting eyelets; 150 x 100mm RHS forklift pockets. Units can be lifted from all four sides



is produc

FireAttack<sup>™</sup> 400L 1600 X 1220 X 1000 (MM) CODE: PFUS0400LZF \$5.282\*

### MAIN FEATURES

FireAttack<sup>™</sup> 500L 1740 X 1250 X 760 (MM) CODE: PFU0500LZF \$5.356\*

FireAttack<sup>™</sup> 600L 1740 X 1250 X 760 (MM) CODE: PFU0600LZF \$5.571\*

FireAttack<sup>™</sup> 800L 1900 X 1440 X 810 (MM) CODE: PFU0800LZF \$5.724\*

FireAttack<sup>™</sup> 1000L 1900 X 1440 X 980 (MM) CODE: PFU1000LZF <sup>\$</sup>5.911\*

FireAttack<sup>™</sup> 1500L 1900 X 1700 X 1250 (MM) CODE: PFU1500LZF \$6.250\*





**4-way Forkable Skid** 



**Fully Baffled Tank** 



### **AquaPath**

Water Cartage Units





Highly recommend one of these TTi units AquaPath<sup>™</sup> to anyone in the civil industry

Peter Atkinson Bulldog Earthmoving Civil Contractor

Very easy to take off the truck for something else if we're not using the tank. We've got six AquaPath™ units across the company. They're very versatile, easy to fill-up and make it a lot easier on site

Michael Hanly ACE ACF Contractors Group Civil and Landscaping

Highly recommend TTi, I couldnt recommend them any more, they always have the after sales service, and will hand deliver the unit! You can ask for any better service!'

Niel and Gareth Regal Innovations Civil and Landscaping

\*Prices include GST | See **page 110** for freight costs Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

## AquaPath<sup>™</sup> Water Cartage Units

Scan to see this product in action!

Pictured with Optional Hvdrant Fill Lid

() AquaPath

Now featured standard! **Dual Deflector Sprayer Kit** with wireless remote control!

### AquaPath<sup>™</sup> Upgrade Options

### **Engine Motor Upgrade**

Upgrade to recoil or electric start 4.8 Hp Yanmar Diesel Engine or Honda GX200E with Electric Start



Honda GX200E Petrol with Electric Start JPGRADE PRICE 1.350\*



Yanmar Diesel Engine 4.8hp Electric Start, with Battery Pack UPGRADE PRICE \$3,990\*

### lydrant Fill Lid

Ensure your new water cart complies with local regulations by adding this filling option



### **3" Hydrant Fill Lid**

with 1-way valve and camlock CODE: ARH080F <sup>\$</sup>1.953<sup>\*</sup>

### **Extra Hose Reel**

Double your efficiency by adding a second hose reel

### **Heavy Duty Hose & Reel**



36m x 19mm Hose CODE: AFHW10B036M19

#### **Spring Rewind Ree** Powder-coated Steel Construction



**Spring Rewind Reel** 20m x 19mm Hose

CODE: ADD 'S' TO END OF CODE

PGRADE PRICE

### ALL NEW RANGE Packed with amazing new features!

- Heavy duty poly tanks with **20 Year warranty**
- **Galvanised steel frame** with forklift pockets
- Genuine Recoil Honda engines coupled with Davey Twin Impeller pumps
- Liquid Lockers Baffle System fitted
- **Skid design** allows it to be easily mounted onto any flat tray truck

#### AguaPath<sup>™</sup> with GX200 Honda and Twin Davey Pump & Wireless Control Deflectors

	CODE	CAPACITY	DIMENSION (mm)	RRP*(\$)
	PFU2000LZ	<b>2,000</b> L	2910 x 1410 x 958	\$ <b>10,522</b>
	PFU2400LZ	<b>2,400</b> L	2910 x 1410 x 1228	<sup>\$</sup> 10,886
	PFU3000LZ	<b>3,000</b> L	3020 x 1540 x 1340	<sup>\$</sup> 13,140
	PFU4000LZ	<b>4,000</b> L	3020 x 1540 x 1590	<sup>\$</sup> 14,316
	PFU5000LZ	<b>5,000</b> L	3500 x 2000 x 1569	<sup>\$</sup> 15,994
	PFU6000LZ	<b>6,000</b> L	3500 x 2000 x 1709	\$ <b>17,971</b>
	PFU7000LZ	<b>7,000</b> L	4100 x 2200 x 1559	<sup>\$</sup> 19,251
	PFU8000LZ	<b>8,000</b> L	4100 x 1900 x 2019	<sup>\$</sup> 20,810
_	PFU10000LZ	<b>10,000</b> L	4100 x 2250 x 2479	<sup>\$</sup> 22,428

### **FirePatrol14<sup>™</sup> Fire Fighting Trailer**

Hitch & Go Convenience in a Great Value Package

- $\sim 1\frac{1}{2}$ " Single Impeller Davey 500L/min fire fighting pump open flow with pressure relief protection
- Tail, brake, indicator & number plate lights (Road version only)
- » Fire fighting hose reel with 36 metres of 19mm hose
- » GX160 Honda Motor
- » Road trailers have hydraulic brake system
- » 14" wheels with Ford hub pattern
- » LiquidLocker™ Baffling System Fitted

EsePatror M

Now fitted with LiquidLockers" **Baffle System!** 





1,2

80 1.2

FirePatrol14™ 1000L (On Farm)

Single Axle - Fire Fighting Trailer - No Brakes Honda GX160; Single Impeller Davey Pump CODE: SRFX1000LZ **\*7.750\*** 

### FirePatrol14<sup>™</sup> 1000L (On Road)

Single Axle - Fire Fighting Trailer - with Brakes Honda GX160; Single Impeller Davey Pump CODE: SRFQ1000LZ \$8,977\*





#### \*Prices include GST | See page 110 for freight costs

### **FirePatrol15<sup>™</sup> Water Cart Trailer**

### Multipurpose Heavy Duty Trailer for Fire Fighting, Dust Suppression and Tree Watering

Australia's No:1 Water Cartage Trailer

- Galvanised steel frame and mudguards with new 15" wheels
- » Durable **UV stabilised** polyethylene tank
- » Equipped with Honda GX200 engine and Davey Twin Impeller pump,
- 36 metre fire fighting hose reel with adjustable nozzle
- **Bottom fill kit** is standard

<b>On-Farm</b> (No Brakes)			
00 Litres	CODE: PRFX0800LZ	<sup>\$</sup> 8,963*	
000 Litres	CODE: PRFX1000LZ	<sup>\$</sup> 9,283*	
200 Litres CODE: PRFX1200LZ		<sup>\$</sup> 10,463*	

### **On-Road** (With Brakes)

00 Litres	CODE: PRFQ0800LZ	<sup>\$</sup> 11,234*
000 Litres	CODE: PRFQ1000LZ	\$11,713*
200 Litres	CODE: PRFQ1200LZ	<sup>\$</sup> 12,694*

### **UPGRADE OPTIONS**

Deflector **Spray Head** \$620<sup>±</sup>

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

250 784




### **SPEC UP Your Fire Trailer with These Options:**



**Diesel Engine** Electric Start

\$3.990\*



**Petrol Engine** Electric Start \$1.350\*



**Spring Rewind** Hose Reel <sup>\$</sup>658\*



Hydrant Fill Lid \$1,953\* ARH080F



**Dual Deflector** Sprayer kit <sup>\$</sup>2.430\*

ARY0038AVX2



Single Deflector with Remote Control

> <sup>\$</sup>2,095' ARY0038AV

Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au \*Prices include GST | See **page 110** for freight costs

### **FirePatrol15<sup>™</sup> Water Cart Trailer**

Dual-Axle Heavy-Duty Water Cartage Trailer

### Australia's No. 1 Choice!

Robust, safe and engineer approved, the Patrol15 line up if water cartage trailers are still being voted 'Best & Fairest' on and off the road! High performing and versatile, they make putting 'water to work' a pleasure!

**Fire Fighting Tandem Trailer** 



FULLY

FANTASTIC

OFF-ROAD

LOAD SHARING CAPABILITY

Used by reputable hire companies around Australia!



	l FirePatrol15™ 200					
FirePatrol15 <sup>™</sup> 1500L CODE: PRFXD1500LZ \$13,368*	FirePatrol15 <sup>™</sup> 150 CODE: PRFQD1500LZ \$17,128*					
<b>On-Farm</b> (No Brakes)	<b>On-Road</b> (with Brak					

CODE: PRFXD2000LZ CODE: PRFQD2000LZ \$14,581\* <sup>\$</sup>18,397\* FirePatrol15<sup>™</sup> 2400L

FirePatrol15<sup>™</sup> 2400L CODE: PRFXD2400LZ \$14,986\*

FirePatrol15<sup>™</sup> 3000L CODE: PRFXD3000LZ <sup>\$</sup>16,490\*

CODE: PRFQD2400LZ <sup>\$18,725\*</sup> FirePatrol15™ 3000L

CODE: PRFQD30<u>00LZ</u> <sup>\$</sup>21,280\*



PR

Dribble Bar \$1.247\* ARD1800BV





Wheel Chocks

\$689\* AQCW001K



2 x LED worklights, Beacon, **Reverse** Alarm

> \$2.719\* AQSLB001V1



Cat (Ax0-797

Extinguisher

\$663\* AQSFD045K



Knapsack Fire Sprayer

\$459\* PFK0016L

### **PantherPatrol<sup>™</sup> Trailers** State-of-the-Art Design

- » Durable UV stabilised polyethylene tank with 20-year tank warranty
- » Genuine Honda GX200 engine with reliable twin impeller pump
- » 10 Litre Fresh Water Tank
- » 70 Litre Flush Tank
- » Heavy Duty lockable hinged lid enclosed toolbox
- » Heavy duty galvanised steel chassis. Chequer plate steel mudguards and tail light board
- » 36 metre fire fighting hose reel with adjustable nozzle and all plumbing



**| PantherPatrol™ 1100L** (On Farm) Single Axle Trailer - with Lights and No Brakes Honda GX160; Twin Impeller Davey Pump CODE: PRFPX1100LZ <sup>\$10,228\*</sup>

| PantherPatrol<sup>™</sup> 1100L (On Road) Single Axle Trailer - with Lights and Brakes Honda GX160; Twin Impeller Davey Pump

CODE: PRFPQ1100LZ \$12.470\*















### 10080 XHD Water Pump

The 10080 XHD Series water pump is designed and manufactured in Australia specifically for water trucks. 10080XHD pumps offer optimum performance for dust suppression applications.

A robust design 1 ensures maximun service life in the harshest conditions.



**Now Featuring!** 



### **TouchStream** Technology

Unlike hydraulic driven water pumps, where water flow varies with engine rpm, TST technology delivers constant water flow, regardless of the

The advantages are reduced wear and tear on both pump and truck, significant fuel savings and constant water flow.





Designed to withstand the harshest of conditions, the Storm Chassis Mounted Truck will deliver greater efficiencies when applying water on site.





Capacity Options: 13,000 & 15,000 Litres

#### Options



Dribble Bar

Water Cannon

Front Sprays




Side Batter Sprays













104


### **Cascade™** Landscape Spec Water Truck

The ultimate landscape spec water truck! This purpose built water truck is designed to save watering time by being more accurate, simple to use and easy to operate.

Scan to see this product in action



Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au



Tank Capacity: **5,000** to **17,000** Litre Options

### **FloodRite<sup>™</sup> Tipper Water Carts** Specifically Designed for Tip Trucks

### **Applications**

**Dust Suppression** Soil Conditioning Landscape Watering **Civil Works** and More!

**NEW!** 

TANK

**SIZES** 

### Slip-On "Options"





**Dribble Bar** 







### *Features:*

**V** Choice of **Honda Petrol** or **Yanmar Diesel** Engines Heavy duty **skid mount frame** with forklift pockets ✓ Liquid Locker<sup>™</sup> Anti-surge baffling system fitted **3**" **Hydrant Fill lid** (air gap filler)

**3 Rear Sprays**, Centre, Left, Right



107

### **XTreme**<sup>TM</sup> Wash Down and Pressure Washing Trailer



**a** (a)

110





### Main Features

- Washdown choice of Honda petrol or Yanmar diesel engines with Davey pump for washdown
- Pressure Washing choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pump

Scan to see

this product in action!

- Wireless remote control with motor on/off and spray bar on/off
- 20m x 25mm hose and reel
- Baffle Ball Safety System fitted

### Tank Sizes: 800 to 3,000 Litres

### 1800 **816 277**



### **Product Directory**

### Ð

Water Cartage Tanks AquaTrans™/AquaMove™ (20L to 17000L) Mounting Frames/Pins Modular Tank Systems TransLoc™ (6000L to 30000L) InterLoc™ (5000L to 25000L) SumpTrans™ (100L to 13000L) Tank Accessories

### SPRAY Equipment

TANKS

Water / Chemical

WeedMasta<sup>™</sup> 16R - Rechargeable Knapsack Sprayer Inter<sup>™</sup> - Compression Sprayers Inter<sup>™</sup> Elite - Knapsack Compression Sprayers Inter<sup>™</sup> Industrial - Compression Sprayers WeedControl<sup>™</sup> - 12v Spot Sprayers WeedControl<sup>™</sup> - 12v Trailer Sprayers OnTray<sup>™</sup> - UTV 12v Sprayer Strike<sup>™</sup> - UTV 12v Sprayers **ReelStrike™** - Professional UTV 12v Spravers **OnDeck™** Sprayer - UTV Mounted Sprayers **SpotPro™** - Professional Spot Sprayers **TopCrop™** - UTE Mounted Field Sprayers **TopCrop™** - Field Sprayers with SuperReel **TopCrop™** - Field Sprayers with Twin SuperReel's SpotPro<sup>™</sup> Deluxe - Spray Trailers **TrailPro™** - Spray Trailers **TrailPro™ Deluxe** - Spray Trailers GlidePath™ Deluxe - Professional Spray Trailers LinkOn<sup>™</sup> - 3 Point Linkage Sprayers LinkOn™ Plus - 3 Point Linkage Sprayers SilageMasta<sup>™</sup> - Applicators Foam Markers and GPS Guidance Systems Delavan<sup>™</sup> - 12v Pumps Spray Accessories Bertolini™ - Pumps **Engines & Pumps** Spray Accessories

	61
pray Lances/Guns	01
ozzle Kits	64
oray Booms/Steel Booms	65
oray <b>Tips</b>	68
ose Reels	71
andiKart Trailer	72

### DIESEL Transport Equipment

# DieselCaptain™ - Refueling Units74DieselSergeant™ - Refueling Units77DieselMajor™ - Refueling Units77DieselCadet™ - Refueling Tank78DieselCadet™ with Pump - Refueling Tank79DieselPatrol14™ - Refueling Trailers80DieselPatrol15™ Single Axle - Refueling Trailers81DieselPatrol15™ Dual Axle - Refueling Trailers82Diesel Accessories84Diesel Pumps86BluEMission™ - AdBlue Tanks88

### **FIRE FIGHTING**

#### Units / Equipment

StandBy10 <sup>™</sup> - Tractor Mount	90
BackUp16™ - Knapsack Fire Fighter	90
AquaGuard™ - Home Protection Units	91
FireGuard™ & FireCombat™ - Portable Fire Fighters	93
OnDeck™ - UTV Fire Fighting Units	93
FireDefence™ - Slip-On Fire Fighting Units	94
FireAttack™ Deluxe - Slip-On Fire Fighting Units	95
AquaPath <sup>™</sup> - Water Cartage Units	96
FirePatrol14 <sup>™</sup> - Fire Fighting Trailers	98
FirePatrol15 <sup>™</sup> Single/Dual Axle - Fire Fighting Trailers	99
PantherPatroI™ - Fire Fighting Trailers	102

### INDUSTRIAL Equipment

55

56

57

FloodRite™ - Slip-On Units	104
FloodRite™ - Chassis Mount Units	106
xTreme™ Multi-Purpose Trailer with Pressure Washer	108

### freight rate guide

110

Note:

If multiple products are being ordered, **Please contact for** consolidated freight quote.

All active dealers in zones 1 and 2 have access to FIS Stock orders. Call 1800 816 277 for details.

		ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5			ZONE <b>1</b>	ZONE 2	ZONE <b>3</b>	ZONE 4	ZONE 5	
All Bare <b>Tanks</b>	<b>100 - 400</b> ∟	<sup>\$</sup> 40	\$ <b>7</b> 0	\$90	<sup>\$</sup> 100	<sup>\$</sup> 100	Diesel <b>Units</b>	100 - <b>4</b> 00 L	<sup>\$</sup> 50	<sup>\$</sup> 60	\$80	\$80	<sup>\$</sup> 120	
All Bare <b>Tanks</b>	500 - 1500 L	\$ <b>90</b>	<sup>\$</sup> 150	<sup>\$</sup> 200	\$300	<sup>\$</sup> 350	Diesel <b>Units</b>	<b>440 - 1200</b> L	\$ <b>60</b>	<sup>\$</sup> 100	<sup>\$</sup> 180	<sup>\$</sup> 200	<sup>\$</sup> 200	
All Bare <b>Tanks</b>	2000 - 4000 L	<sup>\$</sup> 200	<sup>\$</sup> 350	<sup>\$</sup> 450	\$500	<sup>\$</sup> 650	Diesel <b>Units</b>	1500 - 6000L	\$ <b>300</b>	\$600	\$900	POA	POA	
All Bare <b>Tanks</b>	5000 - 17000 L	\$ <b>300</b>	\$500	<sup>\$</sup> 750	ΡΟΑ	POA	Diesel <b>Trailers</b>	600 - 1500 L	<sup>\$</sup> 300	\$700	\$900	POA	POA	
							Diesel <b>Trailers</b>	2000 - 3000 L	<sup>\$</sup> 550	\$800	<sup>\$</sup> 1400	POA	POA	
Compression Spra		\$ <b>20</b>	\$ <b>20</b>	\$30	\$30	\$ <b>35</b>	Fire <b>Units</b>	<b>220 - 400</b> ∟	<sup>\$</sup> 60	\$80	<sup>\$</sup> 150	<sup>\$</sup> 100	<sup>\$</sup> 150	
Spot Sprayers	34 - 150 L	\$ <b>30</b>	\$ <b>30</b>	<sup>\$</sup> 45	\$ <b>90</b>	\$90	Fire Units	220 - 400 ∟ 500 - 1500 ∟	°60 \$80	°80 \$100	°150 °200	\$270	POA	
Spot Sprayers	200 - 225L	\$ <b>40</b>	\$ <b>60</b>	\$ <b>100</b>	\$ <b>120</b>	\$150	Fire Units		\$300	\$450	°200 °550	POA	POA POA	
Spot Sprayers	<b>300 - 400</b> ∟	\$ <b>60</b>	\$100	<sup>\$</sup> 150	\$ <b>200</b>	<sup>\$</sup> 250	Fire Units / AquaPath		\$400	\$550	\$750	POA	POA	
Field Sprayers	500 - 1000 L	\$ <b>200</b>	\$ <b>300</b>	\$400	\$ <b>550</b>	ΡΟΑ	Fire <b>Trailers</b>	600 - 1200 L	\$300	\$700	\$900	POA	POA	
Spray Trailers	200 - 400 L	\$100 \$000	\$200	<sup>\$</sup> 350 <sup>\$</sup> 850	\$450*	\$450*	Fire <b>Trailers</b>	1500 - 3000 L	<sup>\$</sup> 550	\$800	<sup>\$1400</sup>	POA	POA	
Spray Trailers	600 - 1500 ∟ 300 - 1000 ∟	\$300 \$150	\$700 \$300	°850 §550	РОА \$600	РОА \$600								
<b>Linkage</b> Sprayers Rinse <b>Bins</b>	300 - 1000 ∟ 50 - 200 ∟	°150 \$50	°300 \$70	°550 \$90	°600 \$110	°600 \$110				-				
Booms	50 - 200 ∟ 6 - 8m	°50 \$80	\$100	°90 \$150	°110 \$180	°110 \$200								
Booms	10 - 12m	\$100	\$200	\$350	\$400	\$400	FloodRite	3000 - 4000∟	<sup>\$</sup> 400	\$600	\$ <b>800</b>	\$900 <b>*</b>	POA	
Booms	10 - 1211	100	-200	-350	-400	-400	FloodRite	5000 - 13000 L	\$600	\$800	<sup>\$</sup> 1400	POA	POA	
*Approximate Pricing														
Handi <b>Karts</b>		<sup>\$</sup> 100	\$ <b>2</b> 00	\$300	\$400	\$ <b>400</b>	Station of the state	-				-		
		CLUB LAND		and the second									_	-
, i i i i i i i i i i i i i i i i i i i	-	1		1	-		Internet	WEEK T			5		-	-
			_ (		(WESSING						tti)	A	-	
					1	-		(a) (a) (					1	
The second se		-	-	- 7	(A)	80		2 4. 12	And the local division of the local division		-		TT IT	
n n			Y				1 1 1 2 2		- And				1	
THE OWNER OF THE OWNER		3	-							and the second s	THE .			
2 Contraction	1000				-				S) 1	101				
	· · · · · · · ·		1 11 11		and the second second	2	Contraction of the		9	-	-	Contraction of the	Contraction of the	

\*Prices include GST | See page 110 for freight costs









- T 1800 816 277
- F (03) 5866 3019
- E sales@tti.com.au
- W www.tti.com.au

Head Office **3 Murray Valley Hwy, Nathalia**, VIC, 3638, Australia

Melbourne **12 Burwood Ave**, **Sunshine North**, VIC, 3020, Australia

My Local Active Dealer (L.A.D.) Call 1800 816 277 To Locate Your Local Dealer



3(3)01