

Product Catalogue

www.tti.com.au













Welcome to the 2020 Catalogue

Dear Customer,

Welcome to the 2020 edition of TTi's comprehensive product catalogue. Whether you're a long-standing customer of TTi or perhaps considering your first purchase, we would like to warmly invite you to browse through this informative new guide.

At TTi we believe in more than just our products. We believe in partnering with our Local Active Dealers (LAD's) to enhance their reputation in their community. This is done through the products we supply, the knowledge we seek to impart, the merchandising we provide and the marketing we offer, all contributing towards a winning combination!

Over the past 12 months we have channelled significant resource into getting out into the field with our end users and understanding exactly how our products are being used, and where they can be refined and improved. The feedback has been invaluable, and we trust you can see the results continuing to be reflected in the presentation and functionality of our range.

Thank you again, we sincerely look forward to working with you.

Kind Regards,

Ross Büchner | General Manager



Our Value Proposition

LADs

Partnering with Local Active Dealers to enhance their reputation and financial performance through the following enablers:

Products | Knowledge
Merchandising | Marketing

Our Distinctive Capability

KDMB

Knowledge

An enormous wealth of industry experience

Design Skills

Unique design flair and a passion for presentation

Merchandising

Unique, attractive merchandising displays

Brand Mastery

A vibrant, attractive and carefully protected brand

Our Values

CRISP

Care

In everything we do, we care about the end result

Respect

We respect one another, always

Interest

We show genuine interest in the needs of our customer

Sincerity

We say what we mean, and mean what we say

Passion

We are passionate and determined

















Few of the eam 2020 There's more of us!



Andre Büchner



Kevin Büchner



Filmer Selby Customer Service



Ross Büchner



Rolf Büchner



Dale James Product Specialist



Emiel Warmerdam Business Development



Jens Büchner



Jarrod Hatton Product Build Manager



Pierre Büchner



Richard Southall



Paul Kiesskalt



Andrew Trappel State Manager NSW/QLD



Ken Paxinos Supply Chain Manager



Craig Hook Logistics Manager



eople are human! At ITi we believe that anyone can copy the products we manufacture, the marketing we produce, the facilities we have, but nobody can copy the people that make the company what it is. Our people and their families mean everything to us and always will.

TTi invests heavily in the personal and professional development of its staff through engaging the services of expert trainers across many fields. We always believe we can learn more!

ourpeople

what's new



Tipper Tanks

Sizes: 8000, 10000, 12000 Litres

See page **15**

- » 20-Year tank warranty
- » UV stabilised to withstand the elements
- » Heavy Duty `Tuff-Flex Molecular Technology'



OnDeck[™] 150L

The Ultimate Sprayer for UTVs

See page 41

- » Suited to mid range UTV's
- » Includes 3 litre fresh water tank
- » Pump Protection cover



BackUp[™] 16L

Fire Fighting Knapsack

See page 90

- » Double action chromed brass pump
- » Adjustable nozzle for effective performance
- » Ergonomic tank design for user comfort



OnDeck™ 300L (Compact)

The Ultimate Sprayer for UTVs

See page 41

- » Fits in all larger UTV trays
- » Includes 10 litre fresh water tank
- » Fully drainable with forkable steel frame



LiquidLocker™

Safety Baffle System

See page 10

- » Reduces fluid movement
- » Suitable for use with all tanks
- » Food-grade quiality material



SuperReel 50™ Your Spraying Partner

See page **50**

- » NEW! Fully enclosed frame design minimizes pinch points
- » Manual override button and isolation switch
- » Tough powder-coated finish





Differences between

AquaMove[™] and AquaTrans[™]

There is nothing much in the way of a rotationally moulded polyethylene water cartage tank that compares with the TTi AquaTrans tank range. A really heavy-duty tank with a 20-year warranty is just part of the deal. The Aquatrans is a premium product and is in a league of its own. This is the bees' knees!

Without any compromise, the AquaMove range has been introduced to be a player in the price sensitive end of the market. With a slightly lighter design than the AquaTrans and a 15-year warranty, this is the everyday range.

Enquire Now! 1800 816 277

What makes

TTi's Tanks Unique?

More than 20 years specialising in the manufacture of quality water cartage tanks. We do not dilute our focus by producing storage tanks and other roto-moulded products.

Our tanks incorporate detailed engineering design in the blending of specific radii to produce a better finish

The DNA of every TTi tank is recorded. This combined with rigorous quality checks including ultrasound thickness testing and laboratory impact testing ensures that our clients are getting the very best available tanks on the Australian market, to give you peace of mind



All tanks are cooked to temperature, not time

ORDER

to reduce surge

& INCREASE STABILITY

UV stabilised to withstand the elements

Free outlet fitted with every tank

SureFit Tank securing kit available for all water cartage tanks

Exclusive, specially developed and formulated polyethylene incorporating our "Tuff-Flex Molecular Technology" ideal for safe & secure transporting

Easy to read calibration on side wall of tank for quick measurement of contents (when sight level tube fitted on tank under 6000 litres)

Specifically designed footings to enable easy mounting to any flat surface - mounting pins included.







Water & Foam **TANKS**

Impact resistant

Space saving profile

UV stabilised for years of use

Moulded inserts for mounting

Tanks can be drilled and tapped to accept fittings

Extra thick structure for handling pressure up to 4 psi



10 LITRE WATER TANK CODE: PTZV00010SG

\$156*



25 litre WATER TANK CODE: PTZV00025SG 450mm(ø) x 400mm(H)

220mm(ø) x 460mm(H)

\$209*




\$308* **50 LITRE WATER TANK**

CODE: PTZV00050SG 450mm(ø) x 600mm(H)



100 litre WATER tank CODE: PTZV00100SG 450mm(ø) x 950mm(H)






\$309* CODE: PTZB00025SG 450mm(ø) x 400mm(H)



50 litre FOAM tank CODE: PTZB00050SG 450mm(ø) x 600mm(H) \$414*



\$564*



20L

LWH: 590 x 320 x 280mm

AquaTrans™ 20L

20-Year Warranty CODE: PTC00020SG \$197*

- » ø100 Lid & Seal
- » 3/4" Polv Drain Buna & Seal



50

LWH: 800 x 430 x 390mm

AquaTrans™ 50L

20-Year Warranty CODE: PTC00050SG

\$324*

- ø150 Lid & Seal
- » ¾" Polv Drain Buna & Seal



100

LWH: 900 x 450 x 475mm

AquaTrans™ 100L

20-Year Warranty CODE: PTC00100SG \$489*

- » ø150 Lid & Seal
- » ¾" Polv Drain Buna & Seal



2001

LWH: 1000 x 650 x 600mm

AquaTrans™ 200L

20-Year Warranty CODE: PTC00200SG

\$548*****

- ø150 Lid & Seal
- » ¾" Polv Drain Buna & Seal

220

IWH: 925 x 710 x 510mm

AquaTrans™ 220L

Top Mount Steel Pump Plate

20-Year Warranty CODE: PTC00220SG

\$560*

Steel Skid Frame

CODE: ASFD00220

\$504*

\$275*

CODE: SSF001

» ø255 Lid Assembly

» 34" Poly Drain Bung & Seal

400

LWH: 1620 x 710 x 510mm

AquaTrans™ 400L

20-Year Warranty CODE: PTC00400ASG

\$995*

Steel Skid Frame CODE: ASFD00400A

\$596*

ø255 Lid Assembly

- » 34" Poly Drain Bung & Seal

Top Mount Steel Pump Plate CODE: SSE001

\$275*





NEW!

LiquidLocker™

Eliminate Surge In Your Tank



LiquidLocker™ Ø380mm

Anti-Surge Baffling Safety System 1 Ball per 33 Litres (1:33) CODE: LLB380 \$8.50*

Complies with load restraint guide performance standards

Reduces fluid movement for improved load stability during transit

Suitable for use with all tanks - poly, steel, fibreglass, aluminium, etc.

Food grade quality material - suitable for potable water

Liquid lockers can be used with water, diesel and other liquids

Simple to install - Balls are supplied in two halves and require a 'Push n Click'

and inserting through lid into tank







Designed to REDUCE LIQUID SURGE



500l

LWH: 1250 x 1070 x 580mm

AquaTrans™ 500L

Poly Tank with 20-Year Warranty CODE: PTC00500SG

\$1.095*

LiquidLockers™ \$260 (supplied 71 pcs) LiquidLockers[™] \$338 (fitted 71 pcs)



600L


LWH: 1250 x 1070 x 740mm

AquaTrans™ 600L


20-Year Warranty CODE: PTC00600SG

\$1,149*

LiquidLockers™ \$170 (supplied 20 pcs) LiquidLockers[™] \$190 (fitted 20 pcs)



- » Mounting Pins Provided
- » ø255 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



- » Mounting Pins Provided
- » Ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



LWH: 1430 x 1220 x 670mm

AquaTrans™ 800L

20-Year Warranty CODE: PTC00800SG \$1,395*

LiquidLockers™ \$213 (supplied 25 pcs) LiquidLockers[™] \$238 (fitted 25 pcs)



1000L

LWH: 1430 x 1220 x 835mm

AquaTrans™ 1000L

20-Year Warranty Code: PTC01000SG \$1,595*

AquaMove™ 1000L

» Mounting Pins Provided


» ø455 Lid, Rim, & Seal Assy

» 1½" MBSP Fitting-Poly (fitted)

15-Year Warranty CODE: STC01000SG

\$1.464*

LiquidLockers™ \$258 (supplied 30 pcs) **LiquidLockers**™ \$288 (fitted 30 pcs)



- » Mounting Pins Provided
- » Ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



1200L

LWH: 1720 x 1230 x 840mm

AquaTrans™ 1200L

20-Year Warranty CODE: PTC01200SG \$1,760*

LiquidLockers™ \$298 (supplied 35 pcs) LiquidLockers[™] \$333 (fitted 35 pcs)



1500L

LWH: 1720 x 1230 x 1000mm


AquaTrans™ 1500L

20-Year Warranty CODE: PTC01500SG \$2,050*


AquaMove[™]1500L

15-Year Warranty CODE: STC01500SG \$1.895*

LiquidLockers™ \$386 (supplied 45 pcs) LiquidLockers[™] \$432 (fitted 45 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 1½" MBSP Fitting-Poly (fitted)





Safety Green (opaque)

Translucent



Natural



Trans Yellow



Trans Blue

Opague



White



Birch Grey



Black



Heritage Green



Yellow



Orange



Red



Dark Blue

5% Colour Change Surchage Applies



2000L

LWH: 2150 x 1410 x 870mm

AquaTrans™ 2000L

Poly Tank with 20-Year Warranty CODE: PTC02000SG


\$2.849*

AquaMove™ 2000L

Poly Tank with 15-Year Warranty CODE: STC02000SG

\$2,660*

LiquidLockers™ \$425 (supplied 60 pcs) LiquidLockers[™] \$475 (fitted 60 pcs)



- » Mounting Pins Provided
- Ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate Forklift Pockets CODE: ASFC02000

\$1,980*



2400L


LWH: 2150 x 1410 x 1140mm

AquaTrans™ 2400L

20-Year Warranty CODE: PTC02400SG

\$3,241*

LiquidLockers™ \$638 (supplied 75 pcs) LiquidLockers[™] \$713 (fitted 75 pcs)



- » Mounting Pins Provided
- » Ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate Forklift Pockets CODE: ASFC02000

\$1,980*



LWH: 2430 x 1540 x 1200mm


AquaTrans™ 3000L

20-Year Warranty CODE: PTC03000SG \$4.244*

AquaMove™3000L

15-Year Warranty CODE: STC03000SG \$3.656*

LiquidLockers[™] \$765 (supplied 90 pcs)
LiquidLockers[™] \$855 (fitted 90 pcs)



» Mounting Pins Provided

\$2,993*

- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Framewith Pump Plate forklift pookets
CODE: ASFC03000



4000L

LWH: 2430 x 1540 x 1450mm


AquaTrans™ 4000L

20-Year Warranty CODE: PTC04000SG \$4.967*

AquaMove™4000L

15-Year Warranty CODE: STC04000SG \$4.654*

LiquidLockers[™] \$1,020 (supplied 120 pcs) LiquidLockers[™] \$1,140 (fitted 120 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC03000

\$2,993*



5000L

LWH: 2760 x 2000 x 1400mm


AquaTrans™ 5000L

20-Year Warranty CODE: PTC050008G \$5.954*

AquaMove[™]5000L

15-Year Warranty CODE: STC05000SG \$5.288*

LiquidLockers[™] \$1,275 (supplied 150 pcs)
LiquidLockers[™] \$1,425 (fitted 150 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC05000

\$3,942*




6000L

LWH: 2760 x 2000 x 1540mm

AquaTrans™ 6000L

20-Year Warranty CODE: PTC06000SG \$6,980*

LiquidLockers™ \$1,530 (supplied 180 pcs) **LiquidLockers**™ \$1,710 (fitted 180 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 2" MBSP Fitting-Poly (fitted)

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC05000

\$3,942*




LWH: 3390 x 2250 x 1390mm

AquaTrans™ 7000L

Poly Tank with 20-Year Warranty CODE: PTC070008G

\$7,929*

LiquidLockers[™] \$1,785 (supplied 210 pcs) **LiquidLockers**[™] \$1,995 (fitted 210 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass
- » Supplied with pins and wedges for easy mounting!

Steel Mounting Frame

with Pump Plate Forklift Pockets CODE: ASFC07000

\$4,998*



8000L

LWH: 3300 x 1900 x 1850mm


AquaTrans™ 8000L

20-Year Warranty CODE: PTC08000SG \$9.763*

AquaMove™ 8000L

15-Year Warranty CODE: STC08000SG \$8.345*

LiquidLockers[™] \$2,040 (supplied 240 pcs) **LiquidLockers**[™] \$2,280 (fitted 240 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC08000

\$4,998*



10000L


LWH: 3480 x 2250 x 1940mm


AquaTrans™ 10000L

20-Year Warranty CODE: PTC10000SG \$11,588*

AquaMove™ 10000L

15-Year Warranty CODE: STC 10000SG \$9.972*





- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC07000

\$4,998*




130001

LWH: 3480 x 2250 x 2310mm

AquaTrans™ 13000L

20-Year Warranty CODE: PTC13000SG \$13,924*

LiquidLockers[™] \$3,358 (supplied 395 pcs)
LiquidLockers[™] \$3,753 (fitted 395 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFC07000

\$4.998*

New Tipper Tanks!



8000L

NEW!

LWH: 3600 x 2100 x 1540mm

AquaTrans™ 8000L

20-Year Warranty CODE: PTC08000ASG \$9.763*

LiquidLockers™ \$2,040 (supplied **240** pcs) **LiquidLockers™ \$2,280** (fitted **240** pcs)



10000L NEW!


LWH: 3600 x 2100 x 1880mm

AquaTrans™ 10000L

20-Year Warranty
CODE: PTC10000ASG

\$11,588*

LiquidLockers[™] \$2,550 (supplied 300 pcs) LiquidLockers[™] \$2,850 (fitted 300 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pookets CODE: ASFCA08000

\$4,998*

- » Mounting Pins Provided» Ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFCA08000

\$4,998*



12000 L NEW!


LWH: 3600 x 2100 x 2240mm

AquaTrans™ 12000L

20-Year Warranty CODE: PTC12000SG

\$13,145*

LiquidLockers[™] \$3,103 (supplied 365 pcs)
LiquidLockers[™] \$3,468 (fitted 365 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

with Pump Plate forklift pookets CODE: ASFCA08000

\$4,998*








LWH: 4310 x 2350 x 1795mm

AquaTrans™ 13000L

20-Year Warranty CODE: PTC13000ASG

\$13,924*

LiquidLockers[™] \$3,358 (supplied 395 pcs)
LiquidLockers[™] \$3,753 (fitted 395 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pockets CODE: ASFC13000

\$5,444*



15000L


LWH: 4310 x 2350 x 2040mm

AquaTrans™ 15000L

20-Year Warranty CODE: PTC15000SG

\$16,570*

LiquidLockers[™] \$3,864 (supplied 455 pcs) **LiquidLockers**[™] \$4,318 (fitted 455 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pockets CODE: ASFC 13000

\$5,444*



17000L


LWH: 4310 x 2350 x 2395mm

AquaTrans™ 17000L

20-Year Warranty CODE: PTC17000SG

\$18,753*

LiquidLockers[™] \$4,379 (supplied 515 pcs) LiquidLockers[™] \$4,894 (fitted 515 pcs)



- » Mounting Pins Provided
- » ø455 Lid, Rim, & Seal Assy
- » 3" MBSP Fitting-Brass

Steel Mounting Frame

With Pump Plate forklift pockets CODE: ASFC13000

\$5,444*



Aqua Delivery

Water Cartage Tank with Transfer Pump and Motor

Included:

- » Tank with Frame
- » Honda GX200 (Electric Start) Motor with QP303 1000L/min Transfer Pump
- » Lockable Toolbox with 2 x 10m Lengths of Certified Potable Food Grade Hose
- » Hydrant Filler Lid with Spring non-return valve





Mounting Frames and



Specially Designed Mounting Pins
Provide the Correct Strength for
Securing of Your Tank

Code	Description	RRP*(\$)
ARP001	Set of 4 tank mounting pins 18 x 200mm to suit 500 & 600 Free Standing Tanks & 500, 600, 800 & 1000 Litre Low Profile Tanks	\$ 64
ARP002	Set of 4 tank mounting pins 18 x 230mm to suit 800 &1000 Litre Free Standing Tanks	\$80
ARP003	Set of 4 tank mounting pins 18 x 260mm to suit 1200 & 1500 litre Low Profile Tanks	\$80
ARP004	Set of 4 tank mounting pins 24 x 260mm to suit 1200, 1500, 7000 & 9000 Litre Free Standing Tanks & 2000, 2400, 3000 & 4000 Low Profile Tanks	\$ 92
ARP005	Set of 4 tank mounting pins 24 x 330mm to suit 2000, 2400, 3000 & 4000 Litre Free Standing Tanks and 5000 & 6000 Low Profile tanks	\$ 92
ARP006	Set of 6 tank mounting pins 24 x 480mm to suit 8000 litre Free Standing Tank	\$ 153
ARP008	Set of 4 tank mounting pins 24 x 480mm to suit 5000,6000, 10000 & 13,000 Litre Free Standing Tanks and 10000 & 13000 Litre Low Profile tanks	\$ 120
ARP009	Mounting kit complete to suit tanks which require ARP008 - includes right angle brackets	\$292
ARP012	Set of 8 tank mounting pins to suit 13000, 15000 & 17000 Litre Low Profile Free Standing Tanks	\$320

To suit tanks from 500L to 1000L

Simple to mount SureFit pin system

Pins

Thicker wall steel coupled with unique hot-dip galvanising process provides real toughness and corrosion resistant

Frames standard with forklift pockets from all four sides





Code	Description	Kg	L x W (mm)	RRP* (\$)
ASFCA00500	Steel Frame for 500L & 600L SumpTrans, includes forklift tine pockets on all sides	37	1630 x 1010	\$1,9 5 1
ASFCA00800	Steel Frame for 800L & 1000L SumpTrans, includes forklift tine pockets on all sides	53	1780 x 1110	\$ 2, 106
ASFCA01200	Steel Frame for 1200L & 1500L SumpTrans, includes forklift tine pockets on all sides	72	1780 x 1344	\$ 2,2 06

To suit tanks from 2000L to 17000L

Forkliftable for easy lift on, lift off convenience

Simple to mount SureFit pin system

Thicker wall steel coupled with unique hot-dip galvanising process provides real toughness and corrosion resistant

Choose from tank only frame or frame with pump plate



Code	Description	Kg	L x W (mm)	RRP* (\$)
ASFC02000	Steel Frame for 2000L & 2400L AquaTrans™	190	2910 x 1410	\$1,980
ASFC03000	Steel Frame for 3000L & 4000L AquaTrans™	218	3020 x 1355	\$2,993
ASFC05000	Steel Frame for 5000L & 6000L AquaTrans™	302	3500 x 1820	\$3,942
ASFC07000	Steel Frame for 7000L, 10000L & 13000L AquaTrans™	410	4100 x 2200	\$4,998
ASFC08000	Steel Frame for 8000L AquaTrans™	428	4100 x 1844	\$4,998
ASFCA08000	Steel Frame for 8000L, 10,000L & 12,000L Tipper AquaTrans	428	4210 x 2000	\$4,998
ASFC13000	Steel Frame for 13000L, 15000L & 17000L AquaTrans™	480	5300 x 2200	\$5,444

^{*}Disclaimer: Check compatibility with your forklift width between tynes

TansLoc[™]

Heavy-Duty Free Standing Fully Drainable Modular Tank System

Free standing design allows for mounting to flat deck truck/trailer. Unique 2 x 6" connections between modules for even filling/draining. Fully baffled every 3000 Litres to minimise surge (optional liquid lockers). Low profile design for improved safety



Expandable Capacity

Drain Independently

Low profile design

2 x 6" connections

improved safety

InterLoc[™]

Fully Drainable Modular Tank System

Fully Baffled (Every 2500 litres)

Exclusive use of polyethylene eliminates rust problems and significantly reduces weight resulting in increased payload and durability



Drainable Tanks

Have the most **extraordinary impact-resistant** qualities and are impervious to the toughest conditions

Incorporates in-built **Tuff-Flex technology** to allow real flex to
easily handle any work environment



SumpTrans™



TTi's SumpTrans™ Tank use specially blended poly-ethylene to handle the broadest range of liquids possible from plain water to the harshest chemicals – ask for a copy of our compatibility chart!

Large tank opening for fast, easy filling. Sealed with 455mm lid with labyrinth breather Easy fill, no spill containment lip on all spray tanks above 500L Easy to read calibrations for measurement of contents (coloured for catalogue purposes)

Strong and durable, impact resistant, UV stabilised polyethylene

Manufactured from UV stabilised polyethylene specifically formulated for chemical spray

Basket filter supplied with tanks 200 Litres and larger

SureFit
Safe and secure
mounting
pin system



Full drainage sump Smooth interior and integral sump enables complete evacuation and decontamination of tank

Available with robust hot-dip galvanised steel mounting frame for correct tank support and ease of mounting

What to look for

When Selecting a Spray Tank

- ✓ Smooth-walled interior design incorporating a fully integrated sump that ensures. complete evacuation and decontamination of the tank to maximise liquid usage and simplify cleaning
- ✓ Are manufactured to dual Australian Standards (AS2070:1999 and AS4766:2006). making TTi's of the highest quality, toughest & most durable tank on the market
- ✓ Include a positive draining tank base with sump providing a flooded suction. regardless of terrain
- Are impervious to most chemicals
- ✓ Heavy-duty tanks with load rating up to 1.3 Specific Gravity (SG)
- Australian made for Australian conditions
- 20-year warranty buy with confidence



Tank Frames

All spray tanks require a steel mounting frame to give sumps clearance for access.

Thicker wall steel coupled with our hotdip galvanised process provides real toughness for a long useful life.





Get the Tank in Your Corporate COLOUR









Call one of our friendly team today!

1800 816 277



SumpTrans™ 100L


Bare Tank with 20-Year Warranty 815 x 450 x 595 (LWH) CODE: PTSS00100SG

\$465*

SumpTrans™ 100L with Frame

Tank Fitted in Frame 815 x 450 x 600 (LWH) CODE: PTSS00100KSG

\$794*



- » Skid Frame
- » Ø150 Lid Assembly Complete
- » Pair of mounting straps
- » 1" MBSP Fitting-Poly
- » 100 Litre Strap Tank Only



200L


SumpTrans™ 200L (Low Profile)

Bare Tank with 20-Year Warranty 960 x 690 x 550 (LWH) CODE: PTSP00200SG

\$690*

SumpTrans™ 200L with Frame

Tank Fitted in Frame 815 x 450 x 600 (LWH) CODE: PTSP00200KSG \$882*



- » Skid Frame
- » ø255 Filter Basket
- » ø255 Lid Assembly Complete
- » Stainless Steel Screws
- » Pump Compartment Cover
- » ¾" MBSP Fitting-Poly
- » 200 Litre Pin Tank Only



200L


SumpTrans™ 200L

Bare Tank with 20-Year Warranty 940 x 600 x 750 (LWH) CODE: PTSS00200SG

\$679*

SumpTrans™ 200L with Frame

Tank Fitted in Frame 940 x 600 x 760 (LWH) CODE: PTSS00200KSG \$942*



- » Skid Frame
- » ø255 Lid Assembly Complete
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)

» ø255 Filter Basket

» 200 Litre Strap Tank Only



300L


SumpTrans™ 300L

Bare Tank with 20-Year Warranty 1270 x 615 x 730 (LWH) CODE: PTSS00300SG

\$840*

SumpTrans™ 300L with Frame

Tank Fitted in Frame 1270 x 6015 x 750 (LWH) CODE: PTSS00300KSG



- » Skid Frame
- » ø255 Filter Basket
- » ø255 Lid Assembly Complete
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)
- » 300 Litre Strap Tank Only



SumpTrans™ 300L


Bare Tank with 20-Year Warranty 940 x 600 x 950 (LWH) CODE: PTSS00300ASG

\$840*

SumpTrans™ 300L with Frame

Tank Fitted in Frame 940 x 615 x 965 (LWH) CODE: PTSS00300AKSG

\$1.145*



- » Skid Frame
- » Straps Only (pair)
- » ø255 Lid Assembly Complete
- » ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » 300 Litre Strap Tank Only



400L

SumpTrans™ 400L (Low Profile)

Bare Tank with 20-Year Warranty 1145 x 850 x 680 (LWH) CODE: PTSP00400SG

\$967*

SumpTrans™ 400L with Frame

Tank Fitted in Frame 1230 x 850 x 710 (LWH) CODE: PTSP00400KSG

\$1.580*



- Skid Frame
- 255 Filter Basket
- Stainless Steel Screws
- ø255 Lid Assembly Complete
- » Pump compartment cover
- » ¾" MBSP Fitting-Poly
- » 400 litre Pin tank only
- » 4 x 8x100mm BSW HED HD Bolt
- » 8 x 8mm washers, 4 x 8mm
- » nyloc nuts



400L

SumpTrans™ 400L


Bare Tank with 20-Year Warranty 890 x 820 x 960 (LWH) CODE: PTSS00400SG

\$973*

SumpTrans™ 400L with Frame

Tank Fitted in Frame 890 x 820 x 975 (LWH)

\$1.598*



- » Skid Frame
- » ø255 Lid Assembly Complete
- » ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)
- » 400 Litre Strap Tank Only



500L

SumpTrans™ 500L


Bare Tank with 20-Year Warranty 1250 x 1070 x 590 (LWH) CODE: PTSP00500SG

\$1.092*

SumpTrans™ 500L with Frame

Tank Fitted in Frame 1250 x 1070 x 590 (LWH)

\$1,740*



- » Skid Frame
- » ø255 Lid Assembly Complete
- » ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » 4 Pins 18 x 200
- » 500 Litre LP Tank Bare




SumpTrans™ 600L

Bare Tank with 20-Year Warranty 1200 x 840 x 970 (LWH) CODE: PTSS00600SG \$1,100*

SumpTrans™ 600L with Frame

Tank Fitted in Frame 1200 x 840 x 1000 (LWH) CODE: PTSS00600KSG \$1,730*



- » ø255 Lid Assembly Complete
- » ø255 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Straps Only (pair)
- » Skid Frame
- » 600 Litre Strap Tank Only



600L

SumpTrans™ 600L

Bare Tank with 20-Year Warranty 1250 x 1070 x 750 (LWH) CODE: PTSP00600SG \$1,189*

SumpTrans™ 600L with Frame



- » ø455 Lid Assembly Complete
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 600 Litre Tank Bare



800L

SumpTrans™ 800L

Tank Fitted in Frame

Bare Tank with 20-Year Warranty 1430 x 1220 x 770 (LWH) CODE: PTSP00800SG \$1,403*

SumpTrans™ 800L with Frame

1430 x 1220 x 800 (LWH) CODE: PTSP00800KSG \$2,317*

- » Ø455 Lid, Rim, & Seal Assy
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 800 Litre Tank Bare



1000L

SumpTrans™ 1000L

Bare Tank with 20-Year Warranty 1430 x 1220 x 940 (LWH) CODE: PTSP01000SG \$1,545*

SumpTrans™ 1000L with Frame

Tank Fitted in Frame 1430 x 1220 x 980 (LWH) CODE: PTSP01000KSG \$2,471*

- » ø455 Lid, Rim, & Seal Assy
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 200
- » 1000 Litre Tank Bare



SumpTrans™ 1200L


Bare Tank with 20-Year Warranty 1700 x 1200 x 950 (LWH) CODE: PTSP01200SG


\$1,771*

SumpTrans™ 1200L with Frame

Tank Fitted in Frame 1700 x 1200 x 990 (LWH) CODE: PTSP01200KSG







- » ø455 Lid, Rim, & Seal Assy
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 260
- » 1200 Litre Tank Bare



1500L

SumpTrans™ 1500L


Bare Tank with 20-Year Warranty 1700 x 1200 x 1150 (LWH) CODE: PTSP01500SG

\$2,186*

SumpTrans™ 1500L with Frame

Tank Fitted in Frame 1700 x 1200 x 1190 (LWH) CODE: PTSP01500KSG

\$3,276*



- » ø455 Lid, Rim, & Seal Assy
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 1½" MBSP Fitting-Poly
- » Skid Frame
- » 4 Pins 18 x 260
- » 1500 Litre Tank Bare



2000L

SumpTrans™ 2000L


Bare Tank with 20-Year Warranty 2150 x 1410 x 1150 (LWH) CODE: PTSP02000SG

\$2,787*

SumpTrans™ 2000L with Frame

Tank Fitted in Frame 2150 x 1410 x 1180 (LWH) CODE: PTSP02000KSG

\$4,326*



- » ø455 Lid, Rim, & Seal Assy
- » ø455 Filter Basket
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » Skid Frame
- » 4 pins 24 x 260
- » 2000 Litre Tank Bare



SumpTrans™ 2400L


Bare Tank with 20-Year Warranty 2150 x 1410 x 1310 (LWH) CODE: PTSP02400SG

\$3,271*

SumpTrans™ 2400L with Frame

Tank Fitted in Frame 2150 x 1410 x 1360 (LWH) CODE: PTSP02400KSG ⚠

\$4,828*



- » Skid Frame
- » ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Onlv
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 260
- » 2400 Litre Tank Bare



3000L

SumpTrans™ 3000L


Bare Tank with 20-Year Warranty 2430 x 1540 x 1280 (LWH) CODE: PTSP03000SG

\$4.342*

SumpTrans™ 3000L with Frame

Tank Fitted in Frame 2430 x 1540 x 1350 (LWH) CODE: PTSP03000KSG

\$6,910*



- Skid Frame
- » ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 260
- » 3000 Litre Tank Bare



4000L

SumpTrans™ 4000L


Bare Tank with 20-Year Warranty 2430 x 1540 x 1530 (LWH) CODE: PTSP04000SG

\$4.904*

SumpTrans™ 4000L with Frame

Tank Fitted in Frame 2430 x 1540 x 1550 (LWH) CODE: PTSP04000KSG

\$7,481*



- Skid Frame
- » ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Onlv
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 260
- » 4000 Litre Tank Bare



SumpTrans™ 5000L

Bare Tank with 20-Year Warranty 2760 x 2000 x 1520 (LWH) CODE: PTSP05000SG

\$5.697*

SumpTrans™ 5000L with Frame

Tank Fitted in Frame 2760 x 2000 x 1620 (LWH) CODE: PTSP05000KSG

\$8,307*



- Skid Frame
- » ø455 Filter Basket
- » Ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 pins 24 x 330
- » 5000 Litre Tank Bare



SumpTrans™ 6000L


Bare Tank with 20-Year Warranty 2760 x 2000 x 1670 (LWH) CODE: PTSP06000SG

\$7.130*

SumpTrans™ 6000L with Frame

Tank Fitted in Frame 2760 x 2000 x 1770 (LWH)
CODE: PTSP06000KSG

\$10,036*



- » Skid Frame
- » ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 330
- » 6000 Litre Tank Bare



10000L

SumpTrans™ 10000L


Bare Tank with 20-Year Warranty 3480 x 2250 x 2050 (LWH) CODE: PTSP10000SG

\$12,175*

SumpTrans™ 10000L with Frame

Tank Fitted in Frame 3480 x 2250 x 2100 (LWH) CODE: PTSP10000KSG

\$15,697*



- » Skid Frame
- ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 480
- » 10000 Litre Tank Bare



13000L

SumpTrans™ 13000L


Bare Tank with 20-Year Warranty 3480 x 2250 x 2420 (LWH) CODE: PTSP13000SG

\$14,630*

SumpTrans™ 13000L with Frame

Tank Fitted in Frame 3480 x 2250 x 2470 (LWH) CODE: PTSP13000KSG

\$18,153*



- » Skid Frame
- ø455 Filter Basket
- » ø455 Lid, Rim, & Seal Assy
- » ø455 Lid Seal Only
- » Stainless Steel Screws
- » 2" MBSP Fitting-Poly
- » 4 Pins 24 x 480
- » 13000 Litre Tank Bare





Tank Outlet Fittings

code	Description	rrp*(\$)
ARFB025	1" Brass tank outlet	\$53*
ARFB032	11/4" Brass tank outlet	\$ 71 *
ARFB038	1½" Brass tank outlet	\$84*
ARFB050	2" Brass tank outlet	\$104*
ARFB080R	3" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$19 5 *
ARFB100R	4" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$293*

Flanged Poly

Tank Outlet Fittings



Hydrant Fill Lid Ensure your new water cart complies with local

regulations by adding this filling option

3" Hydrant Fill Lid with 1-way valve and camlock CODE: ARH080F \$**1.**953*

See your tank liquid level at a glance

CODE: ARNO01

\$46*

80mm Hydrant Funnel Kit Fast, top-fill funnel

CODE: ARU450F \$1.867*



& Baskets



code	Description	rrp*(\$)
ARLP150AV	Female Thread Tank Lid (150mm) - with Spring Breather Valve & Gasket	\$29*
ARLP250VSR	Male Thread 'Smoothe-Line Lid (255mm) - with Fixed Ring; Labyrinth Double Breather Valve	\$ 62 *
ARLP450VSS	Screw Tank Lid (455mm) - with Rim and Seal; Fixed Labyrinth Double Breather Valve	\$ 110 *
ARLP450VSR	Hinged Tank Lid (455mm) - with Rim and Seal 180°; with Fixed Ring; Labyrinth Breather Valve	\$ 110 *
ARLS450VSR	450mm Stainless Steel Hinged Lid	\$414*
TTI30065	450mm Aluminium Lid	\$389*
ARK200	Basket Filter (250mm) - To suit 255mm Lid; 18# Screen 210mm ø x 235mm deep	\$ 51 *
ARK400	Basket Filter (450mm) - To suit 455mm Lid; 18# Screen 410mm ø x 235mm deep	\$ 66 *
ARB195	BallBaffle™ Ø195mm - 1 ball per 7 Litres	\$5*
	LiquidLocker™ Ø380mm - 1 ball per 33 Litres	\$8.5*



2020 Product Catalogue

U

WeedMasta[™] 16R

Rechargeable **Knapsack Sprayer**Fully Featured Easy Point-and-Spray

WeedMasta 16R

16L Rechageable; 2.4L/min,
70psi Pump; Speed Control
CODE: SVB0016L0024

238

WeedMasta 16R
Trolley Only
CODE: ATK0016L

59

In carrier

mical wastage

- » 16 Litre capacity tank, ergonomically designed for maximum carrier comfort
- » Padded shoulder straps and backrest reduces user fatigue
- » Spray flow rate control for spray accuracy and reduced chemical wastage
- » Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery
- » No more frustrating tangles with our kink resistant hose
- » **Double filtration system** prevents time wasting blockages
- » Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- » On-off switch control with fuse protection
- » Supplied with battery charging kit

Hand Operated Compression Sprayers

- » Minimum effort ergonomic handle
- Large filter with viton seals in lance handle and rustproof spring
- » Pressure release slot safety system
- » Fibreglass lance (5 Litre and 6 Litre only)
- » Connector for accessories
- » Adjustable conical nozzle
- » Easy to use pressurisation/carrying handle
- » Safety valve with automatic release of excess pressure
- » Polypropylene tank, lightweight and very strong

Less Pumping - More Spraying



Tired of Pump Up Hand Sprayers?



Pressure Regulator Features

Uniformity and quality of treatments
Reduced water and product consumption
Environmentally friendly
Reduction of pumping frequency



Function 1.5 bar: Herbicide (with deflective fan nozzle)

Function 3 bar: Insecticide-fungicide (with hollow cone nozzle) Inter[™] Evo 12L Knapsack Sprayer CODE: PG10012LE

\$182*

Inter™ Evo 16L Knapsack Sprayer

CODE: PGI0016LE

\$198*

Industrial Elite[™] Sprayers

Multiple Uses Across Many Industries

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

- » Made of special, high resistance materials for use with various chemicals
- » Viton seals for excellent chemical resistance and durability
- » See liquid level at a glance with tank graduations
- » Pressure safety valve ensures sprayer is protected from over pressurisation

BK 9 Inter™ 1L Inter™ 6L

Industrial Sprayer

CODE: PGK0006L

\$189*

Industrial Sprayer

CODE: PGK0001L

\$61*



Ideal for:

Truck Washing Brick Cleaning Carpet Cleaning

Disinfecting

Degreasing

Wallpaper Stripping **Animal Husbandry Amenity Cleaning**

Spray Hoods

Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.



Rectangular Hood
CODE: ATA00B
\$44*

Rectangular Hood
CODE: ATA00C
\$35*

ACCURATE SPRAYING

SET

FORGET

PRESSURE CONTROL

Pressure Regulator

Uniformity and quality of treatments Reduced water and product consumption Environmentally friendly Reduction of pumping frequency



Function 1.5 bar
Herbicide
(with deflective fan nozzle)



Herbicide Spray Nozzles

Consistent application rates for spraying

Evolution Lance

Complete lance to suit Inter Evo 12/16

Flexible Pipe

250mm long flexible pipe Can be manually moulded for specialised applications.

Elbow

for Fan Nozzle
CODE: ATA00F
\$25*

L.V. Elbow

w/ Low Volume Herbicide Nozzle CODE: ATA00G

\$**41***

Evolution Lance

CODE: AHL011 \$**60***

Flexible Pipe

250mm Long CODE: ATA00I

\$28*

Flexible Double Nozzle

Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles (H) and one with fan nozzles (HF)

- Used for basal bark spraying and ant block treatments

Telescopic Lance

Gives your sprayer extendible length to reach hard to access areas.

Versatile Lance

460mm with 10mm Hose Tail CODE: AHL002

\$60*

1.5m Extension

CODE: ATAOOL

\$63*

Telescopic Lance

arden Spra

CODE: AHL003 \$**92***

with Adjustable Cone CODE: ATA00HC

\$55*

CODE: ATA00HC

with Fan Nozzle

\$**55***

Spray Booms

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.

Extendible Double

Nozzle Boom CODE: ATAOORF

\$72*

Quadruple Nozzle Boom

with Cone Spray Nozzles 1.5m CODE: ATAOOEC

\$98*

Quadruple Nozzle Boom

with Fan Spray Nozzles 1.5m CODE: ATA00EF

\$113*

Lance Extensions

Increase your spray reach with these lightweight extensions. Ideal for reaching higher targets from the safety of the ground.

0.5m Extension

CODE: ATA00D \$26* 1m Extension (Aluminium)
CODE: ATAOOK

\$43*

Seals kit for Inter 7 / 9

(159,164,165) CODE: CGKI0005L \$19*



Seals kit for Inter Green 12 / 16 CODE: CGKI00012L

CODE: CGKI0012L \$23*



3

SPOT SPRAYERS

Compact &

easy to use

- » UV stabilised poly tank for long life
- » Reliable 3.8L/min 40psi pump ideal for spot spraying
- » Spray lance clips for secure lance storage
- » 4.5 metres of spray hose for extra reach
- » Metal spray lance with adjustable nozzle for range of spraying options
- » 2.4 metre electrical cables with battery clips
- » Drain plug in tank for easy cleaning
- » Cap has anti-loss strap

WeedControl™ 55L

12v Spot Sprayer 3.8L/min 40psi; Spray Gun Dim: 865 x 390 x 345 (mm)

CODE: SVS0055L0038

\$335*

WeedControl™ 12v Spot Sprayers

with 8.3 L/min 70psi pump

- » 55L strong UV Stabilised poly tank
- » 8.3L/min 70psi EverFlow pump
- » Professional PowerJet spray gun with adjustable brass nozzle
- » Drain bung for easy rinsing and cleaning
- » Pump capability to run a small boom see page 37
- » Provision for tie down straps
- » Moulded inserts underneath tank for securing to trailer kit
- » 12-month pump warranty
- » 4.5m x 10mm spray hose





Scan to see this product in action!

WeedControl™ 55L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 865 x 390 x 345 (mm)
CODE: \$V\$0055L0077

\$499*

WeedControl™ 95L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 865 x 390 x 435 (mm)
CODE: \$V\$0095L0077


\$599*

Spot Sprayers

with 8.3 L/min pump and Powerjet Spray Gun







Clips for safe spray gun storage

Powerjet spray gun with adjustable brass nozzle for accurate spot spraying

Easy cleaning tank design with drain plug. Cap has anti-loss strap



2.4 metre electrical cables with switch and battery clips for quick connection to battery

Fitted with 8.3L/min 70psi EverFlo pump delivering strong performance across a range of spraying applications



in action!

12 Volt Spot Sprayers

Optimal Spray Control

Extra value with our exclusive pressure regulator system fitted as standard

add a trailer kit



WeedControl™ 150L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 900 x 620 x 500 (mm) CODE: SVS0150L0077

\$786*

WeedControl™ 225L

12v Spot Sprayer 8.3L/min; 70psi with Spray Gun Dim: 900 x 620 x 650 (mm) CODE: SVS0225L0077

\$971*





WeedControl[™]

Versatile and Efficient Spot Sprayers



Standard Trailers

Standard drawbar for smooth towing - suitable for any mower

- » Solid rubber tyres to eliminate punctures
- » Mounted on sturdy powder coated trailer for lawn spraying
- » Reliable Everflo 8.3 L/min 70psi pump with regulator for spray pressure control
- » 4.5 metres of hose & Powerjet spray gun for spot spraying applications
- » 2 metre boom standard. Optional upgrade to 3 or 4 metre boom

WeedControl™ 55L

12v Spot Spray Trailer with 2m Boom CODE: SVT0055L0077B2

WeedControl™ 95L

12v Spot Spray Trailer with 2m Boom
CODE: SVT0095L0077B2

WeedControl™ 55L

Zero-Turn Trailers

zero turn mowers

Long drawbar for extra-sharp turn-

ing - up to 90° - most suitable for

12v Spot Spray Trailer with 2m Boom CODE: SVT0055L0077ZB2

WeedControl™ 95L

12v Spot Spray Trailer with 2m Boom
CODE: SVT0095L0077ZB2

ATV Trailers

Large pneumatic tyres for rough handling rough terrain - suitable for mowers and ATV's

- » Reliable Everflo 8.3 L/min 70 psi pump with regulator for spray pressure control
- » 4.5 metres of hose & Powerjet spray gun for spot spraying applications
- » **Spray boom included**. Optional 2, 3 or 4 metre boom
- » **16"** x **6.5"** 8, 4 ply pneumatic tyres


| WeedControl™ 150L

12v Spot Spray ATV Trailer with 3m Boom
CODE: SVT0150L0077B3

WeedControl™ 225L

150L and 225L

12v Spot Spray ATV Trailer with 3m Boom
CODE: SVT0225L0077B3



WeedControl[™] Skid Sprayers

Versatile and Efficient Spot Sprayers

rs





Skid Mount

Sprayers

All-in-one Spray Units

For Side-by-Sides with 8.3L/min 70psi; 12v Pump

- » Use for UTE or UTV mounting
- » 2 sizes of sprayers: 150 Litre or 225 Litre
- » Reliable EverFlo 8.3L/min 70psi pump
- » Pressure regulator for accurate spray control
- » Sturdy powder coated steel frame with hose wrap facility
- » Add an optional boom and mounting kit as required for spraying larger areas
- » 4.5 metres of hose with Powerjet spray gun for spot spraying applications
- » Quality Powerjet spray gun with stainless steel & viton components and adjustable brass nozzle
- » 2.4 metres of electrical cables with on/off switch & battery clips and in-line fuse

CASY
DOESSLID
WITH
TRAINER
TO PROTECT
OPERATOR

& EASY OLEANING

WeedControl[™] 150L

with No Boom CODE: \$VK0150L0077 \$1.334*

WeedControl[™] 150 with 4m Boom
CODE: \$VK0150L0077B4

\$1.694

1501

Choose Any of These Booms

To Complete Your Spray Package

- » Fitted with deflector type spray nozzles at 1 metre spacings
- » 3 metre and 4 metre booms have spring loaded positive action breakaway & vertical fold capacity
- » Powder coated steel construction
- » Some assembly required

3 Metre Boom 3m Spray Width CODE: ABS030 \$327*

2 Metre Boom

2m Spray Width CODE: ABS020

\$127*

4 Metre Boom 4m Spray Width CODE: ABS040 \$382* WeedControl™ 225L with No Boom CODE: SVK0225L0077

\$1,524

WeedControl™ 225L

with 4m Boom
CODE: SVK0225L0077B4

225L



Boom Options

Option #1 Boom Tech Nozzle Kit with Tail Gate Bracket CODE: ABTOO1 \$365*

Option #2
HitchIt Hayman Reece
Attachment with
Boomless Nozzle
CODE: ABK05-F
\$436*

Option #3
HitchIt Hayman Reece
Attachment with
Versatile Boom
CODE: ABVL040-GN
\$698*

Reel Option

15 Meter Reel Spring Rewind Reel with 10mm Hose CODE: PVTREEL \$397*









200 Litre with 60psi Pump DIM: 1055 X 700 X 580 (MM) CODE: PVQ0200LK0076

\$1.340*

Strike[™] 400L

400 Litre with 60psi Pump DIM: 1200 X 800 X 700 (MM) CODE: PVQ0400LK0076 \$2.099*

ReelStrike[™] Sprayers

Guaranteed Performance Popular 200 & 400 Litre

100PSI

PUMP

- » 7.5L/min 100psi Delavan pump
- » Quick attach suction filter
- » Quick attach pressure regulator and gauge
- » Pump mounted under cover for protection
- » Powerjet spray gun

EASY FLOW

DRAINAGE

SYSTEM FOR QUICK

- » Easy flow drainage system with outlet bung for quick cleaning
- » 3.6 m of electrical leads with lighter adaptor, fuses & on/off switch
- » 255mm Lid size
- » 30 metres of 10mm spray hose and swivel connectors (optional)
- » Poly hose reel mounted on galvanised frame (optional)



Hose Reel

With

ReelStrike[™] 200L

30m Hose Reel; 100psi Pump DIM: 1055 X 700 X 1100 (mm) CODE: PVQ0200LK0076H3

\$2,050*

ReelStrike[™] 400L

30m Hose Reel; 100psi Pump DIM: 1200 X 800 X 1220 (mm) CODE: PVQ0400LK0076H3

\$2.931*

Add a Boom

See page 38



150 Litres

Dim (LWH): 730 x 950 x 500mm

On Deck** UTV Sprayers

Versatile Boom

Hitch-It Hayman Reece Attachment with Versatile Boom CODE: ABVL040-GN



Main Features:

- √ 20-Year tank warranty
- 3L or 10L (compact) Fresh Water bottle for hand-washing
- **✓** Unique low profile design
- ✓ Drain outlet fitted for easy cleaning
- ✓ Site level tube fitted
- **Sturdy hot-dip galvanised steel frame (300L only)**
- Australian made **UV stabilised poly tank** with fully drainable **sump for easy cleaning** and maximum use of spray mix (300L)



OnDeck™ with 12v Pump

7.5L/min 60psi 12v Pump; 6m Hose CODE: PUD0150L076 \$1.339*



OnDeck™ 12v Pump with Reel

7.5L/min 100psi 12v Pump; 30m Hose Reel CODE: PUD0150L076H3 \$1,969*

300 Litres

Dim (LWH): 1000 x 1250 x 600mm Dim (LWH): 970 x 1100 x 850mm (Compact)







OnDeck™ with 12v Pump

7.5L/min 100psi 12v pump; 30m Hose Reel CODE: PUD0300L076H3 CODE: PUDA0300L076H3 (COMPACT)

\$2,427*



OnDeck™ with Honda GX35

12L/min Pump Kit; 30m Hose Reel CODE: PUD0300L0120H CODE: PUDA0300L0120H (COMPACT)

\$**3,0**69*



OnDeck™ with Honda GX200

22L/min Pump; 30m Hose Reel CODE: PUD0300L0220H3 (COMPACT) \$4.615*



OnDeck™ with Honda GX50

210L/min Pump; 18m Fire Hose CODE: PFD0300LZS CODE: PFDA0300LZS (COMPACT)

\$3,764*

SpotPro[™]

When You Need a Little More...

SpotPro[™] Motorised Sprayers

with 12 L/min 360psi pump; 30m Hose and Reel

- » UV stabilised polyethylene tank for long life
- » Compact space saving design
- » 30m of 8mm hose with reel
- » Reliable genuine GX35 Honda 4 stroke motor
- » Pressure regulator and gauge for accurate spraying
- » 12L/min 360psi pump
- » Easy flow drainage system for quick cleaning



SpotPro™ 220L

12L/min pump; 30m hose & reel DIM: 925 X 710 X 910 (MM) CODE: SU0220L0120H

\$2,419*

SpotPro[™] 400L

With Spray Marshal Pump Kit DIM: 1620 X 710 X 910 (MM) CODE: SU0400AL0120H

\$2,924*



with 12 L/min 360psi pump; 30m Hose and Reei; Skid

» Australian made UV stabilised poly tank with fully draining sump for easy cleaning & maximum use of spray mix

» Genuine Honda GX35 4 stroke motor for proven reliability

» 30m of 8mm hose with reel for versatility

» Glycerin filled pressure gauge

» Spray gun has adjustable turbo atomiser for full range of spray requirements

» Hot-dip galvanised steel frame



With Spray Marshal Pump Kit DIM: 1100 X 700 X 1110 (MM) CODE: PUF0200L0120H

\$2.902*

SpotPro™ Deluxe 400L

With Spray Marshal Pump Kit DIM: 1200 X 800 X 1220 (MM) CODE: PUF0400L0120H

\$3.476*



efficient effective



TopCropField Sprayers

Still the Best in the Field

- » Choice of Bertolini pumps and regulators to suit a variety of different applications
- » Quality filtration system with check valve for easy cleaning in the field
- » Low-profile design keeps centre of gravity as low as possible for added stability in steep terrain
- » Centred sump to retain flooded pump suction in all types of situations



TopCrop

Scan to see
this product
in action!

Ultimate Slip-On Field Sprayers
with 22L/min Pump and 30m Hose and Reel



TopCrop™ 300LDIM: 1250 X 600 X 950 (MM)
CODE: PUF0300L0220H3
\$4.210*



TopCrop™ 400LDIM: 1489 X 970 X 1100 (MM)
CODE: PUFS0400L0220H3
\$ **5.465***



TopCrop™ 500LDIM: 1620 X 710 X 910 (MM)
CODE: PUF0500L0220H3

\$ 5.565*



TopCrop™ 600L
DIM: 1580 X 1250 X 850 (MM)
CODE: PUF0600L0220H3
\$5.705*

TopCrop™ 800L
DIM: 1750 X 1430 X 770 (MM)
CODE: PUF0800L0220H3
\$6.168*

TopCrop™ 1000L
DIM: 1750 X 1430 X 1000 (MM)
CODE: PUF1000L0220H3

\$ 6.367*

Need a galvanised boom as well?

4m Boom

Galvanised Steel with Boom Bracket Arms CODE: ABM040-F \$1,579*

6m Boom

Galvanised Steel with Boom Bracket Arms CODE: ABM060-F

\$1,790*****

8m Boom

Galvanised Steel with Boom Bracket Arms CODE: ABM080-F

\$2,186*





TopCrop™ Sprayer with Remote Auto-Rewind SuperReel™

Code	Description	L x W x H (mm)	RRP* (\$)
PUFS0400L0340Q1	TopCrop™ 400L Tank (<i>Short</i>), 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	1800 x 970 x 1160	\$10,393
PUF0500L0340Q1	TopCrop™ 500L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2030 x 1070 x 690	\$10 , 570
PUFS0600L0340Q1	TopCrop™ 600L Tank (Short), 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	1800 x 1070 x 1160	\$10 , 697
PUF0600L0340Q1	TopCrop™ 600L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2030 x 1070 x 850	\$10 ,697
PUF0800L0340Q1	TopCrop™ 800L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2180 x 1220 x 870	\$10,904
PUF1000L0340Q1	TopCrop™ 1000L Tank, 34L/min 40 bar (580psi) Pump, GX200 Honda engine, 100m Remote SuperReel™	2180 x 1220 x 1140	\$11, 243

SuperReel[™] Field Sprayer


Increase Your Spraying Efficiency





Code	Description	L x W x H (mm)	RRP*(\$)
PUFS0400L0540TQ1	400L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17,44 6
PUF0500L0540TQ1	500L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17,67 5
PUF\$0600L0540TQ1	600L Tank (<i>Short</i>) - 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	1800 x 1280 x 1160	\$17, 7 97
PUF0600L0540TQ1	600L Tank, 54L/min 40 ba r (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 870	\$17,7 9 7
PUF0800L0540TQ1	800L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 870	\$18,0 5 2
PUF1000L0540TQ1	1000L Tank, 54L/min 40 bar (580psi) Pump, GX200 Honda engine, Twin 100m Remote SuperReel	2180 x 1310 x 1140	§18,343





and Versatile Boom

\$6.038*

CODE: PRAAD0400L0120H-B

TrailPro[™] Spray Trailers

Spray Trailers with 12v Pump



\$1,552

6m Pinnacle-Pro Break-away boom with Non-drip Nozzles

TrailPro™ "Deluxe" Spray Trailers

6m Pinnacle-Pro Break-away boom with Non-drip Nozzles

Ideal for Rough Terrain!

ABM040







ABM060

\$1,310



Spec Up Your GlidePath[™] Trailer

1

CHOOSE the trailer and pump combination best suited to your needs

Includes fresh water tank

Code	Description	RRP*(\$)
PRAX1000L0750Z	1000L OnFarm with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$1 2,793
PRAQ1000L0750Z	1000L OnRoad with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$14,8 0 3
PRAX1200L0750Z	1200L OnFarm with GX200 Honda Motor and 75L/min pump & 3 way regulator	\$13,603
PRAQ1200L0750Z	1200L OnRoad with GX200 Honda Motor 75L/min pump & 3 way regulator	\$ 15,531

2

ADD one of these heavy-duty steel boom options

(See page 66 for more details)

Code	Description	RRP*(\$)
ABM080	8m Heavy Duty Steel Boom with non-drip nozzles	\$1,918
ABM080PS	8m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$3,794
ABM100PS	10m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$3,971
ABM120PS	12m Heavy Duty Steel Boom with non-drip nozzles and self-level kit	\$4,192

3

ADD one or more of these optional extras

Code	Description	RRP*(\$)
ATHW03B030M10G	1W03B030M10G 30m Poly Hose Reel with Spray Gun	
ATHW05B050M10G	50m Poly Hose Reel with Spray Gun	\$ 857
ATF0024DF	Double Sided Deluxe Foam Marker Kit Fitted	\$ 1,990
ATCG0430	TeeJet Matrix 430 Guidance System	\$ 2,884
ATCG0570	TeeJet Matrix 570G Guidance System	\$ 4,767

4

ORDER your sprayer from your local distributor

*Prices include GST | See page 110 for freight costs

GlidePath™











Spray Trailers with SuperReel

- » UV stabilised polyethylene tank for long life
- » Heavy-duty galvanised steel chassis steel frame and mudguard with 15" wheels
- » Choice of single or twin auto rewind SuperReels
- » Pressure regulator and gauge for accurate spraying
- » Easy flow drainage system for quick cleaning
- » 54L/min Bertolini pump



We Can Build to Meet Your Requirements!

- » Choose from a huge range of spray equipment
- » We build spray trailers for councils, large contractors, mines & much more!
- » Give our helpful customer service team a challenge to build the trailer you need!







Main Features:



TANK LEVEL GAUGE

Clear and easy to read tank gauge calibration



ROTO-MOULDED TANK

Moulded In-House by TTI, backed with a 20 year warranty



HAND WASH TANK

Built in 10L fresh water tank with tap



GALVANISED FRAME

Engineer approved Hot Dip Galvanised Frame for unbreakable strength



PTO SHAFT

PTO shaft with protection



AIR INDUCTION NOZZLES

Flat spray tips air induction with excellent resistance to corrosive solutions











LinkOn[™] 3-Point Linkage Sprayers











SAFE WITH SAFE WITH HOT-DIP HERBICIDES PESTICIDES FUNGICIDES GALVANISED



LinkOn™ 300L

22L/min Pump; 4m Boom No Hose Reel CODE: PLG0300L0220-4

\$4.720*

ATCG0430

ATCG0570

Code

LinkOn™ 400L

22L/min Pump; 4m Boom No Hose Reel CODE: PLG0400L0220-4

\$5.061*

RRP*(\$) Description 300 Litre 3-Point Linkage Complete with 22 L/min Pump, 3-way PLG0300L0220 \$3.564 Bertolini Regulator and Gauge and PTO shaft 300 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way PLG0300L0750 \$4,234 Arag Regulator and Gauge and PTO shaft 400 Litre 3-Point Linkage Complete with 22 L/min Pump, 3-way PLG0400L0220 \$3,915 Bertolini Regulator and Gauge and PTO shaft 400 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way \$4.592 PLG0400L0750 Arag Regulator and Gauge and PTO shaft **Boom Options** \$1.223 ABP040 4 metre poly boom complete with non-drip nozzles \$1,310 ABM040 4 metre Pinnacle Pro Steel Boom - galvanised ABM060 \$1.552 6 metre Pinnacle Pro Steel Boom - galvanised **Other Options** ATHW03X030M10G 30m poly hose reel with adjustable spray gun \$660 ATF0024DF **Double sided Arag Foam marker** fitted \$1,990

LinkOn™ 600L

75L/min Pump; 6m Boom Pinnacle Pro No Hose Reel CODE: PLG0600L0750-6

\$6.453*

\$2,884

\$4,767

LinkOn™ 800L

75L/min Pump; 8m Boom Pinnacle Pro No Hose Reel CODE: PLG0800L0750-8

\$7.262*

Code	Description	RRP*(\$)
PLG0600L0750	600 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	\$5,110
PLY0600L0750C0	600 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO shaft	\$ 5,479
PLG0800L0750	800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft	^{\$} 5,581
PLY0800L0750C0	800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO shaft	\$5,926
Boom Options		
ABM060	6 metre Pinnacle Pro Steel Boom - galvanised	\$1, 5 52
ABM080	8 metre Pinnacle Pro Steel Boom - galvanised	\$1,918
ABM100PS	10 metre Pinnacle Plus Steel Boom with self-level kit - galvanised	\$3,971
ABM120PS	12 metre Pinnacle Plus Steel Boom with self-level kit - galvanised	\$4,192
Other Options		
ATHW03X030M10G	30m poly hose reel with adjustable spray gun	\$660
ATF0024DF	Double sided Arag Foam marker fitted	\$1, 9 90
ATCG0430	TeeJet Matrix 430 GPS Guidance System	\$2,884

TeeJet Matrix 430 GPS Guidance System

TeeJet Matrix 570G GPS Guidance System

Choose Your Sprayer

SELECT the correct tank and pump combination to suit your requirements

Code	Description	RRP*(\$)
PLG1000L0750	1000L LinkOn™ Plus, 75 L/min Pump, 3 way Manual Arag Regulator	\$6,484
PLY1000L0750C0	1000L LinkOn™ Plus, 75 L/min Pump, 3 way Manual Arag Regulator with Main Electric On/Off; In-cab Switch Box	\$7,055
PLY1000L0750C1	1000L LinkOn™ Plus, 75 L/min Pump, 4 way (3 Elec; 1 Manual) Arag Regulator with Main Electric On/Off; In-cab Switch Box	\$8,263

2 ADD one of these great boom options (See page 66 for more details)

Code	Description	RRP*(\$)
ABM080PS	8m Heavy Duty Steel Boom, self level kit & non drip nozzles	\$3,794
ABM100PS	10m Pinnacle-Plus Steel Boom, self level kit & non drip nozzles	\$3,971
ABM120PS	12m Pinnacle-Plus Steel Boom, self level kit & non drip nozzles	\$4,192
ABM120HM	Agile 12m Steel Boom, Hydraulic Fold, Mechanical Lift	\$15,505
ABM120HH	Agile 12m Steel Boom, Hydraulic Lift & Fold	\$16,861

ADD one or more of these optional extras

Code	Description	RRP*(\$)
ATHW03X030M10G	30m Poly Hose Reel with Spray Gun	\$660
ATF0024DF	Double Sided Deluxe Foam Marker Kit Fitted	\$ 1,990
ATCG0430	TeeJet Matrix 430 GPS Guidance System	\$ 2,884
ATCG0570	TeeJet Matrix 570G GPS Guidance System	\$4,767

4 ORDER your sprayer from your local distributor



Foam Markers - Double Sided

- » Double sided deluxe model with solenoid controls
- » In-cab controller for left/right selection
- » 24 Litre high strength poly tank with safety valve
- » Maximum foam production 330 L/hr
- » Working pressure 0.75 bar at 12 volt DC
- » Water/Foam agent solution consumption 10.6 L/hr
- » Foam spreader made of flexible EPDM rubber to withstand accidental impacts
- » and more...



Foam Marker

Foam Marker Complete Kit CODE: ATF0024D

\$1,581*

GPS Guidance - Matrix 430

- » GPS/GLONASS engine with ClearPath technology
- » Easy to install and easy to operate
- » Compact install in front of steering wheel for easy viewing during field operation
- » Calculates field area, counts applied acres and produces Google Earth™ coverage maps
- » Provides warning sound when entering into previously applied areas
- » Cross-track error with user selectable displays for worked area, worked time
- » and more...



TeeJet Matrix 430
GPS Guidance System
CODE: ATCG0430
\$2.884*

GPS Guidance - Matrix 570G

- » The Matrix Pro GS system can be used with up to eight RealView cameras
- » The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- » A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- » Field Finder organizes saved jobs according to your current GPS location
- » Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more



TeeJet Matrix 570G GPS Guidance System CODE: ATCG0570 \$4,767*



100L Silage Applicator with 2 Nozzle Boom CODE: PJA0100L

\$1,40**2***

200L Silage Applicator with 2 Nozzle Boom

1.510

Code	Description	RRP*(\$)
ABAS005	Silage applicator boom single nozzle complete	\$190
ABAS010	Silage applicator boom double nozzle complete	\$ 255



Spray Accessories

Pumps, Guns, Booms, Reels & Nozzles





Model 7800 Series

- » Viton valves, Santroprene diaphragm
- » 10mm Suction and discharge tails
- » Diaphragm pump, capable of being run dry
- » Self priming up to 4 metres
- » Suits 10mm hose
- » Supplied with quick attach fittings
- » ½ inch quick attach ports



3.8L/min 40psi Model 7800 Series CODE: APD0038 \$154*

PSI	LPM	Amps
0-3	3.7	1.5
10	3.2	1.9
20	2.7	2.1
30	2.3	2.4
40	1.5	2.6



7.5L/min 60psi Model 7800 Series CODE: APD0077Q10E

\$236*

Amps	LPM	PSI
2.8	7.6	10
3.7	6.4	20
4.2	6.0	30
4.7	5.9	40
5.2	4.7	50
5.7	4.0	60



7.5L/min 60psi

Model 7800 Series Threaded Ports CODE: APD0077T10E

\$236*

PSI	LPM	Amps
10	7.6	2.8
20	6.4	3.7
30	6.0	4.2
40	5.9	4.7
50	4.7	5.2
60	4.0	5.7



7.5L/min 100psi Model 7800 Series CODE: APD0076Q10E

\$276*

Amps	LPM	PSI
2.8	7.6	10
3.7	6.4	20
4.2	6.0	30
4.7	5.8	40
4.2	4.7	50
5.7	4.0	60
7.5	3.8	100

Model 5900 Series

- » Pressures available up to 100psi
- » Viton valves, santoprene diaphragm
- » ¾" quick attach ports
- » Suits 12mm hose
- » Self priming up to 4 metres
- » 5 chamber positive displacement pump capable of being run dry
- » Supplied with 2 pin electrical connector
- » Supplied with quick attach fittings



11.4L/min 60psi Model 5900 Series

CODE: APD0114Q10E

\$338*

PSI	LPM	Amps
10	12.1	3.5
20	10.6	5.8
30	10.0	7.2
40	9.3	8.3
50	8.3	9.1
60	7.6	9.9



15.2L/min 60psi MODEL 5900 SERIES

CODE: APD0152Q12E

\$348*

Amps	LPM	PSI
4.8	15.2	10
6.1	14.0	20
7.7	11.7	30
9.6	10.2	40
10.8	9.5	50
11.3	9.1	60



19L/min 60psi

Model 5900 Series CODE: APD0190Q12E

\$427*

Amps	LPM	PSI
6.0	19.0	10
9.0	17.1	20
11.0	15.5	30
13.0	14.4	40
14.6	13.5	50
16.3	12.1	60




26.5L/min 100psi Model 7900 Series

CODE: APD0265Q12E

\$696*

Amps	LPM	PSI
11	26.6	10
12	25.7	20
13	22.5	30
17	18.8	40
21	14.9	50
25	9.6	60

All Delavan pumps are complete with heavy duty steel cased motor & sealed ball bearings on both ends of motor shaft. Delavan PowerFlo diaphragm pumps deliver maximum torque and operating efficiency, higher operating pressure, and/or lower amperage for maximum pump performance.



For Maximum **Heat Dispersion** Ideal for our hot climate! Fin Cooler CODE: CDPHS01 \$25*



code

CDP3DFE38X2

CDP3DFA38X2

CDP5DFA38X2

CDP5DFE38X2

CDP3DFE12X2

CDP3DFA12X2

CDP5DFA12X2

CDP5DFE12X2





Description

10mm Elbow x 2 for 7800

10mm Straight x 2 for 7800

10mm Straight x 2 for 5900

10mm Elbow x 2 for 5900

12mm Elbow x 2 for 7800

12mm Straight x 2 for 7800

12mm Straight x 2 for 5900

12mm Elbow x 2 for 5900

Quick Attach



RRP*(\$)

\$17

\$17

\$21

\$21

\$17

\$17

\$21

\$21












Quick Attach Filters

- » Available in 2 sizes to suit 7800 & 5900 series pumps
- » Stainless steel mesh filter
- » Simple push in & lock fitting– no tools required

	_	-
		RRP*(\$)
ATPFS050Q10	Quick attach filter for 7800 pump	\$50
ATPFS050Q12	Quick attach filter for 5900 pumps	\$50

Fin Cooler for 12v pumps

Heat sink for efficient heat dispersion **Pump runs cooler** for greater durability



Delavan Pumps

SPARE PARTS KITS



Fin Cooler
CODE: CDPHS01
\$25*

Quick Attach

Regulator & Gauge

- » Fitted standard to our professional spot sprayers
- » Simple push in & lock fitting no tools required
- » Set & forget pressure control
- » Excess fluid returns to tank & provides agitation

CODE	DESCRIPTION	RRP*(\$)
ATRM020LQ10G	Quick attach regulator & gauge for 7800 pump	\$ 135
ATRM020LQ12G	Quick attach regulator & gauge for 5900 pump	\$ 135

DELAVAN PUMP



Lower housing assy \$79 CDPLHA78607E77 - for 7801 pumps; Diaphraam Lower housing assy \$79 CDPLHA78637F77 - for **7800** pumps; Diaphragm Lower housing assy \$125 CDP53LHA002 - for **7800** pumps: Geolast Diaphraam CDPVHA78637F77 Valve housing assy for **7800** pumps \$68 CDPUHA78637F77 Upper housing assy for 7800 pumps \$68 CDPUHA78637F77T **Upper housing assy** for **7812** pumps \$68 CDP2200PSW \$20 Pressure switch for 2200 pumps Pressure switch to suit 7800 series CDP7800PSW60 \$27 pumps Pressure switch to suit 5900 series CDP7800PSW100 \$38 pumps

Wire Harness Kit

- » 3.6 metre wire harness kit with on/off switch
- » Power control switch & fuse protection included
- » Easy quick connect 2-pin plugs
- Kit includes both lighter adapter and alligator clips
- » Max 10 Amp draw

CODE	DESCRIPTION	RRP*(\$)
ATCWL03612VSAC	Wire harness kit complete - 10 Amp	\$50

BERTOLINI DIAPHRAGM PUMPS



Bertolini Spare Parts Kits

RRP*(\$)
920 \$124
²⁰²⁰ \$ 131
VF/RT4Poly2020 \$113
\$ 128
(up to Nov 2004) \$159
(from Dec 2004) \$234
30 (Buna) \$ 113
30 (Desmopan) \$207

Bertolini Pump Spare parts

CODE	DESCRIPTION	RRP*(\$)
CBK639880973	Pump Seals Kit - Poly 73/2073	\$113
CBK639870973	Valve Kit - Poly 73/2073	\$374
CBK639871973	Diaphragm Kit - Poly 73/2073 (Buna)	\$147
CBK639873973	Diaphragm Kit - Poly 73/2073 (Desmopan)	\$281
CBK639826973	Diaphragm Kit - Poly 73/2073 (Viton)	\$1,022
CBK239880973	Pump Seals Kit - PA530	\$268
CBK239829973	Valve Kit - PA530	\$458
CBK239828973	Diaphragm Kit - PA530 (Buna)	\$ 150

HONDA

- THE MOST RELIABLE ENGINE -

Honda applied it's superior engine technology to create the world's first 360° inclinable 4-Stroke engines. The ultralightweight GX35 Mini 4-Stroke efficiently delivers the kind of efficient cleaner, powerful, quiet performance that you'd expect from a larger engine – but in a very compact package.

Need it coupled to a Honda GX200? just add \$1,250





GX35 "Commando" 12L/min Pump 30m Reel and Gun Code: APP0120GH030G \$1.639*



22L/min Pump

2 Diaphrams; 1 3/8" Shaft; 290psi/20bar

Max Pressure; Weight: 6.6kg

Bare Pump & Shaft CODE: APL0220S

\$1.059*****

Pump & Gear Box CODE: APL0220KG

\$1,397*



34L/min Pump

3 Diaphrams; 1 3/8" Shaft; 580psi/40bar Max Pressure; Weight:

Bare Pump & Shaft Pump & Gear Box CODE: APL0340S

\$1.242*

CODE: APL0340KG

\$1,722*



54L/min Pump

3 Diaphrams; 1 3/8" Shaft;

580psi/40bar Max Pressure: Weight: Bare Pump & Shaft

CODE: APL0540S

1.708*

Pump & Gear Box CODE: APL0540KG **\$2.186***



75L/min Pump

3 Diaphrams; 1 3/8" Shaft; 218psi/15bar

Max Pressure; Weight: 11kg

Bare Pump & Shaft Pump & Gear Box

CODE: APL0750S

CODE: APL0750KG

\$1.967* **\$1.364***



126L/min Pump

5 Diaphrams; 1 3/8" Shaft; 218psi/15bar

Max Pressure; Weight: 12kg

Bare Pump & Shaft CODE: APL1260S \$1.852*



210L/min Pump

3 Diaphrams; 1 3/8" Shaft; 218psi/15bar

Max Pressure: Weight: 26kg

Bare Pump & Shaft CODE: APL2100S \$3.856*



Bertolini Regulators

- » 90 L/min flow rate
- » Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- » 3 outlets with 10mm hose tails and ball valves
- » Complete with pressure gauge and mounting bracket
- » Accurate and progressive pressure selection
- » Reliable pressure control
- » 3-way fluid control



Sting 3-Way Regulator 90L/min, 15 bar (218psi) Code: ATRB15B09013M3K \$448*



Sting 3-Way Regulator 90L/min, 40 bar (580psi) code: ATRB40B09013M3K \$469*


Arag Regulators

- » Polypropylene high capacity modular system with viton seals
- » Main control lever shuts off flow completely good for boom sprays
- » Manual section valves can be replaced by ca463011S electric valves to give in cab control of boom sections.
- » When ordering electric controllers select switch box to suit application

Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- » Models with 1, 2 and 4 output sections
- » Available main valve control and pressure settings adjustment
- » Available with **M** or **P** operation mode



Arag Regulator & Gau
3 Manual Section Valves
CODE: ATRA 10B080X3M3
\$387*

Arag Regulator
3 Manual Section Valves;Manual On/Off
CODE: ATRA20B14013M3
\$602*



1-Way
On/Off Switch Box
CODE: ATCC1W
\$136*



2-Way
On/Off Switch Box
CODE: ATCC2W
\$182*



Arag Regulator & Gauge 3 Manual Section Valves:

Elec On/Off CODE: ATRA20B14023M3

\$849*



| Arag Regulator & Gauge

2 Electric; 1 Manual Section Valves; Electric On/Off CODE: ATRA20B14023E2M1 \$1.365*



3-Way & Main
On/Off Switch Box
with Pressure Control
CODE: ATCC3WVP
\$ 342*



5-Way & Main
On/Off Switch Box
with Pressure Control
CODE: ATCC5WVP
\$684*

Filters

- » keep your spray clear & clean!
- » reduce nozzle blockage & protect your pump
- » Quick attach suction filter designed to fit directly onto the female port of Delavan pumps, 80 mesh screen filter



Suction Filter
For 7800 Series Pumps

CODE: ATPF\$050Q10

For 5900 Series Pumps CODE: ATPFS050Q12 \$50*



1/2" Suction Filter (Threaded)

(*Inreaded)* to Suit Shu

to Suit Shurflo Pumps
CODE: ATPFS080T12

\$50*



11/4" Suction Filter

25mm Hosetails CODE: ATPFSV032T32T \$141*



1½" Suction Filter

32mm Hosetails CODE: ATPFSV032T38T \$165*

Boom Spray Control

Make Your Spraying Jobs Easier & Professional

- » Heavy duty brass ½" BSP, 12VDC solenoid valves
- » Suitable for most chemicals
- » Viton diaphragm
- » Rated to 140PSI

Choose From 1-way or 3-way Solenoid Kits



1-Way Solenoid Valve Kit

10 bar (140psi) 3.6m Electrical Leads ½" BSP Port Solenoid CODE: ATVS10B036 \$252*



3-Way Solenoid Valve Kit

10 bar (140psi) With 3 way switch box and cables $\frac{1}{2}$ BSP port solenoid CODE: ATVS10BX3W

\$668*

Highly Flexible Spray Hose

Great Value Kink Resistant Hose

- » High quality TTi agricultural spray hose
- » High flexibility, kink resistant
- » Working pressure 40 bar (580 psi)
- » Burst Pressure 150 bar (2200 psi)
- » Suction hose available also call for details
- » Black ribbed outer cover with a specially formulated yellow chemical resistant tube
- » 10mm & 12mm hose available in 100m rolls Call for your price

SAFE TO USE! UP TO 40 BAR

Pressure Spray Hose

_		
Code	Description	RRP*(\$)
CUY58010MM	10mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$8
CUY58010MMX10	10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$74
CUY58012MM	12mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$10
CUY58012MMX10	12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ 100
CUY58019MM	19mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ 25
CUY58025MM	25mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ 42

Suction Hose

		Suction Ho	se	
S38		Code	Pressure Rating (300 psi)	RRP*(\$)
	6	CUUC19MM	19mm Clear Suction Hose (not for pressure lines) / metre	\$15
S25		STAHSB25	25mm Suction Hose (not for pressure lines) / metre	\$19
25		STAHSB32	32mm Suction Hose (not for pressure lines) / metre	\$21
19	6	STAHSB38	38mm Suction Hose (not for pressure lines) / metre	\$25
12	(

Exciting New

SuperReel

Remote Controlled Rewind Hose Reel

- **NEW! Fully enclosed frame design** minimises pinch points
- Powerful 12v electric motor with auto overload cut-off
- Unique "Transport mode" braking technology
- Manual override button and isolation switch
- √ Tough powder-coated finish
- Single channel wireless remote transmits up to 200m in uneven terrain!








Scan to see this

product in action!



Designed to perform in the toughest terrain, the remote controlled SuperReel™ and SuperReel™ 50 spray reels are guaranteed to make the job quick, easy and safe for any operator.

SuperReel[™] 50m

Auto-Rewind Reel DIM (LWH): 600 x 355 x 450mm CODE: ATHR050M10 \$2.950*****

SuperReel™ 100m

Auto-Rewind Reel DIM (LWH): 810 x 355 x 675mm CODE: ATHR100M10 \$4.232*****

SuperReel™ 150m

Auto-Rewind Reel DIM (LWH): 810 x 355 x 675mm CODE: ATHR150M10 \$4,547*

Home Garden Spray Lances

Add any of these to your versatile or telescopic lances

Spray Hoods

» Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.



Versatile Lance

- » Liahtweiaht all-purpose lance
- » Virtually unbreakable shaft
- » Adjustable spray nozzle
- » Overall length: 760mm
- » Maximum pressure: 10 bar
- » Choose from a large range of compatible accessories
- » 10mm hosetail

Economy Lance

- » Lightweight chromed aluminium
- » Adjustable spray nozzle
- » Filter in handle
- » 10mm hose barb connection
- » 850mm overall lenath

Telescopic Lance

- » Lightweight lance with long reach for trees and bushes
- » Very easily adjusted
- » Maximum pressure: 10 bar (145 psi)
- » Overall length: from 710 to 1150mm
- » Compatible with Inter accessories as shown
- » 10mm hosetail

Length: 760mm

Telescopic Lance

Nozzle Boom

CODE: ATAOORF

\$72*

Versatile Lance

CODE: AHL002T

\$60*****

with 10mm Hose Tail

Economy Lance

Lenath: 850mm CODE: AHL009 \$42*

with 10mm Hose Barb

Telescopic Lance Nozzle with 10mm Hose Tail Replacement CODE: CGP726 \$13* CODE: AHL003T \$93*

Nozzle

\$13*

Replacement

Nozzle Replacement

CODE: CGP726

CODE: CPLP009N

\$11*

Spray Booms

- » Three boom types to choose from to speed up your ground coverage.
- » Lightweight for ease of use.

Quadruple Nozzle Boom

with Cone/Fan Spray Nozzles 1.5m CODE: ATAQUEC (CONE) / ATAQUEF (FUN) \$98* / \$113*

Herbicide Nozzles

Consistent application rates for band spraying



Elbow

with Low Volume CODE: ATAMIG

\$41*

Elbow for Fan CODE: ATARRE \$25*

Flexible Double Nozzle

Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles and one with fan nozzles. Used for basal bark spraying and ant block treatments.

Flexible Double Nozzle

Adjustable Cone/Fan Spray Nozzles CODE: ATAOOHC (CONE) / ATAOOHF (FUN) \$55* / \$66*

Spray Guns

Heavy Duty Pistol Grip

- » All metal construction stainless steel, aluminium & brass
- » High pressure, long range spray gun
- » Teflon seal
- » Overall Length: 180mm
- » Easily adjustable spray pattern
- » Max. pressure: 55 bar (800psi)
- » Max. flow: 15 L/min (580psi) with 3mm nozzle

Spot 300 Lance

- » Heavy Duty Spot Spray Gun
- » Trigger adjustable spray pattern with lock
- » Max pressure: 40 bar (580psi)
- » Overall length: 300mm

Top Gun

- » High pressure, long range, multipurpose spray gun
- » Front handgrip allows quick spray pattern selection
- » Fitted with trigger lock and $\frac{1}{2}$ " swivel inlet
- » Overall length: 700mm
- » Max range: 25m @ 50bar
- » Max pressure: 60 bar (870psi)
- » Max flow rate: 135 L/min

PowerJet Spray Guns

Simple & effective operating system using stainless steel ball & seat & brass housing

Note: (Standard on Professional Sprayers)

- » Durable, dependable spray gun for all spraying applications
- » Adjustable spray nozzle
- » Overall length: 700mm
- » Maximum pressure: 20Bar 300psi





KITS

REPAIR KIT - CPLK104R NUT & WASHER FOR NOZZLE - CPLP104N 1.5MM NOZZLE - CPLP104N15 2.0MM NOZZLE - CPLP104N20 2.5MM NOZZLE - CPLP104N20 3.0MM NOZZLE - CPLP104N30 3.5MM NOZZLE - CPLP104N35 4.0MM NOZZLE - CPLP104N40

KITS

REPAIR KIT - CPLK105R NUT & WASHER FOR NOZZLE - CPLP105N 1.5MM NOZZLE - CPLP105N15 2.3MM NOZZLE - CPLP105N23



KITS

REPAIR KIT - CPLK107R 2.3MM NOZZLE - CPLP107N23

Long Lance

Overall length: 840mm With 620mm extension





Overall length: 475mm Fitted with hose swivel

Powerjet Spray Gun

PowerJet Spray Gun
CODE: AHG1098T
\$152*





RapidJet Spray Gun

» Ergonomic spray gun with long reach

» Easily adjustable brass nozzle for a variety of spray patterns

» Maximum pressure: 17 bar (250 psi)

» Max. flow rate: 26 L/min » Overall length: 740mm

» 10mm hose barb





Turbo Spray Gun

- » Great value multipurpose spray gun
- » One hand operation for easy pattern adjustment + on/off trigger
- » Adjustable turbo atomiser
- » Supplied with 10mm hose tail
- » Max pressure 360psi
- » Overall length 445mm

RapidJet Spray Gun

KITS

REPAIR KIT CODE: CPLK102R 2.3MM CERAMIC NOZZLE CODE: CPLP102N23 3.5MM CERAMIC NOZZLE CODE: CPLP102N35



CODE: AHG101T \$113*****

Turbo 400 Spray Gun

- » Professional multipurpose spray gun with Viton seals
- » One hand operation for easy pattern adjustment and on/off trigger
- » Adjustable turbo atomiser
- » Comes with swivel & 10mm hose tail

» Max pressure: 50 bar (725psi)

» Overall length: 400mm

KITS

REPAIR KIT CODE: CPLK102R 2.3MM CERAMIC NOZZLE CODE: CPLP102N23 3.5MM CERAMIC NOZZLE CODE: CPLP102N35

Turbo 400 Spray Gun CODE: AHG102ST \$189*****

Multi-Purpose Spray Gun

- » Professional multipurpose high pressure spray gun with Viton seals
- » Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- » Metal handle & trigger guarell favoured by many operators
- » Swivel & 10mm hose tail supplied
- » Max pressure: 50 bar (725psi)
- » Overall length: 400mm



REPAIR KIT CODE: CPLK102R

Multi-Purpose Spray Gun CODE: AHG103ST

\$202*

For Firebreaks, Rough Country Spraying & Locust Control

Brass Boomless Nozzle Kits

Spread Your Spray Further

Features

- » 4 sizes to choose from
- » Use with ATV, 3PL or ute sprayers
- » Can be used as 180° swath or 90° swath by swapping nozzle plates
- » Ideal for rough country spraying & locust control
- » Optimum mounting height between 0.5m & 1.0m above ground



- » On/Off tap with ½" Male BSP fitting
- » Can be easily changed from one side to two side spraying



7m Spray Width (37 L/hec)

Minimum pump capacity 7L/min CODE: ABK02

\$175*

15m Spray Width (74 L/hec)

Minimum pump capacity 11L/min CODE: ABK05

\$185*

16m Spray Width (147 L/hec)

Minimum pump capacity 20 L/min CODE: ABK10 \$227*

17m Spray Width (190 L/hec)

Minimum pump capacity 30 L/min CODE: ABK20

\$247*

BoomJet[™] Nozzle

Boomless Brass Nozzle





200	(D) 20	a	a n	0	Umin	"W"
ABJ006	6733- OC06	H1/4VV-1506	H1/4VVL-9502 with 50 mesh strainer	1.5 2.0 2.5	7.26 8.38 9.37	10.2 10.3 10.5
ABJ010	OC10	H1/4U-0508HE	H1/4VVL-11004 with 50 mesh strainer	1.5 2.0 2.5	11.16 12.89 14.41	12.0 12.1 12.3
ABJ020	OC20	H1/4U-0520HE	H1/4VVL-9506 with 50 mesh strainer	1.5 2.0 2.5	24.00 27.72 30.99	14.3 15.2 15.8
ABJ040	OC40	H1/4U-0540HE	H1/4U-9510	1.5 2.0 2.5	47.44 54.78 61.25	17.1 18.2 19.2

BoomJet 5880


Boomless Brass Nozzle; 0.91kg Code: SEE TABLE

\$556*

Notes: Always double check your application rates.

Tabulations are based on spraying water at 70°F (21°C).





Hitch It Attachments

Hayman Reece boom attachment that suits your UTE or UTV perfectly

- » Hot dipped galvanised steel
- » Pin Holes suites both UTEs and UTVs
- » Fits any 50mm Haymen Reese tow hitch

» Compatible with **boomless nozzle** and versatile boom

Goose Neck (Only)

Fits any 50mm Haymen Reese tow hitch; Compatible with boomless nozzle CODE: BOM005-GN

Hayman Reece

Steel attachment with Versatile Boom CODE: ABVL040-GN

\$698*





4 Metre Boom 4m Spray width CODÉ: ABS040 \$382*





Pinnacle[™] "Plus"

- » Self-levelling booms allows boom to ride smoothly over uneven terrain
- » Breakaway boom with nozzle protection
- » Non drip nozzle bodies with Teejet AIXR Air Induction spray tips
- » Easy to mount onto existing sprayer
- » Hot dipped galvanised steel framework
- » Optional upgrade to Tri-nozzle bodies

8m Galvanised Boom

with Self-levelling Kit CODE: ABM080PS **\$3.794***

10m Galvanised Boom

with Self-levelling Kit CODE: ABM100PS \$3.971*

l 12m Galvanised Boom

with Self-levelling Kit CODE: ABM120PS

\$4.192*





- Built-in self levelling system
- » Full nozzle protection with stainless steel pipework
- » Centre/Left/Right plumbing
- **Easily mount** to an existing sprayer
- Engineer design minimises weight without compromising strength



Hydraulic Lift and Fold CODE: ABM120HH

\$16.861*










Flat Spray Tips

110° wide, tapered flat spray angle with air induction technology offers better drift management

Made of a two piece UHMWPE polymer construction with VisiFlo® colour-coding. UHMPE provides excellent chemical resistance, including acids, exceptional wear life

Depending on the chemical, produces large airfilled drops through a Venturi air aspirator

Available in seven tip capacities with a wide operating pressure range: 15-90 PSI (1-6 bar)



CODE	DESCRIPTION	COLOUR	RRP*
CNSAIXR110015X10			\$ 148 *
CNSAIXR110020X10			\$ 148 *
CNSAIXR110025X10	Air induction XR		\$ 148 *
CNSAIXR110030X10	Flat Spray Tips		\$ 148 *
CNSAIXR110040X10	(PACK of 10)		\$ 148 *
CNSAIXR110050X10			\$ 148 *
CNSAIXR110060X10			\$ 148 *

DROP CAPACITY Una Z				SOCM												
	bar	SIZE	MOZZUE IN L'onin	4	5	6	. 7	8	10	12	16	18	20	25	30	35
			0.0000000	km/h	km/h	km/h	km/h	km/h	km/h	km/h	km/h	km/h	km/h	km/h	km/h	km/h
4	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7
Salar Salar	2.0	VC	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5
AIXR110015	3.0	C	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2
[100]	4.0	C	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
	5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
	6.0	M	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5
	1.0	XC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8
10000000000	2.0	VC.	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3
AIXR11002	3.0	C	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1
(50)	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
	5.0	C	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
1	1,0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5
	2.0	XC	0.81	243	194	162	139	122	97.2	81.0	60.8	54.0	48.6	38.9	32.4	27.8
AIXR110025	3.0	WÇ	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9
(50)	4.0	C	1.14	342	274	228	195	171	137	114	85.5	76.0	68,4	54.7	45.6	39.1
	5.0	9	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9
	6.0	Ç	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0
	1.0	XC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
ADVENTAGES	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
AIXR11003	3.0	WE	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5
(50)	4.0	6	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6
	5.0	c	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1
-	6.0		1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
	1.0	XC	0.91	273 387	218 310	182 258	156	137	109	91.0	68.3 96.8	86.0	54.6 77.4	43.7 61.9	36.4 51.6	31.2 44.2
AIXR11004	3.0	WC VC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2
The second second	4.0	WC	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
(50)	5.0	c	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9
	6.0	è	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5
	1.0	XC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
	2.0	XC	1,61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2
AIXR11005	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5
(50)	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8
120)	5.0	c	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1
	6.0	è	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7
1	1.0	XC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5
AIXR11006	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3
(50)	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9
1303	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105
de la companya de la		è	200000000000000000000000000000000000000	77.5000000	March 2000		LACOROVI III	503	100000000	100000000000000000000000000000000000000	C31000	250000	0.0000000000000000000000000000000000000	1000	0.1000	100000
	6.0		3.35	1005	804	670	574	10000	402	335	251	223	201	161	134	115

Note: Always double check your application rates. Tabulations are based on spraying water at 70°F (21°C).













VisiFio Air Induction

Angle Flat Spray Tips

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, rounded internal passage to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

Applications

Herbicides, fungicides and insecticides

CODE	DESCRIPTION	COLOUR	RRP*
CNSTT110010X10		1 6	\$ 135 *
CNSTT110015X10		1 5 1	\$ 135 *
CNSTT110020X10	Turbo TeeJet		\$ 135 *
CNSTT110025X10	Angle Flat Spray		\$ 135 *
CNSTT110030X10	Tips	A	\$ 135 *
CNSTT110040X10		8 5	\$ 135 *
CNSTT110050X10	(PACK of 10)		\$ 135 *
CNSTT110060X10			\$1 35 *
CNSTT110080X10			\$ 135 *





Turbo 2, 4 - D Compliant

Twin Flat Spray Tips

110° wide angle, air induction, tapered flat spray tip pattern based on the patented outlet orifice design of the original Turbo TeeJet® nozzle

Patented orifice design provides large, round passages to minimize plugging.

Depending on the chemical, produces large air-filled drops through a **Venturi air aspirator** resulting in less drift

Applications

Herbicides, fungicides and insecticides

Code	Description	Colour	RRP*
TTI110015-VPX10			\$ 149 *
TTI11002-VPX10			\$1 4 9*
TTI110025-VPX10	Turbo TeeJet		\$ 149 *
TTI11003-VPX10	(PACK of 10)		\$ 149 *
TTI11004-VPX10			\$ 149 *

	⊘ PSI	DROP	CAPACITY ONE NOZZLE IN GPM	CAPACITY ONE HOEZLE IN OZ,MIM.
TTi110015 (100)	15 20 30 40 59 60 70 80 90 100	XXXXX	0.092 0.11 0.13 0.15 0.17 0.18 0.20 0.21 0.21 0.23	12 14 17 19 22 23 26 27 29 31
TTI111002 (50)	15 20 30 40 50 60 70 60 90	N.X.X.X.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.	0.24 0.12 0.14 0.17 0.20 0.22 0.34 0.26 0.28 0.30 0.52	15 18 22 26 28 33 33 30 38 41
TTi110025 (50)	15 30 40 50 60 70 80 100 15	KKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKK	0.18 0.22 0.25 0.28 0.31 0.33 0.35 0.36	23 28 32 36 40 42 45 45
TTi11003 (50)	20 30 40 50 60 70 80	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	0.18 0.21 0.26 0.30 0.34 0.37 0.40 0.42	33 32 33 38 44 47 53 58 58
TT111004 (50)	100 100 100 100 100 100 100 100	XXXXXXXXXXX	0.47 0.24 0.28 0.35 0.40 0.45 0.49 0.53 0.57 0.60	50 31 36 45 51 58 61 68 77 77 81
TT111005 (50)	2015 20 30 40 50 50 50 50 50 50 50 50 50 50 50 50 50	XXXXXXXXXX	0.31 0.35 0.43 0.50 0.56 0.61 0.66 0.67 0.75 0.79	40 45 55 64 72 78 84 91
TT111006 (50)	15 20 30 40 50 60 70 80 90	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	0.79 0.87 0.42 0.52 0.60 0.67 0.73 0.79 0.85 0.90 0.95	101 47 54 67 77 86 93 101 109 115 122

WeedControl[™] **Spare Parts**



Poly 1 GHT Nut

& Tail w/ 10mm Hosetail CODE: ATPXP2510S



Filter

50 Mesh Filter CODE: 8079-PP-50



Lid

150mm Lid Complete with Tether CODE: ARLP150AT \$29*



Nozzle Body Assy Tee

Nozzle Body Assy Elbow

10mm Barbs (2 wav) CODE: ATPNDTT10C

Pack 2 | (1 way)

CODE: ATPNDTE10CX2



Brown Nozzle

Deflector 140° CODE: CNSDEF140025 \$4.50*

Regulator Elbow



Regulator

Pressure Regulator Assembly I QA CODE: ATRV027LQ12 \$130*



Drain Cap

Complete with Seal CODE: ATPVC20T \$16*****



Poppit Valve

CODE: CFNE12NF10B

½" x 10mm

\$8*

On-Off Valve CODE: 34-140141



Pump

EverFlo Pump 8.3 L/min 70psi QA CODE: EF2200QA \$212*



Lever Ball Valves

25mm Lever Ball Valve

CODE: CFVBB025F025F 32mm Lever Ball Valve

CODE: CEVBB032E032E 40mm Lever Ball Valve

CODE: CFVBB040F040F

50mm Lever Ball Valve

CODE: CFVBB050F050F

80mm Lever Ball Valve

CODE: CFVBB080F080F

100mm Lever Ball Valve

CODE: CFVBB100F100F

Description

Lance Clips

2 pcs of Holding Clips CODE: CHCLP12MMX2 \$6*

RRP*(\$)

\$48

\$57

\$90

\$118

\$536

\$871



Lid Strainer

120mm Lid Strainer CODE: ARK120



Hose Fittings



Description	RRP *(\$)
½" MBSP to ½" FBSP swivel fitting with gaskets - Suits to Heavy Duty Pistol Grip spray gun CODE: CFSBB12M12F	\$33
1/2" MBSP to 3/8" MNPT swivel - Suits Power Jet spray gun CODE: CFSBB12M10M	\$37
34" MBSP to 34" FBSP swivel with gaskets. CODE: CFSBB20M20F	\$ 62
%" female to ½" male swivel, max pressure 360psi CODE: CFSPB20F12M	\$82
Category 1 pin CODE: CHPL1C20	\$20
Category 2 pin	\$35

Camlocks

CODE: CFFCP050H

Description	RRP *(\$)
1½ inch Camlock Kit 1½ inch Female Camlock with 38mm Hose Tail 1½ inch Camlock Adaptor 1½ inch Female Camlock Dust Cap CODE: ATPXP040K	\$70
1½ inch Female Camlock with 38mm Hose Tail CODE: CFFCP040C	\$30
1½ inch Camlock Adaptor CODE: CFFCP040A	\$ 10
1½ inch Female Camlock Dust Cap CODE: CFFCP040H	\$31
2 inch camlock kit 2 inch Female Camlock with 50mm Hose Tail 2 inch Camlock Adaptor 2 inch Female Camlock Dust Cap CODE: ATPXP050K	\$93
2 inch Female Camlock with 50mm Hose Tail CODE: CFFCP050C	\$42
2 inch Camlock Adaptor CODE: CFFCP050A	\$17
2 inch Female Camlock Dust Cap	\$27

Dry Boom Nozzle Bodies

- » Polypropylene construction complete with quick couple cap and gasket
- » EPDM diaphragm check valve opens at 0.5bar
- » Max working pressure 20bar
- » 10mm (3/8") hose barbs single, two or three



Dry Boom Nozzles (Cross)

'Tee' Non-drip Dry boom nozzle holder with cap - 3/8' hose barbs. (Pack of 4) CODE: ATPNDVQX10CX4 **\$62***



Non-drip Dry boom nozzle holder with cap - 3/8" hose barbs (Pack of 4) CODE: ATPNDVQT10CX4 (TEE) CODE: ATPNDVQE10CX4 (ELBOW) \$62*

Other Nozzles

- » Designed for clamping around ½" spray tubes 7mm inlet size.
- » Polypropylene construction complete with quick couple cap, gasket, seal and screws EPDM diaphragm check valve opens at 0.5bar



Hinged Non-Drip Nozzles

\$37

Hinged non-drip nozzle body seal, screw & cap-suit $\frac{1}{2}$ " pipe. (Pack of 4) CODE: ATPNHVQ12CGBX4 **\$62***



Clamp Type Nozzles

Clamp type nozzle holder with diaphragm check valve, quick couple cap, gasket & bolts, to suit 1/2" pipe (Pack of 4) CODE: ATPNCVQ12CGBX4 **\$62***

*Prices include GST | See page 110 for freight costs

Category 1 & 2 Implement Pin

CODE: CHPL1C252C

Fire Fighting Hose Reels



SuperReel™ 150m **Auto-Rewind Reel**

Hose Reels

Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- » Reel constructed from rust-free UV stabilised poly
- » Improved fluid path for greater flow rates
- » All brass components no rusty water!
- » Optimised full flow ball bearing swivel easier rewinding under pressure
- » New positive reel locking device works in four positions to prevent hose unwinding in transit



30m Reel and Hose Base Mount - 10mm Hose & Free Spray Gun CODE: ATHW03B030M10G \$660*



30m Reel and Hose Side Mount - 30m Hose Reel with 10mm Hose & Free Spray Gun CODE: ATHW03X030M10G



50m Reel and Hose Base Mount - 10mm Hose & Free Spray Gun CODE: ATHW05B050M10G \$857*



100m Hose and Reel Base Mount - for 10mm Hose and Spray Gun CODE: ATHW10B100M10G **\$1.243***



36m KoReel™ Manual Rewind Reel CODE: ATHW036MANR \$1.019*



36m Fire Hose Reel (bare) Bare Fire Reel for 36m FF Hose CODE: AFHW10B19 \$514*



Spring Rewind Reel

CODE: ATHW020SR

\$1.369*

36m Fire Hose & Reel 36m x 19mm Hose with Adjustable Fire Fighting Nozzle CODE: AFHW10B036M19 \$711*

The Multi-Purpose TRAILER

You've Been Looking For!



HandiKart[™] Multi-Purpose Trailer

Applications:

Shed Cleanouts
Fencing Maintenance
Carting Hay
Moving Your Calves
Firewood
Garden Maintenance

HandiKart[™]

Multi-Purpose Trailer

Lightweight, Functional and Versatile!

Fully galvanised with rear tailgate


















WORKSAFE APPROVAL – PACKAGING GROUP 3

DANGEROUS GOODS PACKAGING APPROVED

INTERNATIONALLY CERTIFIED

Note: 400 Litre Standard Only

All TransDiesel tanks comply with AS1940-2004 and AS2809.2-2008





Did You Know?

All DieselCaptain tanks are **moulded with our unique aluminium ring** for incredible strength!

This **unique multi seal system** keeps the rain out and your diesel in

with a lockable pump cover





DieselCaptain™ 100L

with 40L/min Pump CODE: DUL0100LD040V1



DieselCaptain™ 200L

with 40L/min Pump CODE: DUL0200ALD040V1



DieselCaptain™ 400L

with 45L/min Pump CODE: DUL0400LF045V1



DieselCaptain™ 400L (Slim)

with 45L/min Pump CODE: DUL0400ALF045V1



DieselCaptain™ 200L

with 45L/min Pump CODE: DUL0200LF045V1



DieselCaptain™ 300L

with 45L/min Pump CODE: DUL0300ALF045V1



DieselCaptain™ 440L

with 45L/min Pump CODE: DUL0440LF045V1



DieselCaptain™ 600L

with 45L/min Pump CODE: DUL0600LF045V1

Capacity (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
100 ∟	STANDARD	40 L/Min	DUL0100LD040V1	\$999
100 L	800 x 680 x 465 mm (L W H)	45 L/Min	DUL0100LF045V1	\$1, 2 59
	SPACE SAVER	40 L/Min	DUL0200ALD040V1	\$1,11 8
200 ∟	800 x 680 x 710 mm (L W H)	45 L/Min	DUL0200ALF045V1	\$1,38 7
200 ∟	LOW PROFILE 1150 x 820 x 565 mm (L W H)	40 L/Min	DUL0200LD040V1	\$1,11 8
		45 L/Min	DUL0200LF045V1	\$1,38 7
300 ∟	SLIM DESIGN	40 L/Min	DUL0300ALD040V1	\$1,40 0
300 ∟	1270 x 600 x 790 mm (L W H)	45 L/Min	DUL0300ALF045V1	\$1,64 4
400 ∟	SLIM DESIGN	40 L/Min	DUL0400ALD040V1	\$ 1,537
400 ∟	400 L 1270 x 600 x 990 mm (L W H)	45 L/Min	DUL0400ALF045V1	\$1, 7 99

Capacity (Litres)	Model & Dimensions	Select Pump	Code	RRP*(\$)
	STANDARD	40 L/Min	DUL0400LD040V1	\$1,5 3 7
400 ∟	1150 x 820 x 780 mm	45 L/Min	DUL0400LF045V1	\$1, 7 99
	(L W H)	60 L/Min	DUL0400LF060V1	\$ 2,05 5
	SPACE SAVER	40 L/Min	DUL0440LD040V1	\$1,6 72
440 ∟	1700 x 880 x 620 mm	45 L/Min	DUL0440LF045V1	\$1,88 0
	(LWH)	60 L/Min	DUL0440LF060V1	\$ 2,13 6
	STANDARD	40 L/Min	DUL0600LD040V1	^{\$} 1,819
600 ∟	0.7.1.127.1.12	45 L/Min	DUL0600LF045V1	\$1, 9 67
1		60 L/Min	DUL0600LF060V1	\$ 2,22 5

Need bigger capacity?



DieselCaptain

Large Capacity Tanks

Your Refueling Partner!

These **contractor quality units** have been designed to withstand the most demanding conditions in Australia and around the world. The **extra strong tank wall provides protection** against rough treatment.

- » Fitted with Liquid Locker Safety System to eliminate surge and improve safety
- » Large pump compartment protects pump and hose from theft and the weather
- » Choice of 45L/min and 60L/min pumps
- » 6m of delivery hose for extra long reach
- » Unique breather design prevents diesel from splashing out of the tank.





DieselCaptain[™] 800L

with 45L/min Pump and Liquid lockers DUL0800LFB045V1 \$2,456*



DieselCaptain™ 1000L

with 45L/min Pump and Liquid lockers DUL1000LFB045V1

\$2,634*



DieselCaptain™ 1200L

with 45L/min Pump and Liquid lockers DUL1200LFB045V1


\$2,826*





Steel Frame Options

Capacity (Litres)	Model & Dimensions	Code	RRP*(\$)
100 L	STANDARD	ASFD00100	\$ 460
200 ∟	SPACE SAVER	ASFD00100	\$ 460
200 ∟	LOW PROFILE	ASFD00200	\$ 460
220 ∟	SQUAT TANK	ASFD00220	\$ 50 4
300 ∟	SLIM DESIGN	ASFD00400	\$ 5 96
400 ∟	SLIM DESIGN	ASFD00400	\$ 5 96
400 ∟	STANDARD	ASFD00200	\$ 460
400 ∟	SQUAT TANK	ASFD00400A	\$ 5 96
440 ∟	LOW PROFILE	ASFD00440	\$ 5 96
600 ∟	STANDARD	ASFD00440	\$ 5 96
800 ∟	STANDARD	ASFD00440	\$ 5 96
1,000 ∟	STANDARD	ASFD00440	\$ 5 96
1,200 ∟	STANDARD	ASFD00440	\$ 5 96





LIQUID

DieselSergeant[™]

Refueling Units

- » Flexible suction hose with foot strainer
- » Lockable filler cap for security
- » 4 metres of battery cables
- » Splash resistant breather
- » 4 metres of delivery hose
- » Diesel grade tank
- » Reliable 40 L/min Dieselflo® pump with integrated bypass
- » Auto shut-off nozzle prevents overfilling and fuel wastage
- » Earth strap to prevent static build up when filling tank

DieselSergeant™ 50L

with 40L/min Pump CODE: DSU0050LD040V1 \$761*

DieselSergeant™ 220L

with 40L/min Pump CODE: DSU0220LD040V1 \$1.100*

DieselSergeant™ 400L

with 40L/min Pump CODE: DSU0400ALD040V1



DieselMajor[™] with Petrol or 12v Powered Pump

- » Sleek ergonomic design available in three useful sizes, 600, 800 and 1000Lty Fuel-
- » Designed to fit across the width of a standard Ute tray
- » Provision for tie down straps to securely fasten tank onto your vehicle
- » Super Strong spring loaded retractable hose reel with 10m x 25mm hose
- » Genuine Honda GX50 motor coupled with 210L/min or Fluid 60L/min 12v pump for high performance diesel transfer



(Litres)	Description	Code	RRP*(\$)
	with 12v Pum	np Kit	
600 ∟	60L/min Pump; 10m Reel	DUCD0600LFB060V1	\$ 4,03 3
800 ∟	60L/min Pump; 10m Reel	DUCD0800LFB060V1	\$ 4,24 6
1,000 L	60L/min Pump; 10m Reel	DUCD1000LFB060V1	\$ 4,45 8
	with Petrol Pu	mp Kit	
600 ∟	210L/min Pump; 10m Reel	DUCD0600LHB210	\$ 4,5 79
800 ∟	210L/min Pump; 10m Reel	DUCD0800LHB210	\$ 4,79 8
1,000 ∟	210L/min Pump; 10m Reel	DUCD1000LHB210	\$4,967

Note: Steel Frame as optional upgrade

DieselCadet[™]

Transfer Tanks

Choose from a Complete Range of Diesel Cartage Tanks

Without Pump







Strainer



Pad-lockable Cap



Sizes from **50 to 10,000 litres**



Diesel Cadet[™] Transfer Tanks



Innovative splash resistant breather system specifically designed for diesel transport

Earth strap to prevent static build-up

Pad-lockable filler cap No-spill fill system

Filler cap with strainer

Safety chain to prevent loss

Pad-lockable cap

Removable plate allows access to tank

2" suction tube access

Code	Capacity (Litres)	Dimensions (mm)	RRP*(\$)	Baffle System (Upgrade* \$)	Frame Code	RRP*(\$) (Frame)
DTC00050L	50 L	800 x 430 x 390	\$345	N / A	N / A	N / A
DTC00100L	100 L	900 x 450 x 475	\$ 518	N / A	N / A	N / A
DTC00220L	220 L	925 x 710 x 510	\$581	N / A	ASFD00220	\$504
DTC00400AL	400 L	1620 x 710 x 510	\$ 97 5	N / A	ASFD00400A	\$596
DTC00500L	500 ∟	1250 x 1070 x 580	\$1,10 9	\$338	ASFCA00500	\$ 1,951
DTC00600L	600 ∟	1250 x 1070 x 740	\$ 1,311	\$ 190	ASFCA00500	\$ 1,951
DTC00800L	800 L	1430 x 1220 x 670	\$ 1,616	\$ 238	ASFCA00800	\$ 2,106
DTC01000L	1,000 ∟	1430 x 1220 x 835	\$ 1,777	\$288	ASFCA00800	\$2,106
DTC01200L	1,200 ∟	1720 x 1230 x 840	\$ 1,880	\$333	ASFCA01200	\$2,206
DTC01500L	1,500 ∟	1720 x 1230 x 1000	\$2,343	\$ 432	ASFCA01200	\$2,206
DTC02000L	2,000 L	2150 x 1410 x 870	\$3,083	\$ 47 5	ASFC02000	\$ 1,980
DTC02400L	2,400 L	2150 x 1410 x 1140	\$3,509	\$ 713	ASFC02000	\$ 1,980
DTC03000L	3,000 L	2430 x 1540 x 1200	\$ 4,813	\$855	ASFC03000	\$2,993
DTC04000L	4,000 L	2430 x 1540 x1450	\$5,538	\$ 1,140	ASFC03000	\$2,993
DTC05000L	5,000 L	2760 x 2000 x 1400	\$6,5 2 7	\$ 1,425	ASFC05000	\$3,942
DTC06000L	6,000 L	2760 x 2000 x 1540	\$8,321	\$ 1,710	ASFC05000	\$3,942
DTC07000L	7,000 ∟	3390 x 2250 x 1390	\$8,843	\$ 1,99 5	ASFC07000	\$4,998
DTC08000L	8,000 L	3300 x 1900 x 1850	\$10,88 4	\$ 2,280	ASFC08000	\$4,998
DTC 10000L	10,000 ∟	3480 x 2250 x 1940	\$12,921	\$ 2,850	ASFC07000	\$4,998

DieselCadet[™]

Transfer Tanks

Choose from a Complete Range of Diesel Cartage Tanks

With Pump



Sizes from 400 to 10,000 Litres

Keep Your Equipment Working with **TTi's on-site Refuelers**

Available: Forkliftable Steel Frames
see page 17

Diesel Cadet[™] Transfer Tanks with Pump

High Flow 60L/min & 80L/min electric pumps



Optional Liquid Lockers

Code	Capacity (Litres)	Pump	RRP*(\$)
DUC0600LF045V1	600 L	45 L/min	\$ 2,007
DUC0600LF060V1	600 ∟	60 L/min	\$2,228
DUC0800LF045V1	800 L	45 L/min	\$ 2,301
DUC0800LF060V1	800 ∟	60 L/min	\$2,520

rtridge Filters Code: ADC30M25F Code: ADFMM25D4 \$130* Retractable Hose Reel Code: ADHR010M25 Code: ADHR010M25 Code: AXMT001 \$293*

Fitted with Liquid Locker Safety System

Code	Capacity Litres)	Pump	RRP*(\$)
DUC1000LF060V1	1,000 ∟	60 L/min	\$ 2,70 5
DUC1200LF060V1	1,200 ∟	60 L/min	\$ 2,930
DUC1500LF060V1	1,500 ∟	60 L/min	\$ 3,280
DUC2000LF060V1	2,000 L	60 L/min	\$3,910
DUC2400LF060V1	2,400 ∟	60 L/min	\$ 4,379
DUC3000LF060V1	3,000 ∟	60 L/min	\$ 5,349
DUC4000LF060V1	4,000 ∟	60 L/min	\$ 6,53 7
DUC5000LF060V1	5,000 ∟	60 L/min	\$ 7 ,546
DUC6000LF060V1	6,000 ∟	60 L/min	\$9,377



DieselPatrol15[™] Single Axle Trailers

with 60L/min 12v Pump Kit



On-Farm Trailers (with lights - no brakes)

Code	Description	RRP*(\$)
DRX0800LF060V1	DieselPatrol™ 800L Trailer with 60L/min 12v Pump	\$8,12 0
DRX1000LF060V1	DieselPatrol™ 1000L Trailer with 60L/min 12v Pump	\$8,205
DRX1200LF060V1	DieselPatrol™ 1200L Trailer with 60L/min 12v Pump	\$8,603
DRX1500LF060V1	DieselPatrol™ 1500L Trailer with 60L/min 12v Pump	\$9,061

On-Road Trailers (with lights and brakes)

Code	Description	RRP*(\$)
DRQ0800LF060V1	DieselPatrol™ 800L Trailer with 60L/min 12v Pump	\$10,78 6
DRQ1000LF060V1	DieselPatrol™ 1000L Trailer with 60L/min 12v Pump	\$10,90 7
DRQ1200LF060V1	DieselPatrol™ 1200L Trailer with 60L/min 12v Pump	\$11, 7 39
DRQ1500LF060V1	DieselPatrol™ 1500L Trailer with 60L/min 12v Pump	\$12,18 8



See Other Accessories and Options on next page! See page 82

Flow Meter







Spring Rewind Reel

\$1.624*****

DieselPatrol15[™] Dual Axle Trailers

Huge Range of Fit-Out options



On-Farm Trailers (with lights - no brakes)

Code	Description	RRP*(\$)
DRXD1200L	Farm Sprung Dual Axle Trailer with 1200L tank	\$10, 4 59
DRXD1500L	Farm Sprung Dual Axle Trailer with 1500L tank	\$10,90 8
DRXD2000L	Farm Sprung Dual Axle Trailer with 2000L tank	\$11,7 8 7
DRXD2400L	Farm Sprung Dual Axle Trailer with 2400L tank	\$12,3 0 4
DRXD3000L	Farm Sprung Dual Axle Trailer with 3000L tank	\$14,5 1 5

On-Road Trailers (with lights - with brakes)

Code	Code Description	
DRQD1200L	On-Road Dual Axle Trailer with 1200L tank	\$14,611
DRQD1500L	On-Road Dual Axle Trailer with 1500L tank	\$15,06 6
DRQD2000L	On-Road Dual Axle Trailer with 2000L tank	\$16,11 9
DRQD2400L	On-Road Dual Axle Trailer with 2400L tank	\$16,6 5 0
DRQD3000L	On-Road Dual Axle Trailer with 3000L tank	\$18,5 5 5

*Prices include GST | See page 111 for freight costs



PantherPatrol™ Diesel Trailers

Optimum Functionality and Design

PUMP KIT COMPLETE WITH DELIVERY HOSE CHOOSE & AUTO FROM 45,60,210 & 490 L/min PUMP KITS

Lid with splash resistant breather, 2" filler tube and earth strap

6M

NOZZLE



PantherPatrol 1100L (On-Farm)

Pump not included; see table for pump options available CODE: DRPX1100L

\$9,223*

PantherPatrol 1100L (On-Road)

Pump not included; see table for pump options available CODE: DRPQ1100L

pattern

\$11,954*

Pump Options Code **Description RRP*(\$)** 490L/min Petrol driven \$2,308 ADPX4900ZK GX160 Honda Pump Kit 210L/min Petrol driven 1,741 ADPX210MPK GX50 Honda Pump Kit 60L/min 12 volt Pum Kit ADPF060V1K 948 6m x 1" Delivery Hose 45L/min 12 volt Pump Kit; ADPF045V1K 6m x 3/4 " Delivery Hose **Flow Meter Options** RRP*(\$) **Description** Code 5-Digit Electronic Flow ADFPE25D5 \$299 meter; 1" ports 4-Digit Mechanical ADFMM25D4 \$293 Flow Meter; 1" Ports **Additional** Options Code **Description RRP*(\$) Spring Loaded Diesel** Hose & Reel with 10m of \$1,624 ADHR010M25 25mm Hose Diesel Catridge Filter ADC30M25F \$130

Assembly

Lid & Filter

- » Pad-lockable, non vented diesel filler lid with strainer & anti-loss chain
- » Used in all TransDiesel units
- » #50 mesh filter at fill point helps prevent contamination of your fuel

Diesel Lid Cap with Chain CODE: ADLC001CCT \$30*

Lid & Filter Assembly CODE: ADLC001CCF \$147*

Fuel Level Gauge

Never guess your fuel level again!

- » Fits neatly beside filler cap
- » Easy to read fuel level gauge for DieselCaptain units



CODE	DESCRIPTION	RRP*(\$)
ADLM01MK	250mm Fuel Level Gauge	\$ 110
ADLM02MK	300mm Fuel Level Gauge	\$ 116
ADLM03MK	400mm Fuel Level Gauge	\$122
ADLM04MK	500mm Fuel Level Gauge	\$126
ADIMOSME	600mm Fuel Level Cauge	\$122

Auto Shut-Off Diesel Nozzles

Reliable Auto Shut-Off Nozzles in 2 Sizes

3/4" Manual Fuel **Dispensing Nozzle**

BSP Connection: Aluminium Construction CODE: ADGM20 \$91*



3/4" Auto Shut-off **Fuel Dispensing Nozzle**

Supplied Standard with all 45L/min Pump Kits CODE: ADGA20

\$145*

1" Auto Shut-off **Fuel Dispensing Nozzlo**

Supplied Standard with all 60L/min Pump Kits CODE: ADGA25

\$233*

Hose Swivels

- » Avoid Tangled Hoses
- » with These Swivels



3/4" Brass Hose Swivel 3/4" MBSP to 3/4" FBSP CODE: CFSBB20M20F **\$62***



1" Brass Hose Swivel 1" MBSP to 1" FBSP CODE: SW25M25F

Diesel Hose

- » Choose from 6 & 10 metre hose lengths
- » Choose from ¾" and 1" hose diameter
- » High quality diesel grade hose with crimped fittings
- » Hose kinking prevented by anti-kink spring



	49 49	
Code	Description	RRP*(\$)
ADZF6M20	Diesel hose 6 metres 20mm with crimped ends	\$132
ADZF10M20	Diesel hose 10 metres 20mm with crimped ends	^{\$} 166
ADZF6M25	Diesel hose 6 metres 25mm with crimped ends	\$213
ADZF10M25	Diesel hose 10 metres 25mm with crimped ends	\$ 257

Diesel Filters

Keep Your Fuel Clean! Easy to Fit to Your Fuel Line

- » 30 micron filtration controls sediment. Special water absorption technology to capture water traces in fuel.
- » Aluminium filter holder supplied with water & sediment filter cartridge.





Diesel Cartridge Kit CODE: ADC30M25F \$130*



Diesel Cartridge Filter CODE: ADC30M25C \$97*

Heavy Duty Hose Reel

Dual Pedestal Strong Steel Construction Retractable Reels

- » BSP fittings on hose
- » Spring loaded retractable reel
- » Heavy duty steel construction
- » Hose feed guide with stopper
- » Secure 4 point mounting
- » 1" BSP swivel & inlet for increased flow
- » Made in Italy
- » 2 sizes to choose from 10m of 25mm or 20mm hose



Digital Flow Meter

Measure the flow of your fuel with these handy flow meters digital simple to use & easy to fit helps you keep track of your fuel usage

- » Turbine measuring system measures in litres, gallons, pints and quarts
- » Easy to install at either end of the delivery hose. Can be calibrated
- » 5-digit easy to read LCD display powered by lithium battery (CR2)
- » Fluid Type: For diesel, kerosene & Diesel Exhaust Fluid eg; Ad Blue™, NoNox®, Air1®
- » Flow Rate: 10-100 LPM / 3-26 GPM
- » Max. Operating Pressure: 72psi / 5bar
- » Inlet/Outlet: 1"

Mechanical Flow Meter

Large, Easy to Read Display

- » Large, Easy to Read Display
- » 4 digit subtotal + 8 digit total
- » 20-120 L/min flow rate
- » Max flow measurement 999.9 Litres
- » Max operating pressure 3.5bar/50psi
- » +/- 1% accuracy
- » 1" ports

4-Digit Flow Meter (Mechanical) CODE: ADFMM25D4

\$293*





Honda GX50 Diesel Pump

210L/min Petrol-Powered Pump Kit

- » 210 L/min pump kit with viton seals
- » Complete with auto shut-off nozzle
- » 6m of 25mm delivery hose
- » 2m of 38mm suction hose
- » GX50 Honda motor, pressure relief with 1m hose



Diesel Pump 210L/min GX50 Pump Kit Code: ADPX210MPK

1.741*

Diesel Pumps (pump only)

12v Transfer40 Pump

- » 12 volt 40 L/min open flow rate
- » Improved heavy duty switch
- » Supplied with suction filter
- » 3/4" BSP ports
- » Self priming
- » Reliable & compact
- » Redesigned integrated bypass valve
- » 4 metres of electrical cable with battery clips

Transfer40 40L/min Pump 12v with Battery Cables CODE: ADPX040V1P \$309*

12v 45L/min Fluid Pump

- » 12 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 4 metres of electrical cable with battery clips
- » 1' Female threaded ports
- » Self priming
- » Reliable & compact
- » Made in Italy



12v 60L/min Fluid Pump

- » 12 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 4 metres of electrical cable with battery clips
- » 1" BSP ports
- » Self priming
- » Reliable & compact
- » Made in Italy



24v 60L/min Fluid Pump

- » 24 volt rotary electric vane pumps
- » Integrated suction filter & bypass valve
- » 1" BSP ports
- » Self priming
- » Reliable & compact
- » Made in Italy
- » 4 metres of electrical cable with battery clips

Fluid 60L/min Pump

24v with Battery Cables CODE: ADPF060V2P \$731*



240 v 60L/min Fluid Pump

- » 60 L/min 240 volt diesel pump kit
- » 2 metres of 25mm suction hose
- » Made in Italy
- » 1" Female BSB Threaded Ports

Fluid 60L/min Pump 240 with Battery Cables CODE: ADPF060V3P \$807*



12v L/min EquipCo Pump

- » 12v 80L/min EquipCo Pump
- » Easy clean suction strainer
- » On/off switch on pump
- » 11/4" threaded ports



Diesel Pumps (kit)

12 v 40L/min Transfer40 Kit

- » Improved heavy duty switch
- » Supplied with suction filter
- » 3/4" BSP ports
- » Self priming
- » Reliable & compact
- » 4 metres delivery hose
- » 2 metres of 25mm suction hose
- » 4 metres of electrical cable with battery clips

DieselFlo 40L/min Kit

12v with Battery Cables CODE: ADPX040V1K \$453*



12v 45L/min Piusi Kit

- » Automatic nozzle with swivel to prevent hose tangles
- » Easy clean suction strainer
- » 1" Suction; 34" Discharge Tails
- » Bypass valve integrated on pump body
- » 4 metres of power cable + battery clips
- » 2 metres of 25mm suction hose
- » 6 metre delivery hose
- » Made in Italy

Piusi 45L/min Kit

12v with Battery Cables CODE: ADPF045V1K \$729*



12v 60L/min Fluid Kit

- » Automatic nozzle with swivel to prevent hose tangles
- » Easy clean suction strainer
- » 1" BSP threaded connectors
- » Bypass valve integrated on pump body
- » 4 metres of power cable + battery clips
- » 2 metres of 25mm suction hose
- » 6 metre delivery hose
- » Made in Italy

Fluid 60L/min Kit

12v with Battery Cables CODE: ADPF060V1K

\$948*



24v 60L/min Fluid Kit

- » 60L/min 24 volt diesel pump kit
- » 4 metres of power cable + battery clips
- » 2 metres of 25mm suction hose
- » 6 metres of 25mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle
- » Made in Italy

Fluid 60L/min Kit 24v with Battery Cables CODE: ADPF060V2K \$991*

240 volt 60L/min Fluid Kit

- » 60L/min 240 volt diesel pump kit
- » 2 metres of 25mm suction hose
- » Made in Italy
- » 6 metres of 25mm anti-static delivery hose with anti-kink spring and auto shut-off nozzle



12 v 80L/min EquipCo Pump Kit

- » Automatic nozzle with swivel to prevent hose tangles
- » Easy clean suction strainer
- » On/off switch on pump
- » 1¼" threaded ports



EquipCo 80L/min Kit

12v with Power Cord

\$**1,551**

BlueMission™

Diesel Exhaust Fluid (DEF)

Dispenser with 35L/min flow rate

Fully enclosed **lockable pump compartment** for security and protection

- » 35L/min flow rate
- » Stainless steel lid and auto shut-off nozzle for controlled dispensing
- » Stainless steel pump with internal bypass for durability and ease of use
- » Stainless steel breather mounted behind lid
- » 4m of electrical cable with battery clips
- » EPDM gaskets and seals
- » Tank manufactured from urea grade polyethylene Diesel Exhaust Fluid (DEF) compatibility

» Filler cap Diesel Exhaust Fluid (DEF) compatible





BlueMission™ 200L

200 Litre with 35L/min Pump and Auto Nozzle DIM: 800 X 680 X 710 (MM) CODE: DAL0200ALT035AV1

\$2,010*

Affordable Bulk **AdBlue**Transportable Tanks

Enjoy the poly advantage of No Rust!

Tanks are **designed to carry the extra weight** of AdBlue

Extra **UV stabilisation** - protects the tank from ever deteriorating in direct sunlight

20-year tank warranty

Call us Today to Discuss

Your Specific Requirements





ш FIGHTING









Fire Fighting Kit with Honda GX160 & Davey Fire Fighting Pump

Poly hose reel with handle for winding up - complete with 36 metres of 19mm hose and adjustable fire fighting nozzle

» Honda GX160 motor powers 1.5" fire fighting pump for reliable performance. 3-year warranty

- » 1.5" Davey Fire Pump 500L/min max flow
- » Bottom fill kit supplied Storz fittings available
- » Pressure regulator fitted to pump for pressure control & safer operation. Return line to tank with fittings included
- » Anti-vibration mounting
- » Ball valve with fittings
- » Suction **Hose**

Fire Fighting Kit
CODE: AFR4900ZH4
\$2.841*



Rewind KoReel[™]

Robust frame - Comes with spring self-winding type and manual winding type



20m Spring Rewind KoReel™
CODE: ATHW020SR

\$1.369*

36m Manual Rewind KoReel™
CODE: ATHW036MANR

\$1.019*

Fire Fighting Poly Hose Reel

- » Redesigned frame for extra strength
- » All new fluid path with brass fittings means no rusty water
- » Secure and positive reel lock device prevents hose unwinding while in transit
- » 36m x 19mm hose (AS 1221)
- » Complete with adjustable fire fighting nozzle
- » 1" brass swivel



Fire Hose Reel (bare)
CODE: AFHW10B19
\$ 514*

36m Fire Hose & Reel CODE: AFHW10B036M19 \$711*



www.tti.com.au



Honda GX50 with 210L/min Pump DIM: 925 X 710 X 810 (MM) CODE: SF0220LZ

\$1.966*****

Honda GX50 with 210L/min Pump DIM: 1620 X 710 X 810 (MM) CODE: SF0400LZS \$2.184*****

FireCombat™ 400L Unit

Highly Efficient Portable Fire Fighters

- » GX160 Honda motor coupled with 1½" Davey fire fighting pump
- » Pressure relief valve and bypass to protect pump
- » Camlock fittings and quick fill kit for filling from external water source
- » 18m x 19mm Fire Hose with adjustable aluminium nozzle

FireCombat™ 400L

Honda GX160 with Davey Pump DIM: 1620 X 710 X 810 (MM) CODE: SF0400LZ





FireDefence™ Slip-On Fire Fighter

In a class of its own!

Heavy Duty Fire Fighters That Slide Easily Into Your UTE or trailer

- » UV stabilised polyethylene tank for long life, with 20-year warranty
- » Honda GX160 engine with Davey Pump & 36m Hose Reel
- » Low profile design for safety, stability and ease of operation
- » Liquid Locker baffling system fitted to eliminate surge
- » 6m quick fill suction kit for filling from channels, dams, rainwater lanks etc.
- » Smart easy plumbing allows fast changeover of hoses when filling







Davey Pump Now Fitted with **Davey Single Impeller Pump!**

FireDefence™ 600L

DIM: 1700 X 1000 X 990 (MM) CODE: SFD0600LZ

\$4.324*

700 mm

FireDefence™ 800L

DIM: 1700 X 1000 X 1155 (MM) CODE: SFD0800LZ

\$4,433*

FireDefence™ 1000L

DIM: 1700 X 1000 X 1320 (MM) CODE: SFD1000LZ

\$4,649*

UPGRADE **OPTIONS**







20m Spring Rewind ADD "S" TO END OF CODE \$350*

*UPGRADE PRICE

FireAttack™ Deluxe Skid-Mounted Units

Slip-On Fire Fighting Units

Heavy Duty Fire Fighters That Slide Easily Into Your UTE or trailer

- » GX200 Honda engine coupled with 400L/min Davey Twin Impeller Fire Pump
- » Heavy duty hose reel with 36m x 19mm hose, safety locking catch and adjustable twist type aluminum nozzle.
- » UV stabilised; Heavy-Duty; Fully drainable tank with 20-year warranty; Light-weight and durable with Liquid locker Safety System
- » Pressure relief bypass fitted to tank ensures pump remains cool when in operation. Excess pressure returns to tank.
- » 4 x lifting eyelets; 150 x 100mm RHS forklift pockets. Units can be lifted from all four sides







FireAttack™ 400L
1600 X 1220 X 1000 (MM)
CODE: PFUS0400LZF

\$ 5.282*



\$5,356*

FireAttack™ 600L

CODE: PFU0600LZF \$5.571*

FireAttack™ 800L

1900 X 1440 X 810 (MM) CODE: PFU0800LZF

\$5,724*

FireAttack™ 1000L

1900 X 1440 X 980 (MM) CODE: PFU1000LZF

\$5,911*

FireAttack™ 1500L 1900 X 1700 X 1250 (MM) CODE: PFU1500LZF

\$6,250*

MAIN FEATURES









Fighting Units



AquaPath Water Cartage Units

> Pictured with Optional Hvdrant Fill Lid

Now featured standard! **Dual Deflector Sprayer Kit** with wireless remote control!

AquaPath™ Upgrade Options

Engine Motor Upgrade

Upgrade to recoil or electric start 4.8 Hp Yanmar Diesel Engine or Honda GX200E with Electric Start



Honda GX200E Petrol with Electric Start

UPGRADE PRICE:

\$1.350*



Yanmar Diesel Engine 4.8hp Electric Start, with Battery Pack UPGRADE PRICE:

\$3.990*



Ensure your new water cart complies with local regulations by adding this filling option



3" Hydrant Fill Lid

with 1-way valve and camlock CODE: ARHO80F

1.953'

Extra Hose Reel

Double your efficiency by adding a second hose reel



Heavy Duty Hose & Reel

36m x 19mm Hose CODE: AFHW10B036M19

Spring Rewind Reel

Powder-coated Steel Construction



Spring Rewind Reel 20m x 19mm Hose

CODE: ADD 'S' TO END OF CODE UPGRADE PRICE

ALL NEW RANGE! Packed with amazing new features!

- ✓ Heavy duty poly tanks with 20 Year warranty
- Galvanised steel frame with forklift pockets
- Genuine Recoil Honda engines coupled with Davey
- **▼** Twin Impeller pumps
- ✓ Liquid Lockers Baffle System fitted
- **Skid design** allows it to be easily mounted onto any flat tray truck

AguaPath™ with GX200 Honda and Twin Davev Pump & Wireless Control Deflectors

CODE	CAPACITY	DIMENSION (mm)	RRP*(\$)
PFU2000LZ	2,000 L	2910 x 1410 x 958	\$10, 522
PFU2400LZ	2,400 L	2910 x 1410 x 1228	\$10,88 6
PFU3000LZ	3,000 L	3020 x 1540 x 1340	\$13,14 0
PFU4000LZ	4,000 L	3020 x 1540 x 1590	\$14,31 6
PFU5000LZ	5,000 L	3500 x 2000 x 1569	\$15,99 4
PFU6000LZ	6,000 L	3500 x 2000 x 1709	\$1 7,97 1
PFU7000LZ	7,000 L	4100 x 2200 x 1559	\$19, 2 51
PFU8000LZ	8,000 L	4100 x 1900 x 2019	\$ 20,810
PFU10000LZ	10,000 L	4100 x 2250 x 2479	\$ 22,428

*Prices include GST | See page 110 for freight costs Free Call 1800 816 277 | sales@tti.com.au | www.tti.com.au

FirePatrol14[™] Fire Fighting Trailer

Hitch & Go Convenience in a Great Value Package

- » 1½" Single Impeller Davey 500L/min fire fighting pump open flow with pressure relief protection
- » Tail, brake, indicator & number plate lights (Road version only)
- » Fire fighting hose reel with 36 metres of 19mm hose
- » GX160 Honda Motor
- » Road trailers have hydraulic brake system
- » 14" wheels with Ford hub pattern
- » LiquidLocker™ Baffling System Fitted

Now fitted with LiquidLockers™ Baffle System!



Deflector Spray Head CODE: ARY0038BV \$620*



FirePatrol14™ 1000L (On Road)

CODE: SRFQ1000LZ

\$8,977*

Single Axle - Fire Fighting Trailer - with Brakes

Honda GX160; Single Impeller Davey Pump

FirePatrol14™ 1000L (On Farm)

Single Axle - Fire Fighting Trailer - No Brakes Honda GX160; Single Impeller Davey Pump CODE: SRFX1000LZ

\$**7,750***

Scan to see
his product
in action!

FirePatrol15™ Water Cart Trailer

Australia's No: 1 Water Cartage Trailer

Multipurpose Heavy Duty Trailer for Fire Fighting, Dust Suppression and Tree Watering

> Scan to see this product in action!

> > Z50 784 C

- » Galvanised steel frame and mudguards with new 15" wheels
- » Durable **UV stabilised** polyethylene tank

» Equipped with Honda GX200 engine and Davey Twin Impeller pump, 36 metre fire fighting hose reel with adjustable nozzle

» Bottom fill kit is standard

On-Farm (No Brakes)								
800 Litres	CODE: PRFX0800LZ	\$ 8,963 *						
1,000 Litres	CODE: PRFX1000LZ	\$9,283* "						
1,200 Litres	CODE: PRFX1200LZ	\$10,463 *						

C	n-Road (With Brak	es)
800 Litres	CODE: PRFQ0800LZ	\$11, 2 34*
1,000 Litres	CODE: PRFQ1000LZ	\$11,713 *
1,200 Litres	CODE: PRFQ1200LZ	^{\$} 12,694*

UPGRADE OPTIONS



Deflector Spray Head with Remote Control CODE: ARY0038AV

\$2,095*

What Makes a FirePatrol15[™] Unique?

Perfect for small civil projects and any other application for getting... "water to where you need it."

UV stabilised lightweight poly tank fitted with liquid **locker Safety System**

Rear pump plate ensures operator safety. Eliminates chances of operator being trapped between vehicle and trailer



Large 50mm solid axle with eye-eye springs and 6-stud hubs

Extra gussets for











added strength





Filled in chequer plate mudguards prevent road grime flicking onto tank

Reinforced A-Frame drawbar. 100 x 50mm BHS steel


Unique tank positioning distributes weight evenly when empty and full

Large 15" wheels with Sunravsia rims ensures smooth towing


We Are an **Approved VicRoads Trailer Registration** Dealer!

Standard sprung axle farm trailer with no brakes or on road model fully equipped with brakes and lights

SPEC UP Your Fire Trailer with These Options:



Diesel Engine Electric Start \$3,990*



Petrol Engine Electric Start \$1.350*




Spring Rewind Hose Reel \$658*



Hydrant Fill Lid \$1.953* ARH080F



Dual Deflector Sprayer kit **\$2.430*** ARY0038AVX2



Single Deflector with Remote Control ARY0038AV

Australia's No. 1 Choice!

Fire Fighting

Tandem Trailer

Robust, safe and engineer approved, the Patrol15 line up if water cartage trailers are still being voted 'Best & Fairest' on and off the road! High performing and versatile, they make putting 'water to work' a pleasure!





Scan to see this product



Used by reputable hire companies around Australia!

coateshire





On-Farm (No Brakes)

FirePatrol15™ 1500L CODE: PRFXD1500LZ

\$13,368*

FirePatrol15™ 2000L

CODE: PRFXD2000LZ \$14,581*

FirePatrol15™ 2400L

CODE: PRFXD2400LZ \$14,986*

FirePatrol15™ 3000L CODE: PRFXD3000LZ

\$16,490*

AXQ-797

On-Road (with Brakes)

FirePatrol15™ 1500L CODE: PRFQD1500LZ

\$17,128*****

FirePatrol15™ 2000L

CODE: PRFQD2000LZ \$18,397*

FirePatrol15™ 2400L

CODE: PRFQD2400LZ \$18,725*

FirePatrol15™ 3000L

CODE: PRFQD3000LZ

\$21.280*



Dribble Bar

\$1.247***** ARD1800BV



Spare Wheel

\$864* AQW015LK



Wheel Chocks

\$689* AQCW001K



2 x LED worklights, Beacon, Reverse Alarm

> \$2.719* AQSLB001V1



Fire **Extinguisher**

> **\$663*** AQSFD045K



Fire Sprayer

\$459* PFK0016L





\$10,228*















Storm™ Civil Spec Water Truck

Designed to withstand the harshest of conditions, the Storm Chassis Mounted Truck will deliver greater efficiencies when applying water on site.





Now Featuring!

10080 XHD Water Pump

The 10080 XHD Series water pump is designed and manufactured in Australia specifically for water trucks. 10080XHD pumps offer optimum performance for dust suppression applications.

A robust design ensures maximum service life in the harshest conditions.



Now Featuring!

TouchStream Technology

Unlike hydraulic driven water pumps, where water flow varies with engine rpm, TST technology delivers constant water flow, regardless of the RPM.

The advantages are reduced wear and tear on both pump and truck, significant fuel savings and constant water



Note: Only with Hydraulic Driven Pumps

Options

Pressure Bar

Dribble Bar



Water Cannon



Front Sprays









Cascade™ Landscape Spec Water Truck

The ultimate landscape spec water truck! This purpose built water truck is designed to save watering time by being more accurate, simple to use and easy to operate.







FloodRite[™] Tipper Water Carts

Specifically Designed for Tip Trucks

Applications

Dust Suppression
Soil Conditioning
Landscape Watering
Civil Works
and More!

NEW! TANK SIZES

Features:

- ✓ Choice of Honda Petrol or Yanmar Diesel Engines
- ✓ Heavy duty skid mount frame with forklift pockets
- ✓ Liquid Locker[™] Anti-surge baffling system fitted
- **♂ 3" Hydrant Fill lid** (air gap filler)



Self-Loading Legs **Dribble Bar Pressure Bar Water Cannon Easy Mounting Kit**

Slip-On "Options"

xTreme Wash Down and Pressure Washing Trailer Main Features: Washdown - choice of Honda petrol or Yanmar diesel engines with Davey pump for washdown Pressure Washing - choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pump Wireless remote control with motor on/off and spray bar on/off 20m x 25mm hose and reel **Baffle Ball Safety System fitted** Tank Sizes: 800 to 3,000 Litres

1800 **816 277**

Product Directory





17

18

18

19

20

28

30

30

31

32

34

36

38 39

39

40

42

43

44

45

46

46

47

48

50

53 54

54

55

56

57

57

60

Water Cartage Tanks
AquaTransTM/AquaMoveTM (20L to 17000L)
Mounting Frames/Pins
Modular Tank Systems
TransLocTM (6000L to 30000L)
InterLocTM (5000L to 25000L)
SumpTransTM (100L to 13000L)
Tank Accessories






WeedMasta™ 16R - Rechargeable Knapsack Sprayer **Inter™** - Compression Sprayers **Inter™ Elite** - Knapsack Compression Sprayers **Inter™ Industrial** - Compression Sprayers WeedControl™ - 12v Spot Sprayers WeedControl™ - 12v Trailer Sprayers OnTray™ - UTV 12v Sprayer Strike™ - UTV 12v Sprayers ReelStrike™ - Professional UTV 12v Sprayers OnDeck™ Sprayer - UTV Mounted Sprayers **SpotPro™** - Professional Spot Sprayers **TopCrop™** - UTE Mounted Field Sprayers **TopCrop™** - Field Sprayers with SuperReel **TopCrop™** - Field Sprayers with Twin SuperReel's SpotPro™ Deluxe - Spray Trailers TrailPro™ - Spray Trailers **TrailPro™ Deluxe** - Spray Trailers GlidePath™ Deluxe - Professional Spray Trailers **LinkOn™** - 3 Point Linkage Sprayers **LinkOn™ Plus** - 3 Point Linkage Sprayers **SilageMasta**TM - Applicators Foam Markers and GPS Guidance Systems **Delavan™** - 12v Pumps Spray Accessories Bertolini™ - Pumps **Engines & Pumps Spray Accessories**

Spray Lances/Guns	61
Nozzle Kits	64
Spray Booms/Steel Booms	65
Spray Tips	68
Hose Reels	71
HandiKart Trailer	72
	-







FIRE FIGHTING

Units / Equipment

StandBy10™ - Tractor Mount	90
BackUp16™ - Knapsack Fire Fighter	90
AquaGuard™ - Home Protection Units	91
FireGuard™ & FireCombat™ - Portable Fire Fighters	93
OnDeck™ - UTV Fire Fighting Units	93
FireDefence™ - Slip-On Fire Fighting Units	94
FireAttack™ Deluxe - Slip-On Fire Fighting Units	95
AquaPath™ - Water Cartage Units	96
FirePatrol14™ - Fire Fighting Trailers	98
FirePatrol15™ Single/Dual Axle - Fire Fighting Trailers	99
PantherPatrol™ - Fire Fighting Trailers	102



INDUSTRIAL

Equipment

FloodRite™ - Slip-On Units	104
FloodRite™ - Chassis Mount Units	100
xTreme™ Multi-Purpose Trailer with Pressure Washer	108

freight rate guide

Note: If multiple products are being ordered, **Please contact for consolidated freight quote.**

All active dealers in zones 1 and 2 have access to FIS Stock orders. Call 1800 816 277 for details.

*Prices include GST | See page 110 for freight costs

	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5		ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5
All Bare Tanks 100 - 400 L	\$ 40	\$ 70	\$90	\$ 100	\$100	Diesel Units 100 - 400 L	\$50	\$60	\$80	\$80	\$ 120
All Bare Tanks 500 - 1500 L	\$ 90	\$ 150	\$ 200	\$300	\$350	Diesel Units 440 - 1200 L	\$ 60	\$100	\$1 8 0	\$200	\$200
All Bare Tanks 2000 - 4000 L	\$ 200	\$350	\$ 450	\$500	\$ 650	Diesel Units 1500 - 6000L	\$300	\$600	\$900	POA	POA
All Bare Tanks 5000 - 17000 L	\$300	\$500	\$ 750	POA	POA	Diesel Trailers 600 - 1500 L	\$300	\$700	\$900	POA	POA
						Diesel Trailers 2000 - 3000 L	\$550	\$800	\$ 1400	POA	POA
											_
Compression Sprayers All Sizes	\$20	\$20	\$30	\$30	\$35	Fire Units 220 - 400 L	\$ 60	\$ 80	\$1 5 0	\$1 0 0	\$1 5 0
Spot Sprayers 34 - 150 L	\$30	\$30	\$ 45	\$90	\$90	Fire Units 220 - 400 L Fire Units 500 - 1500 L	\$80	\$100	\$150 \$200	\$100 \$270	°150 POA
Spot Sprayers 200 - 225L	\$40	\$60	\$100	\$120	\$15O	Fire Units 500 - 1500 L	\$300	\$450	\$550	POA	POA
Spot Sprayers 300 - 400 L	\$60	\$100	\$150	\$200	\$250	Fire Units / AquaPath 5000L - 17000 L	\$400	\$550	\$750	POA	POA
Field Sprayers 500 - 1000 L	\$200	\$300	\$400	\$550	POA	Fire Trailers 600 - 1200 L	\$300	\$700	\$900	POA	POA
Spray Trailers 200 - 400 L	\$100	\$200	\$350	\$450*	\$450*	Fire Trailers 1500 - 3000 L	\$550	\$800	\$1 400	POA	POA
Spray Trailers 600 - 1500 L	\$300	\$700	\$850 \$550	POA	POA	THE TRAILETS				. OA	
Linkage Sprayers 300 - 1000 L Rinse Bins 50 - 200 L	\$150 \$50	\$300 \$70	\$550 \$90	\$600 \$110	\$600 \$110						
Booms 6 - 8m	\$ 80	\$100	\$150	\$180	\$200						
Booms 10 - 12m	\$100	\$200	\$350	\$400	\$400	FloodRite 3000 - 4000 L	\$400	\$600	\$800	\$900*	POA
Booms 10 - 12m	100	200	*350	1400	1400	FloodRite 5000 - 13000 L	\$600	\$800	\$ 1400	POA	POA
	1161211111					*Approximate Pricing		300			
Handi Karts	\$100	\$ 200	\$300	\$400	\$400						
						100	-			-	
			A	-							
	-	- 1		with the same of t					tti)		1
	II A		1/100						\forall		1
		VY					X-				
241111		9		1-			Sui		THE STATE OF		
				100	TOTAL S			10 19			
	1.	3/1	1000	-	Name and Address of the Owner, where	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND			-	A CONTRACTOR OF	-



