2022 Product Catalogue



TANKS Liquid Transport

FIELD Sprayer Units





VALID FROM 1st AUG 2022



DISCLAIMER

There may be information in our catalogue that contains typographical errors, inaccuracies, or omissions that may relate to product descriptions, specifications, pricing and other details. All weights, measurements and colours shown, are best approximations. Trans Tank International (TTi) cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. TTi reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice.

WE DESIGN, DEVELOP AND MANUFACTURE LIQUID TRANSPORT TANK SOLUTIONS HERE IN AUSTRALIA

Built for the tough Australian landscape and exported across the world, we offer water cartage, weed spraying, diesel tank and fire fighting solutions for farmers and civil contractors.





Reliable, dependable solutions you could still be using 20 years from now



Simple, easy and intuitive to use – no matter how experienced you are



ABOVE AND Beyond Service

Friendly, helpful support when you need it for the life of your product



UNIQUELY Australian


Australian-owned and made for the tough Australian landscape

SAFEST TANKS In Motion

Reduce your risk with the true liquid transport tank specialists

THE WORLD'S MOST Reliable Liquid Transport Tank Solutions

TTi, or Trans Tank International is respected as Australia's Leading Manufacturer of rotationally moulded poly tanks, and has been for over 20 years.









4

WHO ARE WE

WE PRIDE OURSELVES ON BEING:





ENVIRONMENTALLY

AWARE



We generate enough solar power to run our entire factory



We commit to recycle wherever possible & continually economise our processes

COMMITTED TO THE HEALTH & SAFETY OF OUR PEOPLE

We are passionate about OH&S and constantly strive for excellence















Respect









Passion





PRODUCT DIRECTORY



AquaTrans [™] & AquaMove [™]	14	
LiquidLocker™	19	
AquaDelivery™	20	
TransLoc™	22	
InterLoc™	23	
SumpTrans™	24	
Tank Accessories	30	



VeedMasta™ 16R	37
VeedControl™	38
NeedControl [™] Trailed	40
Strike™	42
ReelStrike™	43
DnDeck™	44

6

PRODUCT DIRECTORY

OnDeck™ Standard48SpotPro™50SpotPro™ Deluxe51TopCrop™52SuperReel™ Single54SuperReel™ Twin56TrailPro™58TrailPro™60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86Pinnacle™ Plus'87	OnDeck [™] Compact	46
SpotPro™ Deluxe51TopCrop™52SuperReel™ Single54SuperReel™ Twin56TrailPro™58TrailPro™ Deluxe60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	OnDeck [™] Standard	48
TopCrop™52SuperReel™ Single54SuperReel™ Twin56TrailPro™58TrailPro™ Deluxe60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	SpotPro™	50
SuperReel™ Single54SuperReel™ Twin56TrailPro™ Deluxe60GlidePath™ Deluxe60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	SpotPro [™] Deluxe	51
SuperReel™ Twin56TrailPro™58TrailPro™ Deluxe60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	TopCrop™	52
TrailPro™58TrailPro™ Deluxe60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	SuperReel [™] Single	54
TrailPro™ Deluxe60GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	SuperReel [™] Twin	56
GlidePath™62SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	TrailPro™	58
SuperTrail™64SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	TrailPro [™] Deluxe	60
SilageMaster™66LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	GlidePath™	62
LinkOn™68Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	SuperTrail™	64
Spray Accessories72Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	SilageMaster™	66
Remco 12v Pumps73Spray Hose78SuperReel™79Compact™ Spray Boom86	LinkOn™	68
Spray Hose78SuperReel™79Compact™ Spray Boom86	Spray Accessories	72
SuperReel™79Compact™ Spray Boom86	Remco 12v Pumps	73
Compact [™] Spray Boom 86	Spray Hose	78
	SuperReel™	79
Pinnacle™ 'Plus' 87	Compact [™] Spray Boom	86
	Pinnacle™ 'Plus'	87



DieselSergeant™	92
DieselMajor™	93
DieselCaptain™	94
DieselCadet™	98
DieselCadet [™] with pump	102
DieselPatrol14 [™]	105
DieselPatrol15™	106
Diesel Accessories	110
BlueMission™	114



FireGuard™	118
FireBoss™	119
FireDefence™	120
FireAttack [™] Deluxe	122
AquaPath™	124
FirePatrol14™	128
FirePatrol15™	130
PantherPatrol™	134



WHAT'S NEW



See page 48

OnDeck[™] 100m SuperReel[™]

300L UTV Sprayer

- Single 100m or 150m 12v
 SuperReel[™] Auto-rewind Reel
- Honda GX200 Engine
- Standard Design Suited for Kubota and LandBoss



OnDeck[™] Twin SuperReel[™]

300L UTV Sprayer

- 50m or 100m Twin SuperReels
- Honda GX200 Engine
- Compact Design
- Fits UTVs including Polaris and Kubota



See page 73

Remco 12v Pumps

Professional 12v Spray Pumps

- High Flow Rate with Less amp Draw
- Longer Duty Cycle
- 2000 Hour Life Expectancy
- 12-Month Warranty



Compact Booms 4m, 6m & 8m

Galvanised Compact Spray Booms

- Breakaway Boom with Nozzle Protection
- Hot Dip Galvanised for Longevity
- Compact, Low-Profile Design



See page 68

8

LinkOn™

3PL Sprayer

- Slotted Boom-Mount Brackets for Easy Boom Height Adjustment
- New 'Compact' Boom Design -Reduced Stress on Boom and Sprayer
- Optional Side Step for Easy Lid Access (600L - 1000L)



See page 79

SuperReel[™] 50m & 100m/150m

Auto-Rewind 12v Reel - New Enhanced Design

- Powerful Belt-Driven 12v Motor
- Geared Reduction for Maximum Torque and Power Efficiency
- Easy Bolt-Down Points with Tough Powder-Coated Finish



WHAT MAKES TTI'S **TANKS UNIQUE?**

WATER CARTAGE TANKS

Tank Sizes: 20 Litres to 17,000 Litres



Over 20 years specialising in the manufacture of quality water cartage tanks

TTi has over 20 years specialising in the manufacture of quality water cartage tanks. We do not dilute our focus by producing storage tanks and other rotomoulded products.

Did you know the DNA of every TTi tank is recorded? This combined with rigorous quality checks including ultrasound thickness testing and laboratory impact testing ensures that our clients are getting the very best available tanks on the Australian market, giving you peace of mind. Our unmatched tooling engineering is reflected in every moulded TTi Tank.

KEY FEATURES



Extra thick tank wall structure with a load capacity of up to an enormous 1.3 Specific Gravity on all AquaTrans™



Exclusive, specially developed and formulated polvethylene powder incorporating the latest technology



Easy-to-read calibration on side wall of tank for guick measurement of contents (when sight level tube is fitted)




Specifically designed footings to enable easy mounting to any tray surface - mounting pins included.



Factory-fitted outlet with every tank



UV stabilised to withstand the elements: All tanks are cooked to temperature. not time





Molasses



Potable Water

Chemical

Virtually Any Other Liquid

GET ANY TANK IN YOUR CORPORATE COLOUR







Note: Actual colours may vary slightly

SUPPLIED WITH PINS & WEDGES


FOR EFFECTIVE MOUNTING





*Note: Wedges supplied for tanks 8,000L+

11



AQUATRANS[™] / AQUAMOVE[™]

Water Cartage Tanks with 15 or 20-Year Warranty





\$613*

\$295*



Top-Mount Steel Pump Plate

SKU: SSF001



AquaTrans[™] with 20-Year Warranty

\$1,153*	400 Litres	
ø255 Lid Assembly	Steel Skid-Frame SKU: ASFD00400A	\$724*
	Top-Mount Steel Pump Plate SKU: SSF001	\$ 295 *

SKU: PTC00220SG

3/4" Poly Drain Bung & Seal

What's the Difference?



AquaTrans[™] ·

There is nothing much in the way of a rotationally moulded polyethylene water cartage tank that compares with the TTi AquaTrans™ tank range.

A really heavy-duty tank with a 20-year warranty is just part of the deal. The Aqua Trans[™] is a premium product and is in a league of its own. This is the bees' knees!

AquaMove[™] -

Without any compromise, the AquaMove™ range has been introduced to be a player in the price sensitive end of the market.

With a slightly lighter design than the AquaTrans^{TT} and a 15-year warranty, this is the everyday range.

Water Cartage Tanks



TANK WARRANTY

TANK WARRANTY



AQUATRANS[™] / AQUAMOVE[™]



AquaTrans[™] 20-Year Warranty SKU: PTC00500SG

\$1,269*

1250 x 1070 x 580mm (LWH); Mounting Pins Provided; ø255 Lid, Rim, & Seal Assy; 1½" MBSP Fitting-Poly (fitted)

Water Cartage Tanks with 15 or 20-Year Warranty





AquaTrans[™] 20-Year Warranty SKU: PTC00600SG

\$1,332*

1250 x 1070 x 740mm (LWH); Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; $1^{\prime}\!2"$ MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 16pcs \$208*



800 Litres

AquaTrans[™] 20-Year Warranty SKU: PTC00800SG

\$1,616*

1430 x 1220 x 670mm (LWH); Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 1½" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 17pcs \$221*



AQUATRANS[™] / AQUAMOVE[™]

2,000	Litres
AquaTrans [™] 20-Year Warranty SKU: PTC02000SG	AquaMove™ 15-Year Warranty SKU: STC02000SG
\$3,300*	\$3,080*
LWH: 2150 x 1410 x 870mm ø455 Lid, Rim, & Seal Assy; 2	
★ LiquidLocker™ ★ Steel Mounting	



\$5.389*

LWH: 2430 x 1540 x 1450mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

> ★ LiquidLocker[™] 110pcs \$1,430* ***** Steel Mounting Frame \$3,814*

Water Cartage Tanks with 15 or 20-Year Warranty

5,000 Litres

LWH: 2760 x 2000 x 1400mm; Mounting Pins Provided;

ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 138pcs

★ Steel Mounting Frame

\$2.402*

AquaMove[™] 15-Year Warranty

SKU: STC05000SG

\$6.123*

\$1,794*

\$4.919*

★ Steel Mounting Frame

0

SKU: PTC05000SG

\$6,894*



2,400 Litres	3,000	D Litres
AquaTrans [™] 20-Year Warranty SKU: PTC02400SG	AquaTrans [™] 20-Year Warranty SKU: PTC03000SG	AquaMove™ 15-Year Warranty SKU: STC03000S6
\$3,754*	\$ 4,914 *	\$4,233*
LWH: 2150 x 1410 x 1140mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2″ MBSP Fitting-Poly (fitted)	LWH: 2430 x 1540 x 1200mn ø455 Lid, Rim, & Seal Assy; :	
★ LiquidLocker™ 66pcs <mark>\$858</mark> *	★ LiquidLocker	* 85pcs \$1,105*

***** Steel Mounting Frame \$3.814*



6,000 Litres

AquaTrans[™] 20-Year Warranty SKU: PTC06000SG

\$8,081*

LWH: 2760 x 2000 x 1540mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

> ★ LiquidLocker[™] 165pcs \$2,145* ***** Steel Mounting Frame \$4.919*

\$5,751*

*GST included | Free Call 1800 816 277 | www.tti.com.au





* Steel Mounting Frame \$6,995*

Water Cartage Tanks with 15 or 20-Year Warranty

15,000 Litres

AquaTrans[™] 20-Year Warranty SKU: PTC15000SG

\$19,183*

LWH: 4310 x 2350 x 2040mm; Pins and Wedges Supplied; 2 x ø455 Lid, Rim, & Seal Assy; 3" MBSP Fitting-Brass

★ LiquidLocker[™] 445pcs
 \$5,785*
 ★ Steel Mounting Frame
 \$6,995*

LOW-PROFILE DESIGN

FOR MAXIMUM VEHICLE STABILITY



LiquidLockerTM The Locker that Stops The Slosh!

Complies with load restraint guide performance standards

Reduces fluid movement for improved load stability during transit

Suitable for use with all tanks - poly, steel, fibreglass, aluminium, etc.

Food grade quality material - suitable for potable water

LiquidLocker[™] baffles can be used with water, diesel and other liquids

Simple to install LiquidLocker[™] baffles are supplied in two halves

NEW

Eliminate Surge in Your Tank



LiquidLocker™ Anti-Surge Baffling Safety System (Supply Only)

> **\$11*** Ø**380mm** 1 Ball per 33 Litres (1:33)

Sall per 33 Litres (1:3 SKU: LLB380

AquaDelivery™

Bulk Water Delivery with Honda GX200 and 3" Water Delivery Pump

1

Heavy-duty water cartage tank on forkable steel frame

Honda GX200 (Electric Start) Motor with QP303 1000L/min Transfer Pump

Lockable Toolbox with 2 x 10m Lengths of Certified Potable Food Grade Layflat Hose

Hydrant Filler Lid with Spring non-return valve



Bulk Water Delivery Unit



CODE	CAPACITY (LITRES)	RRP*(\$)	CODE	CAPACITY (LITRES)	RRP*(\$)
PWD05000L	5,000 Litres	\$ 19,541 *	PWD12000L	12,000 Litres	\$28,445*
PWD06000L	6,000 Litres	\$ 20,643 *	PWD13000L	13,000 Litres	\$30,786*
PWD07000L	7,000 Litres	\$23,531*	PWD13000AL	13,000 Litres	\$30,786*
PWD08000AL	8,000 Litres	\$ 24,654 *	PWD15000L	15,000 Litres	\$33,338*
PWD10000ALSG	10,000 Litres	\$26,691*	PWD17000L	17,000 Litres	\$35,585*

FRAMES Forkliftable Tank Skids



To Suit Tanks from 500L to 1,500L


Simple tank to frame SureFit mounting system

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection

Frames standard with forklift pockets from all four sides

SKU	DESCRIPTION	KG	L X W (MM)	RRP* (\$)
ASFCA00500	Steel Frame for 500L & 600L SumpTrans, includes forklift tine pockets on all sides	37	1630 x 1010	\$2,368
ASFCA00800	Steel Frame for 800L & 1000L SumpTrans, includes forklift tine pockets on all sides	53	1780 x 1110	\$2,556
ASFCA01200	Steel Frame for 1200L & 1500L SumpTrans, includes forklift tine pockets on all sides	72	1780 x 1344	\$2,739

*Disclaimer: Check compatibility with your forklift width between tynes



To Suit Tanks from 2,000L to 17,000L

Forkliftable for easy lift on, lift off convenience

Simple tank to frame SureFit mounting system

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection

SKU	DESCRIPTION	KG	L X W (MM)	RRP* (\$)
ASFC02000	Steel Frame for 2000L & 2400L AquaTrans™	190	2910 x 1410	\$2,402
ASFC03000	Steel Frame for 3000L & 4000L AquaTrans™	218	3020 x 1355	\$3,814
ASFC05000	Steel Frame for 5000L & 6000L AquaTrans™	302	3500 x 1820	\$ 4,919
ASFC07000	Steel Frame for 7000L , 10000L & 13000L AquaTrans™	410	4100 x 2200	\$6,235
ASFCA08000	Steel Frame for 8000L, 10000L & 12000L Tipper AquaTrans	428	4210 x 2000	\$6,235
ASFC13000	Steel Frame for 13000L , 15000L & 17000L AquaTrans™	480	5300 x 2330	\$6,995

*Disclaimer: Check compatibility with your forklift width between tynes

TransLoc™

Heavy Duty Modular Water Cartage Tanks

Heavy-Duty

Modular Water Cartage Tanks





Expandable Capacity



Modules can be plumbed to **drain** independently or together!

Y Low-Profile Design

V Improved Safety

3,000L **Modules**



Free-standing design allows for mounting to flat deck truck/trailer. Unique 2 x 6" connections between modules for even filling/draining.

Fully baffled every 3,000 Litres to minimise surge (optional LiquidLocker™ baffles). Low profile design for improved safety.

*GST included | Free Call 1800 816 277 | www.tti.com.au

InterLoc™

Fully-Drainable Chemical Tanks

Fully-Drainable

Modular Tank System





Needing to **cart different chemicals** in one load?

Standard with Steel-Mounted Frame

🗸 🚺

Modules can be plumbed to **drain** independently or together!





Needing to cart different chemicals in one load? Modules can be plumbed to drain independently or together!

Fully baffled every 2,500 Litres to minimise surge (optional LiquidLocker[™] baffles). Low profile design for improved safety.

SumpTrans[™]

11 Jumph

Fully-Drainable Chemical Tanks

R



TTi's SumpTrans[™] tanks have excellent impact resistant qualities and impervious to some of the most agressive chemicals. SumpTrans[™] incorporate the latest technology to easily handle any work environment.



KEY FEATURES



Manufactured from chemical resistant, UV stabilised polyethylene



Large tank opening for fast, easy filling. Sealed with 455mm lid with labyrinth breather (600L+)



Easy fill, no spill containment lip on all spray tanks above 500L



Easy to read calibrations for measurement of contents (when sight level tube fitted on tank)



Fully draining sump with smooth interior and enables complete drainage and decontamination of tank



Basket filter supplied with tanks 200 Litres and larger





SureFit[™] safe and secure mounting pin system

Fully-Drainable Chemical Tanks



Cutaway

Shows Fully Draining Tank Floor



End View

Shows 'V' Frame Supporting Tank



TANK FRAMES

All spray tanks require a steel mounting support frame to give sump clearance

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection.

SUMPTRANS™







Tank Only 940 x 600 x 750mm (LWH) SKU: PTSS00200SG \$787*

with Frame 940 × 600 × 760mm (LWH) SKU: PTSS00200KSG

\$1,092*

ø255 Filter Basket; ø255 Lid Assembly Complete; 11/2" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



 Tank Only
 with Frame

 940 x 600 x 950mm (LWH)
 940 x 615 x 965mm (LWH)

 SKU: PTSS00300ASG
 SKU: PTSS00300AKSG

 \$974*
 \$1,328*

ø255 Filter Basket; ø255 Lid Assembly Complete; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame

200 Litres	(Low Profile)
Tank Only 960 x 690 x 550mm (LWH) SKU: PTSP00200SG	with Frame 1085 x 700 x 600mm (LWH) SKU: PTSP00200KSG
\$801*	\$1,063*
a255 Filter Backet, a255	Lid Assembly Complete:

ø255 Filter Basket; ø255 Lid Assembly Complete; ¾" MBSP Fitting-Poly; Pump Compartment Cover; Skid Frame



400 Litres (Low Profile)

Tank Only 1145 x 850 x 680mm (LWH) SKU: PTSP00400SG	with Frame 1230 x 850 x 710mm (LWH) SKU: PTSP00400KSG
\$1,121*	\$ 1,830 *

ø255 Filter Basket; ø255 Lid Assembly Complete; Pump compartment cover; ¾" MBSP Fitting-Poly; 4x8x100mm BSW HED HD Bolt; 8 x 8mm washers, 4 x 8mm; nyloc nuts; Skid Frame









ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; 1½" MBSP Fitting-Poly; 4 Pins 18 x 260; Skid Frame



 0x 1200 x 1150mm (LWH)
 1700 x 1200 x 1190mm (I

 SKU: PTSP01500S6
 SKU: PTSP01500KS6

 \$2,532*
 \$3,920*

 ø455 Lid, Rim, & Seal Assy: ø455 Filter Basket;

0455 Lid, Rim, & Seal Assy; 0455 Filter Basket; 11⁄2" MBSP Fitting-Poly; 4 Pins 18 x 260; Skid Frame







Tank Only	with Frame
2430 x 1540 x 1280mm (LWH)	2430 x 1540 x 1350mm (LWF
SKU: PTSP03000SG	SKU: PTSP03000KSG

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame

\$8.000*

\$5,028*



4,000 Litres

Tank Only 2430 x 1540 x 1530mm (LWH) SKU: PTSP04000SG	with Frame 2430 x 1540 x 1550mm (LWH) SKU: PTSP04000KSG
\$5,679*	\$8,662*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame

Fully-Drainable Chemical Tanks



ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 330; Skid Frame



Tank Only 2760 × 2000 × 1670mm (LWH) SKU: PTSP06000SG

\$8,256*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 330; Skid Frame

2760 x 2000 x 1770mm (LWH)

SKU: PTSP06000KSG

\$11,619*

\$21,016*



Tank Only	with Frame
3480 x 2250 x 2050mm (LWH)	3480 x 2250 x 2100mm (LWH)
SKU: PTSP10000SG	SKU: PTSP10000KSG
\$ 14,096 *	\$ 18,173 *

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 480; Skid Frame



 Tank Only
 with Frame

 3480 × 2250 × 2420mm (LWH)
 3480 × 2250 × 2470mm (LWH)

 SKU: PTSP13000SG
 SKU: PTSP13000KSG

\$16,938*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 480; Skid Frame



TANK FRAMES

All spray tanks require a steel mounting support frame to give sump clearance

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection.



Tank Accessories



Sight Level Kit (Fitted)			
\$ 108 *	Level Kit		
See Your Tank Lic Glance SKU: ARN001-F	quid Level at a		



3" Hydrant Fill Lid		
§1,393*	Fill Lid	

Hydrant Fill System with Tilt-Lid Mechanism & 3" Top Pipe SKU: ARH080



80mm Hydrant Funnel Lid				
\$ 2,330 *	Funnel Kit			

Funnel Fill System with Mesh Basket & 3" Top Pipe SKU: ARU450F



SKU	DESCRIPTION	RRP*(\$)
ARFB025	1" Brass tank outlet	\$ 62 *
ARFB032	11⁄4" Brass tank outlet	\$83*
ARFB038R	11⁄2" Brass tank outlet	\$ 98 *
ARFB050R	2" Brass tank outlet	\$ 121 *
ARFB080R	3" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$226*
ARFB100R	4" Brass tank outlet - with Reverse Thread to Prevent Loosening	\$339*

FLANGED POLY Tank Outlet Fittings

3]	SKU	DESCRIPTION	RRP*(\$)
*	ARFP020	¾" Tank Outlet - Flanged Poly	\$ 19 *
*	ARFP025	1" Tank Outlet - Flanged Poly	\$ 19 *
*	ARFP032	1¼" Tank Outlet - Flanged Poly	\$ 21 *
*	ARFP038	11/2" Tank Outlet - Flanged Poly	\$ 32 *
*	ARFP050	2" Tank Outlet - Flanged Poly	\$ 37 *
*	ARFP050R	2" Tank Outlet - Reverse Thread with 2 Seals Supplied M & F Threads	\$ 57 *

LIDS & BASKETS

SKU	DESCRIPTION	RRP*(\$)
ARLP150AV	Female Thread Tank Lid (150mm) - with Spring Breather Valve & Gasket	\$35*
ARLP250VSR	Male Thread 'Smoothe-Line Lid (255mm) - with Fixed Ring; Labyrinth Double Breather Valve	\$ 73 *
ARLP450VSS	Screw Tank Lid (455mm) - with Rim and Seal; Fixed Labyrinth Double Breather Valve	\$ 128 *
ARLP450VSR	Hinged Tank Lid (455mm) - with Rim and Seal 180°; with Fixed Ring; Labyrinth Breather Valve	\$ 128 *
ARLS450VSR	450mm Stainless Steel Hinged Lid	\$ 552 *
TTI30065	450mm Aluminium Lid	\$399*
ARK200	Basket Filter (250mm) - To suit 255mm Lid; 18# Screen 210mm ø x 235mm deep	\$60*
ARK400	Basket Filter (450mm) - To suit 455mm Lid; 18# Screen 410mm ø x 235mm deep	\$ 77 *
ARB195	BallBaffle™ Ø195mm - 1 ball per 7 Litres	\$ 8 *
LLB380	LiquidLocker™Ø380mm - 1 ball per 33 Litres	\$ 11 *





Knapsack & Compression Sprayers



Hand-Operated Compression Sprayers Less Pumping - More Spraying





inter Accessories

Quick Fit Accessories for Maximum Spray Options

Hit your t	Spray Hoods Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.				
Bo	ctangular Hood	C	onical Hood		
net	\$52*				
	SKU: ATAOOB	\$ 41 *			
	ure Regulator Function 1.5 bar: Herbicide		Regulator		
			Regulator		
	(with deflective fan nozzle)		\$ 61 *		
P	Function 3 bar Insecticide-fungicide		SKU: ATAOOA		
	(with hollow cone nozzle)		SET AND FORGET PRESSURE CONTROL SIMPLE TO USE ACCURATE SPRAYING TOUGH & DURABLE		
Trans Tank [®] International Product Catalogue 2022 33					






Flexible Double Nozzle


Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles (H) and one with fan nozzles (HF)

Used for basal bark spraying and ant block treatments



Telescopic Lance

Gives your sprayer extendible length to reach hard to access areas.






Spray Booms

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.



Lance Extensions



INDUSTRIAL SPRAYERS

with 5-Year Warranty

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

Made of special, high resistance materials for use with various v chemicals

- Viton seals for excellent chemical resistance and durability \checkmark
- See liquid level at a glance with tank graduations V
 - Pressure safety valve ensures sprayer is protected from over pressurisation



Ideal for: ✓ Truck Washing ✓ Animal Husbandry Brick Cleaning ✓ Amenity Cleaning Carpet Cleaning ✓ Disinfecting Wallpaper Stripping ✓ Degreasing BK **Hand-Held Sprayer Hand-Held Sprayer** IK 1 Litre IK 6 Litres \$72* \$219* SKU: PGK0001L SKU: PGK0006L BK a 8K 128 **Hand-Held Sprayer Knapsack Sprayer IK 8** Litres IK 12 Litres \$229* \$284*

SKU: PGK0008L

*GST included | Free Call 1800 816 277 | www.tti.com.au


SKU: PGK0012L

WeedMasta™ 16R

Rechargeable Knapsack Sprayer with Trolley

- 16 Litre capacity tank, ergonomically designed for maximum carrier comfort
- Padded shoulder straps and backrest reduces user fatigue
- Spray flow rate control for spray accuracy and reduced chemical wastage
- Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery

- No more frustrating tangles with our kink resistant hose
- Sturdy trolley with large handle and wheels for ergonomic operation
- Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- On-off switch control with fuse protection
- Supplied with battery charging kit





Trolley and Knapsack Can Be Easily Separated!

WeedControl[™] -SPOT SPRAYERS

Spot Sprayers with 12v Pump

Spot Sprayers with 8.3 L/min Pump & Powerjet Spray Gun.

The WeedControl[™] 12v Sprayer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl[™] is designed to be mounted to UTEs, UTV's and ATVs, ensuring your spraying task gets completed safely.





KEY FEATURES



8.3L/min 70psi EverFlow 12v pump with Pressure regulator and gauge for controlled spraying

Sturdy UV stabilized tank with drain for easy cleaning



4.5m Spray hose with PowerJet spray gun & adjustable brass nozzle



2.4m electrical cables with 12v adaptor & alligator clip



WeedControl[™] -**TRAILED** 12v Spray Trailers

Spot Spray Trailers with 8.3 L/min Pump & Powerjet Spray Gun.

The WeedControl[™] 12v spray trailer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl[™] is designed to be towed by a standard or zero-turn mower ensuring your spraying task gets completed safely.

with Solid Rubber Tyres



STANDARD TRAILERS

Standard drawbar for smooth towing - suitable for any mower

\$1069*	\$ 1,153 *
55 Litres	95 Litres
12v 8.3 with 2m Boom	12v 8.3 with 2m Boom

ZERO-TURN TRAILERS

Long drawbar for extra-sharp turning - up to 90° - more suitable for zero-turn mowers

\$ 1,069 *	\$ 1,153 *
55 Litres	95 Litres
12v 8.3 with 2m Boom SKU: SVT0055L0077ZB2	12v 8.3 with 2m Boom SKU: SVT0095L0077ZB2

ATV TRAILERS

Large pneumatic tyres for handling rough terrain - suitable for mowers and ATV's

\$2,447*	\$ 2,675 *
150 Litres	225 Litres
12v 8.3 with 3m Boom SKU: SVT0150L0077B3	12v 8.3 with 3m Boom SKU: SVT0225L0077B3



Strike[™] Professional 12v Spot Sprayers

The Strike, a sprayer that has proved itself over many years as a versatile and reliable professional 12v sprayer in our TTi range.





#2 Boomless Nozzle \$531*

\$480*

Boom Tech Nozzle Kit with

Tailgate Bracket SKU: ABTOO1

Hitchlt Hayman Reece Attachment; Boomless Nozzle SKU: ABK02-GN



4m Versatile Boom

\$814*

Hitchlt Hayman Reece Attachment; Versatile Boom SKU: ABVL040-GN



ReelStrike[™]

Professional 12v Spot Sprayers with 30m Reel

The ReelStrike[™], a TTi icon sprayer that has proved itself over many years as the most versatile and reliable professional 12v sprayer in our TTi range.

The 30m reel allows you to access those "hard to get to" areas, while the 100psi pump gives you that extra pressure when you need to hit your spray target from a distance.



8.3L/min 100psi Remco 12v pump mounted under pump cover for protection

KEY FEATURES

Fully-drainable tank with a sturdy hot dip galvanised base frame



30m heavy duty poly hose reel with PowerJet spray gun



Pressure regulator and gauge for accurate & controlled spraying





200 Litres

1055 x 700 x 1100mm (LWH) 30m Hose Reel; 8.3 L/min 100psi Pump

SKU: PVQ0200LK0076H3

\$2,562*

1200 x 800 x 1220mm (LWH) 30m Hose Reel; 8.3 L/min 100psi Pump

\$3,662*

400 Litres

SKU: PVQ0400LK0076H3





OnDeckTM 300L Purpose-Built UTV Sprayer



Possibly the most unique and well-designed UTV Sprayer, the OnDeck™ suits the ever growing UTV market.

The 300L model comes in a clever choice of pump, motor and hose reel combinations. From weed spraying to firefighting, the OnDeck range is sure to be a valuable investment.



TRANSCER






KEY FEATURES



Fully-drainable Tank with tie-down provisions & integrated lifting handles







Integrated freshwater bottle & tap for hand-washing




Galvanised Forkable Steel Frame



OnDeck[™] **COMPACT**

Purpose-Built Sprayer for UTVs













8.3 L/min 100psi 12v Pump; 30m Hose Reel; Spray Gun SKU: PUDA0300L0076H3



\$4,164*

300 Litres

12 L/min Pump; Honda GX35; 30m Hose Reel; Spray Gun SKU: PUDA0300L0120H



\$6,412* 300 Litres

 22 L/min Pump; Honda GX200

 30m Hose Reel; Spray Gun

 SKU: PUDA0300L0220H3



22 L/min Pump with GX200 50m Auto-Rewind SuperReel™ SKU: PUDA0300L0220Q50



OnDeck[™] **STANDARD**

Purpose-Built Sprayer for UTVs

KUBOTA

IIR(

Fits UTVs including:

Dim (LWH): 1000 x 1250 x 600mm





BOOM & SOLENOID OPTIONS



#2 Boomless Nozzle \$531*

HitchIt Hayman Reece Attachment; Boomless Nozzle SKU: ABKO2-GN



4m Versatile Boom

\$814*

HitchIt Hayman Reece Attachment; Versatile Boom SKU: ABVL040-GN



4m Compact[™] Boom \$1,994*

4m Folding Boom with Hayman **Reece Attachment** SKU: ABM040-GN



Boom Elec On/Off

\$307*

Boom Elec On/Off Control with Solenoid (Fitted) SKU: ATVS10B036

STANDARD

V Fits UTVs including Kubota and LandBoss



199 9



100m Auto-Rewind SuperReel[™]

SKU: PUD0300L0220Q1

22 L/min Pump with GX200 50m Auto-Rewind SuperReel™ SKU: PUD0300L0220Q50

SpotPro™ Motorised Spot Sprayer

TTi's SpotPro[™] sprayers features a powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel.







SpotPro™ Deluxe

Deluxe Motorised Spot Sprayer

The SpotPro[™] Deluxe features a fully drainable tank for maximum use of spray mix, mounted to a forkable steel frame.

The powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel. It's the preferred UTV Weed Sprayer, by many satisfied customers.





TopCrop™ Professional UTE Slip-On Field Sprayer

his produc





22L/min Bertolini Italian Pump

Fully-drainable Sump Tank with 455mm Hinged Lid & Basket Filter



Genuine Reliable Honda GX200



Galvanized Steel Frame with Forklift Pockets



Heavy-duty 30m Hose Reel with Adjustable Pistol Gri Spray Gun



Pressure Regulator with Gauge for Controlled Spraying & Bypass Agitation System

The forkliftable steel frame allows both easy loading and safe securing of your spray unit to your vehicle, allowing it to be put to work in minutes.

Boasting a genuine GX200 Honda Motor, coupled to the

A high performing UTE mounted field sprayer.

reliable Bertolini pump, and 30m hose reel.

[AXQ - 797]

(Inte

erere








SuperReel[™] Single

Field Sprayer with Single Auto-Rewind SuperReel™



The heavy-duty electric rewind reel features a powerful 120w 12v motor and is capable of winding up to 150m of hose. The FrictionFree[™] nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.



KEY FEATURES



34L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine



Fully-Drainable Poly Tank with Forkable Galvanised Steel Frame



Single 100m 12v Auto Rewind SuperReel™ with Wireless Remote Control



Anti-kink nylon hose with adjustable Turbo400 spray gun

Upgrade to 150m Length Reel





SuperReel[™] TWIN

Field Sprayer with Twin Auto-Rewind SuperReel™

Increase Your Spraying Efficiency with the SuperReel™ twin reel slip-on field sprayer.

The professionals proven choice, the SuperReel Sprayer with twin heavy-duty electric rewind reels are capable of winding up to 150m of hose. The FrictionFree[™] nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.







54L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine Fully-Drainable Poly Tank with Forkable Galvanised Steel Frame



Twin 100m 12v auto rewind SuperReel's with wireless remote control



KEY FEATURES

Anti-kink nylon hose with adjustable Turbo400 spray guns

Upgrade to 150m Length Reels

Trans Tank[®] International | Product Catalogue 2022

56

*GST included | Free Call 1800 816 277 | www.tti.com.au

\$646³

SUPERREEL[™]

Field Sprayer with Twin Auto-Rewind SuperReel™

TWIN REEL





*GST included | Freight Rates Apply



TrailPro[™] ATV/UTV Spray Trailer

The hitch and go convenience of the TrailPro[™] trailed sprayers for ATV/UTV's, gives you the versatility of reel spraying and boom spraying from the one unit!

The 200L or 400L TrailPro[™] trailer is fitted with the Honda GX200 motor, coupled to the renowned Bertolini Italian pump, so its genuine, powerful, and reliable pump and motor combination. The Standard trailer is fitted with a 8.3 L/min 100psi 12v pump which is mounted underneath a protected pump cover. Simply hitch up to your ATV or UTV and get your spraying jobs done with ease!

TraiPro™ ATV/UTV 12v Spray Trailer

The hitch and go convenience of the TrailPro 12v ATV boom spray trailer is second to none. Quiet yet powerful, the 12v TrailPro is a true pleasure to use and operate.

Compact, tough, economical, the 12v TrailPro makes for safe spraying, and gives the operator the versatility of reel spraying and boom spraying from the one unit.





8.3 L/min 12v Pump; 6m Hose & Lance; 1.2m Versatile Boom SKU: PRAV0200L0076-VB 8.3 L/min 12v Pump; 1.2m Versatile Boom; 30m Hose Reel SKU: PRAV0200L0076H3-VB



TrailPro™ Deluxe Deluxe ATV/UTV Spray Trailer



The professionals choice, the TrailPro[™] Deluxe provides unmatched performance.

The powerful GX200 Honda Engine, coupled with the Italian Bertolini 22L/min Pump, provides consistent true performance out of the spray gun or boom. The well balanced and robust design of the TrailPro handles rough terrain with ease.

KEY FEATURES



22L/min 290psi Bertolini Italian Pump with Genuine Honda GX200 Engine



Fully-Drainable Sump Tank with 250mm Screw Lid & Basket Filter



Sturdy Hot Dip Galvanised Steel Chassis with High Flotation Tyres



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun or 6m Hose



1.2m Versatile Boom

with 4m Swath

6m Compact Spray Break-away Boom with Non-drip Nozzles

4m Compact Spray Break-away

Boom with Non-drip Nozzles

Double Sided Foam Marker Kit with Solenoid Controls (for 6m Boom)

Auto-Rewind 12v Reel (Upgrade from 30m Poly Reel)

SuperReel[™] 50m

GlidePath™

Spray Trailers with Folding Boom

AXQ - 797

TTi's GlidePath[™] Trailers are the perfect choice for farmers looking to keep weeds down and profits up.

Whether spraying weeds or fertilizer, the GlidePath[™] spray trailer will get the job done on time, during the optimum small window of opportunity given.



Genuine Honda GX200 engine with 75L/min Bertolini Italian Pump



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



Fully-Drainable Poly Tank with 20-Year Warranty

KEY FEATURES




Pressure Regulator with Gauge for Accurate & Controlled Spraying



Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



50L Fresh Water Tank for Hand Washing



SuperTrail[™]-

Spray Trailers with SuperReel™ Auto-Rewind Reel Speak to us about your specific requirements

KEY FEATURES



XQ-797

130 797

Genuine Honda GX200 Engine with 54L/min 580psi Bertolini Italian Pump



He e

Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



Protected 3 Nozzle Boom & Twin 100m Auto Rewind SuperReels

869 917 D

TTi's SuperTrail[™] Trailers are the perfect choice spray trailer for councils, Landcare & environmental organisations.

Custom built to suit your requirements, the SuperTrail spray trailer will get the job done on time, even in the toughest terrain.



SilageMaster™

Silage Applicator with Wireless Remote Control

Silage applicator kit with 100 & 200 litre spray tank, double nozzle silage boom, regulator kit & 12 volt 8.3 L/min 100psi pump & wireless remote on/ off switch.





66

CUSTOM SPRAY EQUIPMENT

Call to Discuss Your Customised Spray Solutions!

Choose from a huge range of spray equipment

We build spray trailers for councils, large contractors, mines & much more!

Give our helpful customer service team a challenge to build the sprayer you need!

Call to Discuss Your Customised Spray Solutions!

1800 816 277



LinkOn

3-Point Linkage Professional Sprayers

Hook up and go with TTi's LinkOn™ Plus Sprayer Range.

LinkOn

From small acreage farms to large scale operations, TTi's range of 3 point linkage boom sprayers are the perfect choice to get your boom spraying done on time using your tractor.

UV STABILISED, CHEMICAL RESISTANT TANK

5

HAND WASH TANK

68



LINKON[™]

3-Point Linkage Professional Sprayers



Note: Pricing below does not include the boom or hose reel





\$7,446*

800 Litres

800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft SKU: PL60800L0750



\$9,413*

1,000 Litres

1000 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO Shaft

SKU: PLY1000L0750C0

SPEC UP YOUR LINKON™

3-Point Linkage Professional Sprayers





OTHER OPTIONS



\$824*

30m Reel

30m Poly Hose Reel with Spray Gun SKU: ATHW03X030M10G



\$**2,899***

Foam Marker

Double Sided Deluxe Foam Marker Kit Fitted SKU: ATF0024DF



\$3,432* GPS System

TeeJet Matrix 430 Guidance System SKU: ATCG0430



\$492* Main Elec On/Off

Main On/Off valve with 1 way switch box (for 600L, 800L, & 1000L)

SPRAY Accessories

Pumps

72

Bo

Guns



Reels

Foam Marker Complete Kit - Double Sided

- Double sided deluxe model with solenoid controls
- **In-cab controller** for left/right selection
- 24 Litre high strength poly tank with safety valve
- Maximum foam production 330 L/hr
- Working **pressure 0.75 bar** at 12 volt DC
- Water/Foam agent solution consumption 10.6 L/hr
- Foam spreader made of flexible EPDM rubber to withstand accidental impacts & more...

GPS Guidance System - Matrix 430

TeeJet Matrix 430

- GPS/GLONASS engine with ClearPath technology
- Easy to install and easy to operate
- Compact install in front of the steering wheel for easy viewing during field operation
- Calculates field area, counts applied acres and produces Google Earth[™] coverage maps
- Provides warning sound when entering into previously applied areas
- Cross-track error with user selectable displays for worked area, worked time & more...

GPS Guidance - Matrix 570G

TeeJet Matrix 570G

- The Matrix Pro GS system can be used with up to eight RealView cameras
- The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- Field Finder organizes saved jobs according to your current GPS location
- Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more...



\$2,899*



\$3,432* SKU: ATCG0430



\$**5,672***





Booms

Remco 12v Pumps Tested | Trusted | Certified



 \checkmark

 \checkmark

High flow rate with less amp draw

Longer duty cycle

2000 Hour life expectancy

12-Month Warranty



VARIANTS



\$**182*** 3.8 L/min 40psi

	SKU: I-11805	
PSI	LMP	AMPS
OPEN	3.79	1.75
20	2.84	2.25
40	2.27	3.00

a di Cinciana	
ALV A	
	••

\$**269*** 4.5 L/min 60psi

SKU: I-11353 PSI LMP AMPS OPEN 4.55 3.50 20 3.98 4.50 40 3.60 5.25 60 3.03 5.50



\$ 314 *	
L/min 100	osi
SKU: I-11355	
LMP	AMPS
8.33	2.65
7.38	4.40
6.06	5.80
5.49	6.70
5.11	7.10
3.79	8.00
	L/min 100p SKU: I-11355 LMP 8.33 7.38 6.06 5.49 5.11

PROFESSIONAL



\$385*				
11.4 L/min 60psi				
SKU: I-11347				
PSI	LMP	AMPS		
OPEN	11.75	4.00		
20	8.72	6.00		
40	7.20	8.00		
60	5.50	9.50		



\$395*					
15.1 L/min 100psi					
	SKU: I-12572				
PSI	LMP	AMPS			
OPEN	17.24	4.00			
20	14.21	6.00			
40	11.56	8.00			
60	9.29	9.50			
80	8.34	10.50			
100	7.20	11.75			



\$ 486 *			
	20 L/min 60psi		
	SKU: I-11354		
PSI	LMP	AMPS	
OPEN	20.09	8.00	
20	18	11.00	
40	14.59	15.00	
60	11.37	18.00	



\$791*				
26 L/min 100psi				
	SKU: I-11796			
PSI	LMP	AMPS		
OPEN	26	11.00		
20	24	12.00		
40	20	15.00		
60	16	19.00		
80	13	23.00		
100	9	25.00		

12V PUMP PARTS & ACCESSORIES

REMCO PUMP SPARES

RRP*(\$)
\$35
\$58
\$80
\$ 5 8
\$92

DELAVAN PUMP SPARES

SKU	DESCRIPTION	RRP*(\$)
CDPLHA78607E77	Lower housing assy - for 7801 pumps; Diaphragm	\$ 97
CDPLHA78637F77	Lower housing assy - for 7800 pumps; Diaphragm	\$ 97
CDP53LHA002	Lower housing assy - for 7800 pumps; Geolast Diaphragm	\$ 153
CDPVHA78637F77	Valve housing assy for 7800 pumps	\$84
CDPUHA78637F77	Upper housing assy for 7800 pumps	\$84
CDPUHA78637F77T	Upper housing assy for 7812 pumps	\$84
CDP2200PSW	Pressure switch for 2200 pumps	\$24
CDP7800PSW60	Pressure switch to suit 7800 series pumps - 60psi	\$35
CDP7800PSW100	Pressure switch to suit 7800 series pumps - 100psi	\$47



SKU	DESCRIPTION	ηης (φ)
CDP3DFE38X2	Quick Attach 10mm Elbow x 2 for 7800	\$21
CDP3DFA38X2	Quick Attach 10mm Straight x 2 for 7800	\$21
CDP5DFA38X2	Quick Attach 10mm Straight x 2 for 5900	\$28
CDP5DFE38X2	Quick Attach 10mm Elbow x 2 for 5900	\$28
CDP3DFE12X2	Quick Attach 12mm Elbow x 2 for 7800	\$21
CDP3DFA12X2	Quick Attach 12mm Straight x 2 for 7800	\$21
CDP5DFA12X2	Quick Attach 12mm Straight x 2 for 5900	\$28
CDP5DFE12X2	Quick Attach 12mm Elbow x 2 for 5900	\$28



Quick Attach Filters

- Available in 2 sizes to suit Delavan and Remco pumps
- ♦ Stainless steel mesh filter
- Simple push in & lock fitting no tools required

SKU	DESCRIPTION	RRP*(\$)
ATPFS050Q10	Quick attach filter for 7800 pumps	\$ 62
ATPFS050Q12	Quick attach filter for 5900 pumps (suits Remco Pumps)	\$62

Quick Attach Regulator & Gauge

- Fitted standard to our professional spot sprayers
- Simple push in & lock fitting no tools required
- Set & forget pressure control

• Excess fluid returns to tank & provides agitation

SKU	DESCRIPTION	RRP*(\$)
ATRM020LQ10G	Quick attach regulator & gauge for 7800 pumps	\$165
ATRM020LQ12G	Quick attach regulator & gauge for 5900 pumps (suits Remco Pumps)	\$165



Wire Harness Kit

- 3.6 metre wire harness kit with on/off switch
- Power control switch & fuse protection included
- Easy quick connect 2-pin plugs
- Kit includes both lighter adapter and alligator clips
- Max 10 Amp draw

SKU	DESCRIPTION	RRP*(\$)
ATCWL03612VSAC	Wire harness kit complete - 10 Amp	\$62





BERTOLINI SPARE PARTS KITS

SKU	DESCRIPTION	RRP*(\$)
CBK949879973	O-ring kit for Poly 2020	\$131
CBK949888973	SS valves kit for Poly 2020	\$138
CBK949871973	Diaphragm Kit - 20VF/RT4Poly2020 (Buna)	\$119
CBK039830973	Pump Seals Kit - PA330	\$135
CBK039850973	Valve Kit for PA330 (up to Nov 2004)	\$167
CBK039875973	Valve Kit for PA330.1 (from Dec 2004)	\$246
CBK039851973	Diaphragm Kit - PA330 (Buna)	\$119
CBK039873973	Diaphragm Kit - PA330 (Desmopan)	\$218

BERTOLINI PUMP SPARE PARTS

SKU	DESCRIPTION	RRP*(\$)
CBK639880973	Pump Seals Kit - Poly 73/2073	\$119
CBK639870973	Valve Kit - Poly 73/2073	\$393
CBK639871973	Diaphragm Kit - Poly 73/2073 (Buna)	\$155
CBK639873973	Diaphragm Kit - Poly 73/2073 (Desmopan)	\$296
CBK239880973	Valve Kit - PA530	\$282
CBK239829973	Diaphragm Kit - PA530 (Buna)	\$481
CBK239828973	Buna Diaphragm Kit for PA530	\$158

Honda applied it's superior engine technology to create the world's first 360° inclinable 4-Stroke engines. The ultralightweight GX35 Mini 4-Stroke efficiently delivers the kind of efficient cleaner, powerful, quiet performance that you'd expect from a larger engine - but in a very compact package.





HONDA - THE MOST RELIABLE ENGINE -

Need it coupled to a Honda GX200? just add \$1.394*

GX35 "Commando" \$**1.989*** 12L/min Pump: 30m Reel and Gun SKU: APP0120GH030G



3 Diaphragms: 13/8" Shaft: 580psi/40bar Max Pressure; Weight: 8.3kg

\$2,090* **\$1.509*** Bare Pump & Shaft Pump & Gear Box

SKU: APL0340S



75L/min Pump 3 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 11kg

1.656* \$**2,387***

Bare Pump & Shaft SKU: APL0750S

Pump & Gear Box SKU: APL0750KG

210L/min Pump

3 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 26kg



Bare Pump & Shaft SKU: APL2100S

\$2.653* \$2.073* Bare Pump & Shaft Pump & Gear Box SKU: APL0540S SKU: APL0540KG



126L/min Pump 5 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 12kg

Bare Pump & Shaft SKU: APL1260S

22L/min Pump 2 Diaphragms: 13/8" Shaft: 290psi/20bar Max Pressure; Weight: 6.6kg

\$1,285* **\$1.696***

Bare Pump & Shaft Pump & Gear Box SKU: APL0220S SKU: APL0220KG



\$2,248*

Bertolini Regulators

- 6 90 L/min flow rate
- Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- 3 Outlets with 10mm hose tails and ball valves
- Complete with pressure gauge and mounting bracket
- Accurate and progressive pressure selection
- Reliable pressure control
- 3-way fluid control

Arag Regulators

- Polypropylene high capacity modular system with viton seals
- Main control lever shuts off flow completely good for boom sprays
- Manual section valves can be replaced by CA463011S electric valves to give in cab control of boom sections.
- When ordering electric controllers select switch box to suit application

Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- Models with 1, 2 and 4 output sections
- Available main valve control and pressure settings adjustment



\$571*

218psi

Manual Section Valves; Manual On/Off SKU: ATRA20B14013M3

\$**1,671***

Arag Regulator & Gauge 3 Manual Section Valves; Elec On/Off SKU: ATRA20B14023M3

\$598*

580psi

Sting 3-Way Regulator 90L/min, 40 bar SKU: ATRB40B09013M3K

 Pressure Gauge
 \$103*
 Add a Gauge!

 0-24 bar (340 psi) SKU: CBP830010002



\$1,789*

Arag Regulator & Gauge 2 section: 2 Electric; 1 Manual Section Valves; Electric On/Off SKU: ATRA20B14023E2M1



SKU: ATCC3WV

76 Trans Tank[®] International | Product Catalogue 2022

Filters

- keep your spray clear & clean!
- reduce nozzle blockage & protect your pump
- Quick attach suction filter designed to fit directly onto the female port of Delavan pumps, 80 mesh screen filter



Boom Spray Control

Make Your Spraying Jobs Easier & Professional

- Heavy duty brass ½" BSP, 12VDC solenoid valves
- Suitable for most chemicals
- Viton diapahragm
- Choose From 1-way or 3-way Solenoid Kits





1-Way Solenoid Valve Kit

10 bar (140psi) 3.6m Electrical Leads ½" BSP Port Solenoid SKU: ATVS10B036



\$852*

3-Way Solenoid Valve Kit

10 bar (140psi) with 3 way switch box and cables ½" BSP port solenoid SKU: ATVS10BX3W

Spray Hose

Highly Flexible Spray Hose

- High quality TTi agricultural spray hose
- High flexibility, kink resistant
- Working pressure 40 bar (580 psi)
- Burst Pressure 150 bar (2200 psi)

Great Value Kink Resistant Hose

• Suction hose available also - call for details

SAFE

TO USE!

40 BAR

- Black ribbed outer cover with a specially formulated yellow chemical resistant tube
- 10mm & 12mm hose available in 100m rolls - Call for your price

PRESSURE SPRAY HOSE

SKU	DESCRIPTION	RRP*(\$)
CUY58010MM	10mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$11
CUY58010MMX10	10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$ 91
CUY58012MM	12mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ 14
CUY58012MMX10	12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre	\$123
CUY58019MM	19mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$29
CUY58025MM	25mm Spray Hose (working pressure 40 bar; 580psi) / metre	\$ 53

SUCTION	HOSE	
SKU	DESCRIPTION	RRP*(\$)
CUUC19MM	19mm Clear Suction Hose (not for pressure lines) / metre	\$ 1 9
STAHSB25BLK	25mm Suction Hose (not for pressure lines) / metre	\$ 23
STAHSB32	32mm Suction Hose (not for pressure lines) / metre	\$28
STAHSB38	38mm Suction Hose (not for pressure lines) / metre	\$30

POLY REELS

Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- Reel constructed from rust-free UV stabilised poly
- NEW ReelPro Engineered Steel Design



\$824* 30m Reel and Hose

Base Mount - 10mm Hose & Free Spray Gun SKU: ATHW03B030M10G

- Hose ReelOptimised full flow ball bearing swivel easier rewinding under pressure
- New positive reel locking device works in four positions to prevent hose unwinding in transit



\$824* 30m Reel and Hose

Side Mount - 30m Hose Reel with 10mm Hose & Free Spray Gun SKU: ATHW03X030M106



\$1,040* 50m Reel and Hose

0

Base Mount - 10mm Hose & Free Spray Gun SKU: ATHW05B050M10G



\$1,510* 100m Hose and Reel

Base Mount - for 10mm Hose and Spray Gun SKU: ATHW10B100M106

78

*GST included | Free Call 1800 816 277 | www.tti.com.au

SuperReel[™]

Remote Controlled Rewind Hose Reel

Designed to perform in the toughest terrain, the remote controlled SuperReel[™] spray reels are guaranteed to make the job quick, easy and safe for any operator.

- Powerful belt-driven 12v motor. Geared reduction for maximum torque and power efficiency
- 100m or 150m 10mm ID anti-kink nylon hose
- Hose roller guide allows for one-person operation, from any angle
- Manual override button for powered retraction, without the remote control
- Easy bolt-down points with tough powder-coated finish
- Wireless remote transmits up to 200m in uneven terrain!
- Interchangeable left/right spray gun holder
- Turbo 400 spray gun (optional accessory)





\$3,579* 50m

Auto-Rewind Reel 600 x 355 x 450mm (LWH) SKU: ATHR050M10-R



\$4,889* 100m

Auto-Rewind Reel 810 x 355 x 675mm (LWH) SKU: ATHR100M10





Auto-Rewind Reel 810 x 355 x 675mm (LWH) SKU: ATHR150M10

Upgrade to 150m Length Reel

\$323*

HOME GARDEN SPRAY LANCES

Add any of these to your versatile or telescopic lances



Spray Hoods

 Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.



Herbicide Nozzles

Consistent application rates for band spraying
 \$49*
 \$30*
 Elbow

With low volume SKU: ATAOOG

with fan nozzle SKU: ATAOOF

Spray Hoods

Tubes can be manually moulded for specialised spraying requirements.

Two models available, one with adjustable cone nozzles and one with fan nozzles.


Used for basal bark spraying and ant block treatments.



*GST included | Free Call 1800 816 277 | www.tti.com.au

SPRAY GUNS







SPRAY GUNS



Turbo 400 Spray Gun

- Professional multipurpose spray gun with Viton seals
- One hand operation for easy pattern adjustment and on/off trigger
- Adjustable turbo atomiser
- Comes with swivel & 10mm hose tail
- Max pressure: 50 bar (725psi)
- Overall length: 400mm

\$ 199 *
Turbo 400 Spray Gup

SKU: AHG102ST

KITS FEPAIR KIT SKU: CPLK102R 2.3MM CERAMIC NOZZLE

SKU: CPLP102N23 3.5MM CERAMIC NOZZLE SKU: CPLP102N35



Multi-Purpose Spray Gun


- Professional multipurpose high pressure spray gun with Viton seals
- Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- Metal handle & trigger guard favoured by many operators
- Swivel & 10mm hose tail supplied
- Max pressure: 50 bar (725psi)
- Overall length: 400mm





BASSION STATES

SPRAY BOOMS For Firebreaks, Rough Country Spraying & Locust Control





1 m

10.2

10.3

10.5

12.0

12.1

12.3

14.3

15.2

15.8 17.1

18.2

19.2

7.26

8.38

9.37

11.16

12.89

14.41 24.00

27.72

30.99

47.44

54.78

61.25

SPRAY BOOMS For Firebreaks, Rough Country Spraying & Locust Control

Versatile Boom

- 1.2 metre compact boom
- Sprays 4 metre swath width
- Compatible with any spot sprayer with pump 6.5 L/min or more
- Taps for 7-way nozzle control
- Versatility of spraying options




Sprays up to 4 metres

SKU: ABVL040

\$814* 4mBoom Haymen Reese Goose neck attachment

with Versatile Boom SKU: ABVL040-GN

Economy Booms



2 Metre Boom

2m Spray width SKU: ABS020



\$**434*** 3 Metre Boom

3m Spray width SKU: ABS030





Compact[™] – Spray Boom Compact Galvanised Spray Boom



SKU: ABM040

the least the set



SKU: ABMO60



\$2,634*	
8m Boom	

Galvanised Boom with Nozzle Protection SKU: ABM080

New & Improved

Design



 \checkmark

Very easy to fold/unfold for spraying and traveling positions

Jimna

Spring-loaded breakaway with nozzle protection

Non-drip nozzle bodies with Teejet AIXR Air Induction spray tips



86

Easy to mount onto your existing sprayer!

Fitted with

TeeJet Air Induction Nozzles

SKU: ABM040-GN

Pinnacle[™] 'Plus'

Galvanised Spray Boom with Self Level





\$5,019* 8m Boom **Galvanised Boom with**

Self-levelling Kit SKU: ABM080PS

\$5,253* 10m Boom

Galvanised Boom with Self-levelling Kit SKU: ABM100PS



boom to ride smoothly over

Self-levelling booms allows uneven terrain

Breakaway boom with nozzle protection

Non drip nozzle bodies with **Teejet AIXR Air Induction spray** tips

Hot dipped galvanised steel framework

Easy to mount onto your

existing sprayer!

Optional upgrade to Tri-nozzle bodies

\$5,546* 12m Boom

Galvanised Boom with Self-levelling Kit SKU: ABM120PS

XR

Air Induction






Flat Spray Tips

110° wide, tapered flat spray angle with air induction technology offers better drift management

Made of a two piece UHMWPE polymer construction with VisiFlo® colour-coding. UHMPE provides excellent chemical resistance, including acids, exceptional wear life

Depending on the chemical, produces large airfilled drops through a Venturi air aspirator

Available in **seven tip capacities** with a wide operating pressure range: 15-90 PSI (1-6 bar)



SKU	DESCRIPTION	COLOUR	RRP*(\$)
CNSAIXR110015X10			\$181*
CNSAIXR110020X10			\$181*
CNSAIXR110025X10	Air induction XR		\$181*
CNSAIXR110030X10	Flat Spray Tips		\$181*
CNSAIXR110040X10	(PACK of 10)		\$181*
CNSAIXR110050X10			\$181*
CNSAIXR110060X10			\$181*

(m)	0	DROP		1/ha 50 cm												
	bar	SIZE	NOZZLE IN L/min	4 km/h	5 km/h	6 km/h	7 km/h	8 km/h	10 km/h	12 km/h	16 km/h	18 km/h	20 km/h	25 km/h	30 km/h	35 km/h
	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7
	2.0	VC	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5
AIXR110015	3.0		0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2
(100)	4.0	C	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
	5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
	6.0	M	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5
	1.0	XC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8
	2.0	VÇ	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3
AIXR11002	3.0	c	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1
(50)	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
	5.0	c	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
	1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5
	2.0	XC	0.81	243	194	162	139	122	97.2	81.0	60.8	54.0	48.6	38.9	32.4	27.8
AIXR110025	3.0		0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9
(50)	4.0		1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
	5.0		1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9
	6.0	С	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0
	1.0	XC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
AIXR11003	3.0	VC	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5
(50)	4.0	с	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6
	5.0	с	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1
	6.0	C	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
	1.0	XC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2
AIXR11004	3.0	VC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2
(50)	4.0	VC	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
	5.0	с	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9
	6.0	c	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5
	1.0	XC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2
AIXR11005	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5
(50)	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8
	5.0	¢	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1
	6.0	C	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7
	1.0	XC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5
AIXR11006	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3
(50)	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9
2022/06	5.0		3.06	918	734	612	525	459	367	306	230	204	184	147	122	105
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115
	bulations are based on spraying water at 70°F (21°C).															

VISIFLO

Air Induction



Angle Flat Spray Tips

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, **rounded internal passage** to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

Applications

Herbicides, fungicides and insecticides

Tierbicides, fullgicides		2.0			
SKU	DESCRIPTION	COLOUR	RRP*(\$)	TT11004 (50)	3.0 4.0
CNSTT110010X10		MENDA	\$165*		5.0 6.0
CNSTT110015X10			\$ 165 *	TT11005	1.0 2.0 3.0
CNSTT110020X10	Turbo TeeJet	-	\$165*	(50)	4.0
CNSTT110025X10	Angle Flat Spray Tips		\$ 165 *		6.0 1.0
CNSTT110030X10	(PACK of 10)		\$ 165 *	TT11006	2.0
CNSTT110040X10			\$165*	(50)	4.0 5.0 6.0
CNSTT110050X10			\$165*		1.0 2.0
CNSTT110060X10		ALC: N	\$165*	TT11008 (50)	3.0 4.0
CNSTT110080X10		1000	\$ 165 *		5.0 6.0

B (1)	() bar	DROP	CAPACITY ONE NOZZLE IN Umin
	1.0	C	0.23
-	2.0	M	0.32
TT11001	3.0	F	0.39
(100)	4.0	Ē	0.45
	6.0	F	0.55
	1.0	c	0.34
	2.0	M	0.48
TT110015	3.0	м	0.59
(100)	4.0	м	0.68
	5.0	F	0.76
	6.0	F	0.83
	1.0	C	0.46
	2.0	С	0.65
TT11002	3.0	м	0.79
(50)	4.0	м	0.91
	5.0	M	1.02
	6.0 1.0	VC	1.12
	2.0		0.81
TT110025	3.0	M	0.99
(50)	4.0	M	1.14
(0.0)	5.0	м	1.28
	6.0	м	1.40
	1.0	VC	0.68
	2.0		0.96
TT11003	3.0	С	1.18
(50)	4.0	м	1.36
	5.0	м	1.52
	6.0	M	1.67
	1.0	XC	0.91
TT11004	3.0		1.58
(50)	4.0		1.82
(3.6)	5.0	M	2.04
	6.0	м	2.23
	1.0	XC	1.14
	2.0	VC	1.61
TT11005	3.0		1.97
(50)	4.0		2.27
	5.0	C	2.54
-	6.0	M	2.79
	1.0	XC	1.37 1.94
TT11006	3.0		2.37
(50)	4.0		2.74
	5.0		3.06
	6.0	м	3.35
	1.0	XC	1.82
	2.0	VC	2.58
TT11008	3.0		3.16
(50)	4.0		3.65
	5.0	c	4.08
	6.0	м	4,47

TURBO

2, 4 - D Compliant



Twin Flat Spray Tips

110° wide angle, air induction, **tapered flat spray tip pattern** based on the **patented outlet orifice design** of the original **Turbo TeeJet® nozzle**

Patented orifice design provides large, round passages to minimize plugging.


Depending on the chemical, produces large air-filled drops through a **Venturi air aspirator** resulting in less drift

Applications

Herbicides, fungicides and insecticides

SKU	DESCRIPTION	COLOUR	RRP*(\$)
TTI110015-VPX10			\$225*
TTI11002-VPX10	Turbo TeeJet	1	\$225*
TTI110025-VPX10		1.2	\$225*
TTI11003-VPX10	(PACK of 10)		\$225*
TTI11004-VPX10		TT	\$ 225 *

1	-		CAPACITY	CAPACITY
門(息)	()	DROP	ONE	ONE
	PSI	SIZE	NOZZLE	NOZZLE
0	Par		IN GPM	OZ/MIN.
	15	UC	0.092	12
	20	UC	0.11	14
	30 40	UC	0.15	17
TTI110015	50	ŬČ	0.17	22
(100)	60	XC	0.18	23
11000	70	XC	0.20	26
	80	xč	0.21 0.23	27
	100	XC	0.24	31
	15	UC	0.12	
	20	UC	0.14	18
	40	ŬČ	0.20	26
TTI11002	50	ŬČ	0.22	28
(50)	60	UC	0.24	31
	70	XC	0.26	33
	90	XC	0.30	38
	100	XC	0.32	41
	15	UC	0.15	19
	20 30	ŬČ	0.18	23 28
	40	UC	0.25	32
TTI110025	50	ŬČ	0.28	36
(50)	60	UČ	0.31	40
(50)	70	XC	0.33	42
	90	xc	0.35	49
	100	Xč	0.40	51
	15	UC	0.18	23
	20	ŬĈ	0.21	27
	40	UC IIC	0.26	33
TTI11003	50	ŭč	0.34	44
(50)	60	ÚČ	0.37	47
(30)	70	XC	0.40	51 54
	80 90	XC	0.42	58
	100	xč	0.45 0.47	60
	15	UC	0.24	31
	20	ÜČ	0.28	36
	30 40	UC	0.35	45
TTI11004	50	ŭč	0.45	58
(50)	60	ŬČ	0.49	63
(30)	70	XC	0.53	68
	80	XC	0.57	73
	100	XC	0.63	81
	15	UÇ	0.31	40
	20	UC	0.35	45
	30 40	UC	0.43	55 64
TTI11005	50	ůč	0.50	72
(50)	60	ŬČ	0.61	78
(30)	70	XC	0.66	84
	80 90	XC XC	0.71 0.75	91
	100	XC	0.79	101
	15	UC	0.79	47
	20	ŬČ	0.42	54
	30	ŬČ	0.52	67
TTI11006	40	uc	0.60 0.67	77
11111006				00
	60	ŬČ	0.73	93
(50)	60 70	XC	0.73 0.79	101
	60		0.73 0.79 0.85 0.90	



WELR

H



DieselSergeant[™]

Low-Profile Diesel Refueling Units

The Reason to Say GoodBye to Jerry Cans!

The low-profile, compact DieselSergeant[™] is a simple yet effective diesel refueling tank. The pump is mounted on a sturdy 'squat' tank, with a large lid for easy access to the tank.

Pin-mounting provisions make it easy to secure to tank for safe transportation.



Fits Where Others Don't!

Low Profile, Space Saver Design



40 L/min Pump			
\$ 1,362 *	220 Litres	\$1,587*	400 Litres
SKU: DSU0220LD040V1		SKU: DSU0400A	LDO40V1



92

DieselMajor™ –

with Honda GX50 Petrol Pump

The DieselMajor™ lives up to its name, as the big boy of portable diesel tanks.

The DieselMajor[™] will take charge of your onsite diesel refueling, with a 10m retractable reel and high flow pump making your refueling task a breeze.







DieselCaptain[™] Portable Diesel Tanks

Experience Hassle-Free Refueling

The Internationally Certified DieselCaptain™ is your ultimate and reliable refueling partner!

This range of poly diesel fuel tanks are equipped with world-class pumps, hoses and auto shut off nozzles, so you can be assured your diesel refueling is done quickly and efficiently.



INCORPORATED LIFTING HANDLES



Scan to see

Fitted with High-flow

Piusi or Transfer40 12v

Diesel Pumps with 4m

Double-hinged Lock-able

Pump Cover Provides

Pump Protection

Battery Cables


DID YOU KNOW?



All DieselCaptain[™] tanks are moulded with our unique aluminium lid mounting ring for incredible strength!

This unique multi-seal system keeps the moisture out and your diesel in!







Diesel CadetTM — Free-Standing Diesel Tanks

Tank Sizes: 50 Litres to 10,000 Litres

Diesel Transfer Refueling Tanks





Free-Standing with 15-Year Warranty

The DieselCadet[™] poly diesel tanks are widely regarded for their versatility when transporting larger volumes of diesel. These free-standing diesel cartage tanks can be tray-mounted and kitted out with pumps and hose reels to suit different applications.

Note: Supplied with Pins for Easy Mounting & Securing (Above 500L)

DIESELCADET[™]





³/₄" Drain Bung; Optional Outlet





400 Litres

1620 x 710 x 510mm (LWH) SKU: DTC00400AL

\$1,142*

ø250 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

Steel Skid-Frame
 \$724*
 SKU: ASFD00400A
 Top-Mount Steel Pump Plate
 \$295*



DIESELCADET[™]







1720 x 1230 x 1000mm (LWH) SKU: DTC01500L

\$2,742*

Mounting Pins Provided; ø455 Lid & Seal Assembly; $3\!4''$ Drain Bung; Optional Outlet

★ LiquidLocker[™] 40pcs \$520*







\$5,631*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄ " Drain Bung; Optional Outlet

DIESELCADET[™]





★ LiquidLocker[™] 110pcs \$1,430* **Steel Mounting Frame \$3,814*** SKU: ASFC03000





Mounting Pins Provided; ø455 Lid & Seal Assembly;

Steel Mounting Frame \$6,235* SKU: ASFC07000



★ LiquidLocker[™] 240pcs \$3,120*

Steel Mounting Framee \$6,235* SKU: ASFC08000



6,000 Litres

2760 x 2000 x 1540mm (LWH) SKU: DTC06000L

\$9,735*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄" Drain Bung; Optional Outlet

★ LiquidLocker[™] 165pcs \$2,145* Steel Mounting Frame \$4,919*
SKU: ASFC05000



10,000 Litres

3480 x 2250 x 1940mm (LWH) SKU: DTC10000L

\$15.115*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄" Drain Bung; Optional Outlet

★ LiquidLocker™ 2	95pcs	\$3,	835*	
★ Steel Mounting Frame	\$6,2	35*	SKU: ASF	C07000



DieselCadet™ With pump Free-Standing Diesel Tanks

DIESELCADET[™]

with Pumps & Optional Skid





Comes with 15-Year Warranty

The DieselCadet with pump is a complete refueling solution, ready to be mounted onto a trailer or left stationary on the ground. Backed with a 15 Year Tank Warranty.



		Die	selCadet™ with 60L/	′min 12v Pump	
		CODE	CAPACITY (LITRES)	RRP*(\$)	STEEL FRAME
	DUC1000LF060V1	1,000 Litres	\$ 3,316 *	\$ 2,556 *	
		DUC1200LF060V1	1,200 Litres	\$ 3,592 *	\$ 2,739 *
		DUC1500LF060V1	1,500 Litres	\$ 4,020 *	\$ 2,739 *
		DUC2000LF060V1	2,000 Litres	\$ 4,792 *	\$ 2,402 *
		DUC2400LF060V1	2,400 Litres	\$ 5,367 *	\$ 2,402 *
		DUC3000LF060V1	3,000 Litres	\$ 6,555 *	\$ 3,814 *
		DUC4000LF060V1	4,000 Litres	\$ 8,011 *	\$ 3,814 *
		DUC5000LF060V1	5,000 Litres	\$ 9,248 *	\$ 4,919 *
Optional Frame & Reel		DUC6000LF060V1	6,000 Litres	\$11,491 [.]	\$ 4,919 *
JPGRADE OPTIONS					

P-------



DIESEL REFUELING TRAILERS

()) DieselPatr

AX0-797

DieselPatrol14[™] -

Diesel Transfer Refueling Trailers

TTi's DieselPatrol14[™] Refueling Trailer is a simple yet effective solution, at an affordable price.

Providing serious bang for your buck, the DieselPatrol14 provides safe and hassle-free refueling for your plant and equipment.

Featuring a robust galvanized chassis, heavy duty poly diesel tank, high flow pump mounted in a toolbox, the DieselPatrol14 will deliver effortless refueling of equipment.





\$8,914*

1,000 Litres (UnBraked)

UnBraked with 45L/min 12v Piusi Pump; with Lights; Unbraked SKU: DSRX1000LF045V1

\$11,276*

1,000 Litres (with Brake)

Braked / Registerable with 45L/min 12v Piusi Pump; with Lights; with Brakes SKU: DSRQ1000LF045V1



We Are an Approved VicRoads Trailer Registration Dealer!

DieselPatrol15[™]

Diesel Refueling Trailers

TTi's DieselPatrol15[™] Refueling Trailers are the professionals choice for providing safe and hassle-free refueling for your plant and equipment.

The DieselPatrol15 features a robust galvanized chassis, heavy duty poly tanks, high flow pumps, and optional hose reels, for ultimately delivering effortless refueling of your equipment.

A Plant which

9

DIESELPATROL15[™]

Refueling Trailers





*GST included | Freight Rates Apply

	BLE AXLE
Image: Wight	\$ 13,803 *
Unbraked Hydraulic Braked; Registerable UnBraked SKU: DRX0800LF060V1 SKU: DRQ0800LF060V1 SKU: DRX1000LF060V1	Hydraulic Braked; Registerable SKU: DRQ1000LF060V1
<image/>	
1,200 Litres 1,500 \$10,896* \$14,852* \$11,474*	Litres \$ 15,418 *

UnBraked


SKU: DRX1500LF060V1

\$ 10,896 *	\$14,852*
Unbraked	Hydraulic Braked; Registerable
SKU: DRX1200LF060V1	SKU: DRQ1200LF060V1

Hydraulic Braked; Registerable

SKU: DRQ1500LF060V1

DIESELPATROL15[™]











1,500 Litres				
\$14,954*	\$ 20,199 *			
Unbraked SKU: DRXD1500L060V1	Electric Braked; Registerable SKU: DRQD1500L060V1			



2,000 Litres			
\$ 16,062 *	\$ 21,528 *		
UnBraked SKU: DRXD2000L060V1	Electric Braked; Registerable SKU: DRQD2000L060V1		



2,400 Litres			
\$ 16,714 *	\$ 22,197 *		
Unbraked SKU: DRXD2400L060V1	Electric Braked; Registerable SKU: DRQD2400L060V1		




3,000	Litres
\$ 19,504 *	\$ 24,599 *
UnBraked SKU: DRXD3000L060V1	Electric Braked; Registerable SKU: DRQD3000L060V1

Diesel Accessories

Assembly: Lid & Filter

- Pad-lockable, non vented diesel filler lid with strainer & anti-loss chain
- Used in all TransDiesel units
- #50 mesh filter at fill point helps prevent contamination of your fuel



Auto Shut-Off Diesel Nozzles

Reliable Auto Shut-Off Nozzles in 2 Sizes



Diesel Hose

- Choose from 6 & 10 metre hose lengths
- Choose from 34" and 1" hose diameter
- High quality diesel grade hose with crimped fittings
- Hose kinking prevented by anti-kink spring



SKU	Description	RRP*(\$)
ADZF6M20	Diesel hose 6 metres 20mm with crimped ends	\$ 178
ADZF6M25	Diesel hose 6 metres 25mm with crimped ends	\$283
ADZF10M25	Diesel hose 10 metres 25mm with crimped ends	\$341

*GST included | Free Call 1800 816 277 | www.tti.com.au

DIESEL ACCESSORIES

Fuel Level Gauge Never guess your fuel level again!

- Fits neatly beside filler cap
- Easy to read fuel level gauge for DieselCaptain units

SKU	DESCRIPTION	RRP*(\$)
ADLM01MK	250mm Fuel Level Gauge	\$148
ADLM02MK	300mm Fuel Level Gauge	^{\$} 154
ADLM03MK	400mm Fuel Level Gauge	\$ 163
ADLMO4MK	500mm Fuel Level Gauge	\$168
ADLM05MK	600mm Fuel Level Gauge	\$ 178





DIESEL PUMPS

PUMP ONLY



*GST included | Free Call 1800 816 277 | www.tti.com.au

DIESEL PUMPS





BluEmission[™]

Diesel Exhaust Fluid (DEF)

- ♦ 35L/min flow rate
- Stainless steel lid and auto shut-off nozzle for controlled dispensing
- Stainless steel pump with internal bypass for durability and ease of use
- Stainless steel breather mounted behind lid
- ♦ 4m of electrical cable with battery clips

- EPDM gaskets and seals
- Tank manufactured from urea grade polyethylene -Diesel Exhaust Fluid (DEF) compatibility
- Filler cap Diesel Exhaust Fluid (DEF) compatible
- 4 metres of 19mm flexible deliverv hose



Diesel Exhaust Fluid (DEF)

Dispenser with 35L/min flow rate

Fully enclosed lockable pump compartment for security and protection

and Auto Nozzle

800 x 680 x 710mm (LWH)

SKU: DALO200ALT035AV1

200 Litres

100 Litres \$2,496* \$2.759* 200 Litre with 35L/min Pump

100 Litre with 35L/min Pump and Auto Nozzle 800 x 680 x 465mm (LWH) SKU: DAL0100LT035AV1

AFFORDABLE BULK ADBLUE TRANSPORTABLE TANKS



Enjoy the Poly Advantage of No Rust!





20-Year Tank Warranty

Extra UV Stabilisation - Protects the Tank from ever Deteriorating in Direct Sunlight

Call us Today to Discuss

Your Specific Requirements

*GST included | Free Call 1800 816 277 | www.tti.com.au











FIGHTING EQUIPMENT

StandBy10[™]

Hand-Held / Tractor-Mount Fire Fighters



- Fast & consistent flow from double-action hand pump
- Adjustable nozzle for effective performance in varying conditions;
- Supplied with spring steel nounting brackets;
- UV stabilised roto-molded poly tank

\$435*

10 Litres

10 Litre Tractor Mount Fire Fighter with Spring Steel Mounting Brackets SKU: PFT0010L



116

I can say that their 1000L slip on units are fantastic, and that the two we bought this year were instrumental in saving our farms and a neighbour's house in the Yeppoon / Cobraball bushfires. When I ordered our second unit I considered it as cheap insurance!

DAVID GROVES FIRE BRIGADE MEMBE

FIRE FIGHTING HOSE REELS

High-Quality, Multi Purpose Manual & Spring Rewind Hose Reels



\$941*

36m Hose Reel (Poly)

Manual rewind poly hose reel with

36m of 19mm hose &

adjustable nozzle

SKU: AFHW10B036M19

\$**1,498* 20m Hose Reel** (Steel)

Manual rewind steel reel with

20m x 25mm hose & adjustable nozzle

SKU: ATHWO20MANR



\$1,423* 36m Hose Reel (Steel) Manual rewind steel reel with 36m x 19mm hose & adjustable fire fighting nozzle

SKU: ATHWO36MANR



\$1,995* 20m Spring Rewind Hose Reel (Steel)

Spring rewind steel reel with 20m x 25mm hose & adjustable nozzle SKU: ATHW020SR

117

ARE YOU READY FOR FIRE SEASON?

In the heat of the moment, you can always rely on TTi's Fire Fighting Equipment!

Trans Tank[®] International | **Product Catalogue 2022**

FireCombat[™]

Portable Fire Fighter



- ♦ Honda GX160 Motor with 500L/Min Davey Single Impeller 11/2" Pump
- Pressure relief valve and bypass to protect pump;
- Camlock fittings and 6m quick fill kit for filling from external water source;
- 18m x 19mm Fire hose with adjustable nozzle

\$3,810*

400 Litres

Honda GX160 with Davey Pump 1620 x 710 x 810mm (LWH) SKU: SF0400LZ



FireGuard[™]



Portable Fire Fighters

- Handy size fire fighter for rapid response to fire emergencies;
- GX50 Honda motor, 210L/min FF pump for fast & reliable flow;
- 18 metres of fire hose with twist action adjustable FF nozzle
- UV stabilised tank with 20-year warranty

SKU: SF0220LZ

\$613

***** Steel Skid-Frame



SKU: SF0400LZS

Steel Skid-Frame \$724



FireBossTM UTV Fire Fighting Unit

Sitting neat and sitting low, the TTi FireBoss™ UTV fire fighting unit is always right behind you, when performing your fire duties.

From fire fighting, tree watering, washdown, and more, the FireBoss™ slip-on UTV firefighter lives up to its name.





FireDefence[™]

Slip-On Fire Fighting Unit



A compact combo that always delivers punch, the FireDefence^m is in a class of its own.

The unique mounting of the pump, motor and reel ensures the centre of gravity is low and safe, making it the perfect choice for property owners.



He wi Sin Pi

Honda GX160 Motor with 500L/Min Davey Single Impeller 1½" Pump

KEY FEATURES

36m Hose Reel with Adjustable Nozzle



UV Stabilised Poly Tank with Tie-Down Provisions & Integrated Lifting Handles

LiquidLocker™ Baffling System Fitted



6m Suction Fill Kit for Filling from External Water Source



Low-Profile Design for Safety and Stability



*GST included | Free Call 1800 816 277 | www.tti.com.au



*GST included | Freight Rates Apply

FireAttack[™]

Skid-Mounted Fire Fighting Unit



Always action ready, the FireAttack lineup of slip on firefighting units are the choice of serious property owners.

During the heat of the moment, when every drop counts, the fully draining tank and Davey Twin Impeller pump will deliver under pressure!



Honda GX200 Engine with 400I/Min Davey Twin Impeller 11/2" Pump



UV Stabilised Fully-Drainable Tank with Liquidlocker™ Baffle System



36m x ³⁄₄" Heavy-Duty Hose Reel with Adjustable Twist Type Nozzle

KEY FEATURES



Twist



Pressure Relief Bypass Ensures Pump Remains Cool when In Operation

Heavy-Duty

Pockets

Galvanised Skid

Frame with Forklift

122









AquaPath[™]


Skid-Mounted Water Carts

VOLVO BM

TTi's tough and robust AquaPath[™] is perfect for civil works, dust suppression, tree watering and fire fighting.

This AquaPath[™] slip-on water cart is simple, effective & reliable, and will be sure to get any water transport job done with ease! Our range of accessories and options ensures we can provide you with the perfect AquaPath[™] water cart for your needs!

Tested and ready to be mounted on any tipper, flat tray or trailer!



SOIL

STONE

KEY FEATURES

Forklift Pockets

MULCH



SAND



Dual Deflector Sprayer Kit with Wireless **Remote Control**

6m Suction Fill Kit for Filling from External Water Source







AQUAPATH[™]

```
Skid-Mounted Water Carts
```







\$13,750*

2,400 Litres

2910 x 1410 x 1228mm (LWH)



\$16,565*

3,000 Litres

3020 x 1540 x 1340mm (LWH)



2,000 Litres

2910 x 1410 x 958mm (LWH)

\$18,034*

4,000 Litres

3020 x 1540 x 1590mm (LWH)



\$**20,130***

5,000 Litres

3500 x 2000 x 1569mm (LWH)



\$22,599*

6,000 Litres

3500 x 2000 x 1709mm (LWH)

AQUAPATH TESTIMONIALS

Highly recommend one of these TTi AquaPath™ units to anyone in the civil industry."

Peter Atkinson Bulldog Earthmoving Civil Contractor



Yery easy to take off the truck for something else if we're not using the tank. We've got six AquaPath[™] units across the company. They're very versatile, easy to fill-up and make it a lot easier on site.

Michael Hanly

ACE Contractors Group Civil and Landscaping



Highly recommend TTi, I couldnt recommend them any more, they always have the after sales service, and will hand deliver the unit! You cant ask for any better service!


Neil and Gareth

Regal Innovations Civil and Landscaping

FirePatrol14[™] -

Water Cartage Trailer

(II) FrePatrol I




A great property owners choice for a range of applications such as firefighting, water transfer, washdown and wherever else you need water.





KEY FEATURES



GX160 Honda Motor with 11/2" Single Impeller Davey 500L/Min Pump



36m Heavy-Duty Hose Reel with Adjustable Nozzle



Galvanised Chassis with 50mm 2T-Rated Galvanised Axles & 14" Wheels



Heavy-Duty Poly Tank with Liquidlocker™ Baffles



6m Suction Fill Kit with Bracket for Filling from External Water Source



Led Combination Tail & Number Plate Lights

for Fire Fighting, Dust Suppression and Tree Watering





with Actuator

Single Deflector with Actuator Valve

& Wireless Remote Control

Deflector Spray Kit Manual Control

Single Deflector with Ball Valve & Pipework

***GST included** | Freight Rates Apply

Honda Electric Start Engine

Honda Electric Start Engine with

Battery Pack

We Are an Approved **Sector Sector** VicRoads Trailer Registration Dealer!


FirePatrol15[™]

Australia's No: 1 Water Cartage Trailer

Robust, safe and engineer approved, the FirePatrol15[™] line up of water cartage trailers are still being voted 'Best & Fairest' on and off the road!

High performing and versatile, they make putting 'water to work' a pleasure!

130



FIREPATROL15[™]





800 Litres\$11,197*\$13,898*UnbrakedBraked Registerable
(Hydraulic Brakes)
SKU: PRFX0800LZSKU: PRFX0800LZSKU: PRFQ0800LZ



1,000 Litres				
\$ 11,597 *	\$14,491*			
Unbraked	Braked Registerable			
	(Hydraulic Brakes)			
SKU: PRFX1000LZ	SKU: PRFQ1000LZ			



1,200 Litres				
\$ 13,071 *	^{\$} 15,704*			
Unbraked	Braked Registerable			
SKU: PRFX1200LZ	(Hydraulic Brakes) SKU: PRFQ1200LZ			



FIREPATROL15[™]





1,50	DO Litres	2,00	2,000 Litres		2,400 Litres		DO Litres
\$16,383*	\$20,990*	\$17,868*	\$22,544*	\$18,366* \$22,946*		\$20,207*	\$26,076*
Unbraked	Braked Registerable (Electric Brakes)	Unbraked	Braked Registerable (Electric Brakes)	Unbraked	Braked Registerable (Electric Brakes)	Unbraked	Braked Registerable (Electric Brakes)
SKU: PRFXD1500LZ	SKU: PRFQD1500LZ	SKU: PRFXD2000LZ	SKU: PRFQD2000LZ	SKU: PRFXD2400LZ	SKU: PRFQD2400LZ	SKU: PRFXD3000LZ	SKU: PRFQD3000LZ



PantherPatrol[™] -

State-of-the-Art Water Cartage Trailer

Clearly a market leading water cart trailer.

The state of the art TTi PantherPatrol[™] Trailer Mounted Water Cart includes an inbuilt handwash tank and toolbox, and can be used for firefighting, washdown and tree watering.





1,100 Litres

\$13,142*

\$16,023*

Unbraked Honda GX200 with Twin Impeller Davey Pump SKU: PRFPX1100LZ Braked / Registerable Honda GX200 with Twin Impeller Davey Pump SKU: PRFPQ1100LZ



GST included | Free Call 1800 816 277 | www.tti.com.au



THE NEW ERA IN WATER TRUCK


We design, develop and manufacture poly tank water truck solutions here in Australia.

From complete units, fully-featured with top of the line equipment, to simple slip-on tanks. We equip Australia's civil contractors with the tools to get the job done.

WATER TRUCKS

Why TTI Water Trucks?

Designed, developed and manufactured in Australia, TTI's poly tank water trucks are the best kept secret in the civil water truck space (but not for long).





Safety by design

As **Bild-Group**, **Coates Hire**, **Boral Quarries**, **Programmed** and other major players make the switch to TTI, the new era in water trucks is here.





The ultimate compact water truck.

Popular with landscapers due to saving watering time by being more accurate, and easy to operate. Perfect for smaller civil projects, where large water trucks are not required.

Scan to se this produc

STANDARD INCLUSIONS:





20m Spring Rewind Hose Reel

OPTIONAL EXTRAS:



3" Electric Water Cannon with In-Cab Joy Stick Control



Signage Storage Provision, Traffic Cone Holder & Tool Box



Left and Right Front Spray Frog Nozzles



Gravity or Pressurised Dribble Bar





Designed to withstand the harshest of conditions, the 13,000 litre Storm[™] water truck will deliver greater efficiencies when applying water on site.

Perfect for civil & earthmoving contractors, councils, hire companies and more.

Gravity Drop Bar -Apply an Even Fan of

Left and Right Front

Water Under Gravity



FloodRite[™]

Slip-On Water Cart

FloodRite[™] slip on water carts are proven as the contractors, councils and hire companies #1 choice of water cart.

It is truly the professional's choice for the application of water as part of road construction, dust suppression & any other application for getting water where you need it!

The FloodRite[™] slip on water cart can be mounted in the back of tipper trucks using our loading leg system, or forklifted onto a tray truck or trailer.

DUST SUPPRESSION







NEW WIRELESS REMOTE CONTROL



FLOODRITETM

```
Slip-On Water Cart
```







4400 x 2100 x 2690mm (LWH); 1680kg



13,000 Litres

4200 x 2250 x 2760mm (LWH); 1680kg



13,000 Litres (Low Profile)

5400 x 2370 x 2240mm (LWH); 1770kg





OPTIONAL SWING-UP LEG SYSTEM FOR EASY LOADING & UNLOADING FROM TIPPERS




15,000 Litres

5400 x 2370 x 2490mm (LWH); 1860kg



17,000 Litres

5400 x 2370 x 2840mm (LWH); 1950kg



xTreme™

Pressure Cleaning Trailer

Heavy-Duty Cold Wash Pressure Cleaning Trailer

Heavy-duty pressure cleaning trailers are ideal for councils, civil and industrial use, with high performing pressure cleaning pumps ideal for removing heavy grime and dirt



KEY FEATURES



Heavy-Duty Poly Tank Australian Made, Tough, Lightweight and Rust-Free Polyethylene Cartage Tank with 20-Year Warranty



Pressure Cleaning Kit Choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pumps (3650psi)



Heavy-Duty Chassis A well balanced, easy towing, fully hot dipped galvanised chassis is engineer approved, for years of hard work



20m Hose Reel Convenient 20m hose reel with heavy duty braid hose & quality spray wand



LiquidLocker[™] Baffles Fitted for safety and stability, LiquidLocker[™] baffles are included in every xTreme[™] Trailer



High Pressure Pump High performing pumps rated to 3150-3650psi pumps get the job done with ease!

xTreme™ Plus

Pressure Cleaning & Washdown Trailer

Powerful Pressure Cleaning & Washdown Trailer

Dual purpose pressure cleaning & washdown trailers are ideal for councils,

civil and industrial use. Separate pressure cleaning & washdown pumps





KEY FEATURES



Heavy-Duty Poly Tank Australian Made, Tough, Lightweight and Rust-Free Polyethylene Cartage Tank with 20-Year Warranty



Washdown Pump Kit Choice of Honda petrol or Yanmar diesel engines with Davey pump for washdown; 36m x 19mm hose and reel



Heavy-Duty Chassis A well balanced, easy towing, fully hot dipped galvanised chassis is engineer approved, for years of hard work




Pressure Cleaning Kit Choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pumps (3650psi)



LiquidLocker[™] Baffles Fitted for safety and stability, LiquidLocker[™] baffles are included in every xTreme[™] Trailer





enable you tackle any application

Our People

Our Staff - Our Key!

At TTi we believe that anyone can copy the products we manufacture, the marketing we produce, the facilities we have, but nobody can copy the people that make the company what it is. Our people and their families mean everything to us and always will.



SOME OF US!



Andre Buchner Managing Director andre.buchner@tti.com.au



Ross Buchner General Manager ross.buchner@tti.com.au



Rolf Buchner Sales Manager rolf.buchner@tti.com.au

www.tti.com.au



Dale James Product Specialist dale.james@tti.com.au



Richard Southall Operations Manager richard.southall@tti.com.au



Wavde Buchner Production Scheduler wayde.buchner@tti.com.au



Andrew Trappel NSW/OLD State Manager andrew.trappel@tti.com.au



Kevin Buchner Industrial Product Specialist kevin.buchner@tti.com.au



Jens Buchner Global Marketing Manager jens.buchner@tti.com.au



Sidney Ferguson Digital Marketing Manager sidney.ferguson@tti.com.au





Pierre Buchner TTi Ambassador pierre.buchner@tti.com.au



Elmer Selby SA/NT State Manager elmer.selby@tti.com.au







Joseph Patten R&D Team Leader joseph.patten@tti.com.au



Chathuri Baddage Financial Controller chathuri.baddage@tti.com.au



Rick Hansen Dealer Support Specialist rick.hansen@tti.com.au



Andrea Boschetti Sales Support andrea.boschetti@tti.com.au



Paul Kiesskalt Customer Service Team Leader





Craig Hook Logistics Manager

craig.hook@tti.com.au



Huy Gia La Site/Technical Manager Melbourne

huy@tti.com.au

FREIGHT RATE GUIDE

Call to Discuss Your	Tailored	Freig	ht F	Prici	ng
1800	81	6	2	7	7


	ZONES	1	2	3	4	5	6
All Bare Tanks	100 L to 400 L	\$ 65	\$90	\$ 115	^{\$} 125	\$ 190	POA
All Bare Tanks	500 L to 1,500 L	\$ 115	\$ 180	\$ 220	\$ 3 30	\$ 385	POA
All Bare Tanks	2,000L to 4,000L	\$ 220	\$ 400	\$ 450	\$ 500	\$700	POA
All Bare Tanks	5,000 L to 12,000 L	\$ 500	\$ 625	\$ 940	POA	POA	POA
All Bare Tanks	13,000 L to 17,000 L	\$ 625	\$ 940	POA	POA	POA	POA
Inter™ / WeedMasta™	All Sizes	\$ 20	\$ 20	\$30	\$30	\$ 40	POA
Spot Sprayers	55 L to 95 L	\$ 40	\$ 50	\$ 60	\$80	\$ 90	POA
Spot Sprayers	150 L to 225 L	\$ 60	\$ 80	\$ 100	\$ 120	\$ 150	POA
Spot Sprayers	300 L to 400 L	\$ 100	\$ 150	\$ 225	\$ 250	\$ 3 75	POA
Field Sprayers	500 L to 1,000 L	\$ 250	\$ 3 75	\$ 500	\$ 600	POA	POA
Spray Trailers	55L / 95L / 150L	\$ 75	\$ 90	\$ 100	\$ 140	\$ 160	POA
Spray Trailers	200 L	§125	\$ 190	\$ 250	\$ 3 75	\$ 400	POA
Spray Trailers	400 L	\$ 250	\$ 440	\$ 5 50	POA	POA	POA
Spray Trailers	800L to 1,200 L	\$ 500	\$ 940	POA	POA	POA	POA
Linkage Sprayers	300 L to 400 L	\$ 125	\$ 250	\$ 350	POA	\$500	POA
Linkage Sprayers	600L to 1,000 L	§190	\$ 3 75	POA	POA	POA	POA
Booms/Versatile Boon	2 m - 4m	\$ 25	\$30	\$40	\$40	\$ 40	POA
Booms	6m - 8m	\$ 100	§125	\$ 190	\$ 225	\$ 250	POA
Booms	10m - 12m	§190	\$ 250	\$ 440	POA	POA	POA
Hose Reels	30m - 50m	\$ 40	\$50	\$60	\$60	\$ 70	POA
Hose Reels Fire	Hose / SuperReels™	\$ 60	\$ 80	\$ 100	\$ 120	\$ 120	POA

	ZONES	1	2	3	4	5	6
Diesel Units	100 L to 400 L	\$ 65	\$ 75	\$ 100	\$ 100	§150	POA
Diesel Units	440 L to 600 L	\$ 110	^{\$} 125	\$ 250	\$ 280	\$320	POA
Diesel Units	800L to 1,200 L	\$150	\$ 220	\$ 280	\$320	\$ 400	POA
Diesel Units	1,500 L to 4,000 L	\$ 280	\$ 5 50	\$750	POA	POA	POA
Diesel Units	5,000 L to 10,000 L	\$ 500	§815	\$ 1,125	POA	POA	POA
Diesel Trailers	Single Axle	\$ 500	\$ 940	POA	POA	POA	POA
Diesel Trailers	Dual Axle	\$ 690	§1,125	POA	POA	POA	POA
Fire Units	220 L to 300 L	\$ 90	\$ 120	\$ 150	\$ 250	\$ 250	POA
Fire Units	400L to 1,500 L	\$ 125	\$ 190	\$ 250	\$ 440	POA	POA
Fire Units / AquaPath	2,000L to 4,000L	\$ 3 75	\$ 62 5	\$875	POA	POA	POA
Fire Units / AquaPath	5,000L to 6,000L	\$500	\$ 750	\$ 1,125	POA	POA	POA
Fire Trailers	800L to 1,200 L	\$ 500	\$ 940	POA	POA	POA	POA
Fire Trailers	1,500L to 3,000L	\$ 690	\$ 1,000	POA	POA	POA	POA
AquaDelivery™. Water Trucks	/ FloodRite™	POA	POA	POA	POA	POA	POA

NOTE:

If multiple products are being ordered, Please contact for consolidated freight quote.

Call 1800 816 277 for details.



*Excludes GST | Freight Rates Apply



www.tti.com.au www.ttiwatertrucks.com.au



Head Office: **1800 816 277** Landline: (03) 5866 3266 Fax: (03) 5866 3019

Sales: sales@tti.com.au Marketing: marketing@tti.com.au Operations: operations@tti.com.au Accounts Receivable: accountsreceivable@tti.com.au Accounts Payable: accountspayable@tti.com.au Support / Warranty: customercare@tti.com.au

Nathalia - (Head Office) 3 Murray Valley Hwy, Nathalia, VIC, 3638



Nathalia - (Fabrication) 5 Nugent St, Nathalia, VIC, 3638

Melbourne - (Water Trucks) 12 Burwood Avenue, Sunshine North, VIC, 3020



Quotes and Enquiries **1800 816 277**